



AGENDA

The Metropolitan Government of Nashville and Davidson County....

*Board of Plumbing Examiners and Appeals
AGENDA*

Meeting Date: Tuesday, December 1, 2009
 Place: Metro Office Building – DAVIDSON ROOM – 2nd Floor
 800 2nd Avenue, South
 Time: 1:30 P.M.

PLUMBING BOARD MEMBERS	MEMBER TERM EXPIRES	MEMBER ATTENDANCE	STAFF PRESENT
Mike Trigg - Chairman Edward Galbreath- Vice Chairman John Harris Lynn Taylor Graham Reed Nathaniel Odom Vacant position	March 10, 2010 February 15, 2011 February 15, 2011 March 10, 2012 March 10, 2013 March 10, 2011		

AGENDA TOPICS
I. Approval of Last Months Minutes and Call Meeting To Order II. Appeal Cases III. Appearing Before The Board IV. Registrations V. Master Plumber Examination Approval VI. Journeyman Plumber Examination Approval VII. Other Business VIII. Consent Agenda IX. Adjournment

I. APPROVAL OF MINUTES AND CALL THE MEETING TO ORDER	
Approval of the November 3, 2009 Minutes Changes: Approval By: Signature of Chairman _____	Motion: First: Second: Opposed:

<p>II. APPEAL CASES</p>		
<p><u>Appeal Case No. 2009-P-19</u></p> <p style="text-align: right;">Represented by: Taha Halouf</p> <p>Site Address: 307 Wilhagan Road, Nashville, TN 37217 Map/Parcel Number: 106.000.166.00 Appellant: Taha Halouf</p>		
<p><u>Code Provision:</u> In the 2006 IPC Table 403.1 Minimum number of fixtures. Plumbing fixtures shall be provided For the type of occupancy and in the minimum number shown in Table 403.1</p> <p><u>Variance Requested:</u> Appellant proposes to utilize existing toilet facilities in office building adjacent to the proposed new garage building in lieu of installing toilets in the proposed limited-occupancy garage building.</p>		
<p>Discussion:</p>	<p>Motion:</p> <p>First:</p> <p>Second:</p>	<p>Opposed or Abstained:</p>

<p><u>Appeal Case No. 2009-P-20</u></p> <p style="text-align: right;">Represented by: Craig Barbee</p> <p>Site Address: 1121 Medical Center Dr, Nashville, TN 37232 Map/Parcel Number: 104.040.070.00 Appellant: Craig Barbee</p>		
<p><u>Code Provision:</u> In the 2000 IPC & 2006 IPC- Section 412.3 require floor drains to have a minimum 3-inch diameter drain outlet as per local amendment.</p> <p><u>Variance Requested:</u> Appellant proposes to install 2-inch diameter convenience drains outside of patient showers which are not accessible to the public.</p>		
<p>Discussion:</p>	<p>Motion:</p> <p>First:</p> <p>Second:</p>	<p>Opposed or Abstained:</p>

III. APPEARING BEFORE THE BOARD
No Applicants

IV. REGISTRATIONS
No Applicants

V. MASTER PLUMBER EXAMINATION APPROVAL
No Applicants

VI. JOURNEYMAN PLUMBER EXAMINATION APPROVAL
No Applicants

VII. Other Business
No Business

VIII. CONSENT AGENDA
No Business

IX. MOTION FOR ADJOURNMENT:	Motion: First: Second:	Opposed or Abstained:
-----------------------------	------------------------------	-----------------------