

Alcohol Consumption

Adults who have had at least one drink of alcohol within the past 30 days

2005 Data Unless Otherwise Indicated

| ALL | | | | | | | |
|-------------------|--------------|-------------------------------------|-------------------------------------|-----------------------|-------------------------------------|-------------------------------------|-----------------------|
| SOURCE | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| ALL 2005 | % CI n | 55.1 (55.0 - 55.3) 507 | 65.3 (63.2-67.4) 3250 | 43.8 51 | 42.2 (42.1 - 42.4) 328 | 34.7 (32.6-36.8) 1485 | 56.2 51 |
| SMART 2005 | % CI n | 57.0 (52.9-61.2) 505 | N/A | N/A | 42.8 (38.7-47.0) 351 | N/A | N/A |
| SMART 2002 | % CI n | 55.0 (47.9-62.1) 140 | 69.6 (67.7-71.5) 2227 | 41.9 51 | 45.0 (37.9-52.1) 115 | 30.4 (28.5-32.3) 940 | 58.1 51 |
| ALL 2001^ | % CI n | 57.2^ | 72.3 (70.3-74.3) 2101 | 44.2 51 | 42.8^ | 27.7 (25.7-29.7) 734 | 55.8 51 |
| Gender | | | | | | | |
| Gender | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Male | % CI n | 50.3 (50.1 - 50.5) 166 | 57.9 (54.3-61.5) 1059 | 36.5 51 | 46.2 (46.0 -46.4) 133 | 42.1 (38.5-45.7) 686 | 63.5 51 |
| Female | % CI n | 59.5 (59.3 - 59.7) 341 | 72.1 (69.8-74.4) 2191 | 51.0 51 | 38.6 (38.4 - 38.8) 195 | 27.9 (25.6-30.2) 799 | 49.0 51 |
| Age | | | | | | | |
| Age Group | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| 18-24 | % CI n | 50.5 (50.1 - 50.9) 22 | 60.0 (50.7 - 69.3) 140 | 43.6 49 | 49.5 (49.1 - 49.9) 19 | 40.0 (30.7 - 49.3) 92 | 56.4 49 |
| 25-34 | % CI n | 44.4 (44.1 - 44.7) 57 | 55.3 (49.6 - 61.0) 355 | 37.4 51 | 52.6 (52.3 - 52.9) 65 | 44.7 (39.0 - 50.4) 263 | 62.6 51 |
| 35-44 | % CI n | 45.5 (45.2 - 45.8) 70 | 57.4 (52.9 - 61.0) 503 | 38.7 51 | 51.9 (51.6 - 62.2) 81 | 42.6 (38.1 - 47.1) 353 | 61.3 51 |
| 45-54 | % CI n | 60.2 (60 - 60.6) 111 | 66.3 (62.4 - 70.2) 643 | 40.9 51 | 36.9 (36.5 - 37.2) 68 | 33.7 (29.8 - 37.6) 341 | 59.1 51 |
| 55-64 | % CI n | 56.9 (56.5 - 57.4) 98 | 70.5 (66.1 - 74.2) 624 | 46.7 51 | 37.7 (37.3 - 38.1) 61 | 29.5 (25.1 - 33.9) 61 | 53.3 51 |
| 65+ | % CI n | 80.2 (79.9 - 80.5) 149 | 83.6 (80.8 - 86.4) 985 | 60.5 51 | 17.9 (17.6 - 18.2) 34 | 16.4 (13.6 - 19.2) 183 | 39.5 51 |

N/A=Value not available or not applicable or not computed

^ = 2001 MPH's BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available.

Alcohol Consumption

Adults who have had at least one drink of alcohol within the past 30 days

2005 Data Unless Otherwise Indicated

| Race | | | | | | | |
|----------------------------|--------------|-------------------------------------|------------------------------------|-----------------------|-------------------------------------|------------------------------------|-----------------------|
| Race | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| White | % CI n | 53.0 (52.8 - 53.1) 353 | 65.9 (63.9-67.9) 2742 | 40.5 51 | 44.7 (44.5 - 44.9) 256 | 34.1 (32.1-36.1) 1272 | 59.5 51 |
| Black | % CI n | 61.7 (61.4 - 62.0) 124 | 65.0 (57.2-72.8) 387 | 56.8 30 | 35.0 (34.7 - 35.3) 55 | 35.0 (27.2-42.8) 149 | 43.2 30 |
| Hispanic | % CI n | 87.5 (86.8 - 88.1) 12 | N/A | 50.7 29 | 7.6 (7.1 - 8.2) 1 | N/A | 49.3 29 |
| Other | % CI n | 42.8 (42.1 - 43.6) 10 | N/A | 53.4 22 | 57.2 (56.5 - 57.9) 9 | N/A | 46.6 22 |
| MultiRacial | % CI n | 43.0 (41.5 - 44.5) 5 | N/A | 43.9 6 | 57.0 (55.5 - 58.5) 5 | N/A | 56.1 6 |
| Income | | | | | | | |
| Income Category | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| < \$15,000 | % CI n | 73.2 (72.7 - 73.7) 50 | 77.8 (71.3-84.3) 435 | 63.3 49 | 26.8 (26.3 - 27.3) 10 | 22.2 (15.7-28.7) 93 | 36.7 49 |
| \$15,000 - \$24,999 | % CI n | 58.2 (57.4 - 58.6) 85 | 75.4 (71.0-79.8) 650 | 54.9 51 | 39.6 (39.3 - 40.0) 41 | 24.6 (20.2-29.0) 195 | 45.1 51 |
| \$25,000 - \$34,999 | % CI n | 57.4 (56.9 - 57.8) 67 | 68.3 (62.9-73.7) 431 | 49.7 51 | 41.3 (40.9 - 41.7) 41 | 31.7 (26.3-37.1) 170 | 50.3 51 |
| \$35,000 - \$49,999 | % CI n | 46.9 (46.6 - 47.3) 64 | 60.8 (55.5-66.1) 415 | 42.1 51 | 48.6 (48.2 - 49.0) 53 | 39.2 (33.9-44.5) 243 | 57.9 51 |
| \$50,000 Plus | % CI n | 46.5 (46.2 - 46.8) 133 | 50.9 (47.0-54.8) 654 | 31.7 51 | 50.9 (50.7 - 51.2) 139 | 49.1 (45.2-53.0) 605 | 68.3 51 |
| Education | | | | | | | |
| Education | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Less than H.S. | % CI n | 80.7 (80.2 - 81.2) 47 | 82.3 (77.4-87.2) 514 | 65.1 50 | 18.2 (17.7 - 18.6) 9 | 17.7 (12.8-22.6) 84 | 34.9 50 |
| H.S. or G.E.D. | % CI n | 73.3 (73.0 - 73.5) 167 | 71.8 (67.7-75.9) 1243 | 51.3 51 | 22.9 (22.6 - 23.1) 55 | 28.2 (24.1-32.3) 384 | 48.7 51 |
| Some post- H.S. | % CI n | 54.7 (54.4 - 54.9) 133 | 62.0 (58.0-66.0) 816 | 42.6 51 | 43.9 (43.6 - 44.2) 87 | 38.0 (34.0-42.0) 412 | 57.4 51 |
| College graduate | % CI n | 41.6 (41.3 - 41.8) 159 | 51.7 (47.9-55.5) 664 | 33.1 51 | 55.9 (55.7 - 56.1) 175 | 48.3 (44.5-52.1) 602 | 66.9 51 |

N/A=Value not available or not applicable or not computed

^ = 2001 MPHDS BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available.

Alcohol Consumption

Heavy drinkers (adult men having more than two drinks per day and adult women having more than one drink per day)

2005 Data Unless Otherwise Indicated

| ALL | | | | | | | |
|-----------------------------|--------------|-------------------------------------|-------------------------------------|-----------------------|----------------------------------|--------------------------------|----------------------|
| SOURCE | No | | | Yes | | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | |
| ALL 2005 | % CI n | 93.2 (93.1 - 93.3) 798 | 96.6 (95.8-97.4) 4,462 | 95.1 51 | 4.1 (4.1 - 4.2) 37 | 3.4 (2.6-4.2) 162 | 4.9 51 |
| SMART 2005 | % CI n | 95.7 (94.2-97.3) 798 | N/A | N/A | 4.1 (2.6-5.7) 37 | N/A | N/A |
| SMART 2002 | % CI n | 95.5 (92.4-98.6) 242 | 96.7 (95.8-97.6) 3,059 | 94.1 51 | 4.5 (1.4-7.6) 11 | 3.3 (2.4-4.2) 87 | 5.9 51 |
| ALL 2001[^] | % CI n | N/A | 97.5 (96.8-98.2) 2,749 | 94.9 51 | N/A | 2.5 (1.8-3.2) 68 | 5.1 51 |
| Gender | | | | | | | |
| Gender | No | | | Yes | | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | |
| Male | % CI n | 92.9 (92.8 - 93.1) 287 | 96.0 (94.7-97.3) 1,618 | 94.4 51 | 3.6 (3.5 - 3.7) 12 | 4.0 (2.7-5.3) 72 | 5.6 51 |
| Female | % CI n | 93.5 (93.4 - 93.6) 511 | 97.1 (96.3-97.9) 2,844 | 96.0 51 | 4.6 (4.6 - 4.7) 25 | 2.9 (2.1-3.7) 90 | 4.0 51 |
| Age | | | | | | | |
| Age Group | No | | | Yes | | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | |
| 18-24 | % CI n | 97.1 (96.9 - 97.2) 39 | 97.6 (96.0-99.2) 213 | 92.6 51 | 2.9 (02.8 - 03.1) 2 | 2.4 (0.8-4.0) 12 | 7.4 51 |
| 25-34 | % CI n | 93.3 (93.1 - 93.4) 118 | 97.5 (96.1-98.9) 586 | 94.7 51 | 3.7 (03.6 - 03.9) 4 | 2.5 (1.1-3.9) 20 | 5.3 51 |
| 35-44 | % CI n | 92.0 (91.8 - 92.2) 142 | 94.4 (91.7-97.1) 796 | 94.9 51 | 5.4 (05.3 - 05.5) 9 | 5.6 (2.9-8.3) 38 | 5.1 51 |
| 45-54 | % CI n | 92.8 (92.6 - 93.0) 171 | 96.0 (94.3-97.7) 916 | 95.3 51 | 4.3 (04.2 - 04.4) 8 | 4.0 (2.3-5.7) 44 | 4.7 51 |
| 55-64 | % CI n | 89.7 (89.5 - 90) 151 | 97.2 (95.6-98.8) 825 | 95.8 51 | 4.9 (04.7 - 05.1) 8 | 2.8 (1.2-4.4) 22 | 4.2 51 |
| 65+ | % CI n | 94.9 (94.8 - 95.1) 177 | 97.6 (96.4-98.8) 1,126 | 97.1 51 | 3.2 (03.0 - 03.3) 6 | 2.4 (1.2-3.6) 26 | 2.9 51 |

N/A=Value not available or not applicable or not computed

[^] = 2001 MPH's BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed

Alcohol Consumption

Heavy drinkers (adult men having more than two drinks per day and adult women having more than one drink per day)

2005 Data Unless Otherwise Indicated

| Race | | | | | | | |
|--------------------|--------------|-------------------------------------|-------------------------------------|-----------------------|-----------------------------------|--------------------------------|----------------------|
| Race | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| White | % CI n | 93.0 (92.9 - 93.1) 579 | 96.7 (96.0-97.4) 3,788 | 94.8 51 | 4.7 (4.6 - 4.8) 30 | 3.3 (2.6-4.0) 140 | 5.2 51 |
| Black | % CI n | 95.9 (95.8 - 96.0) 177 | 96.2 (92.8-99.6) 508 | 96.7 39 | 0.8 (0.8 - 0.9) 2 | 3.8 (0.4-7.2) 12 | 3.3 39 |
| Hispanic | % CI n | 95.1 (94.7 - 95.5) 13 | 98.6 (95.8-100.0) 50 | 96.3 45 | 0.0 *** 0 | 1.4 (0.0-4.2) 1 | 3.7 45 |
| Other | % CI n | 88.8 (88.3 - 89.2) 16 | 97.8 (95.1-100.0) 62 | 96.2 47 | 11.2 (10.8 - 11.7) 3 | 2.2 (0.0-4.9) 3 | 3.9 46 |
| MultiRacial | % CI n | 94.2 (93.5 - 95.0) 9 | N/A | 96.0 26 | 5.8 (5.0 - 6.5) 1 | N/A | 4.1 25 |

| Income | | | | | | | |
|----------------------------|--------------|-------------------------------------|-------------------------------------|-----------------------|---------------------------------|-------------------------------|----------------------|
| Income Category | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| < \$15,000 | % CI n | 100.0 *** 60 | 96.4 (94.2-98.6) 504 | 95.8 51 | 0.0 *** 0 | 3.6 (1.4-5.8) 17 | 4.2 51 |
| \$15,000 - \$24,999 | % CI n | 91.7 (91.5 - 91.9) 118 | 96.9 (95.4-98.4) 804 | 95.5 51 | 6.2 (6.0 - 6.4) 8 | 3.1 (1.6-4.6) 27 | 4.5 51 |
| \$25,000 - \$34,999 | % CI n | 93.6 (93.4 - 93.8) 102 | 96.4 (94.1-98.7) 572 | 95.3 51 | 5.1 (4.9 - 5.3) 6 | 3.6 (1.3-5.9) 19 | 4.7 51 |
| \$35,000 - \$49,999 | % CI n | 92.7 (92.5 - 92.9) 112 | 95.8 (92.7-98.9) 616 | 94.6 51 | 2.9 (2.7 - 3.0) 5 | 4.2 (1.1-7.3) 25 | 5.4 51 |
| \$50,000 Plus | % CI n | 93.5 (93.4 - 93.6) 262 | 96.4 (95.1-97.7) 1,174 | 94.6 51 | 4.0 (3.9 - 4.1) 10 | 3.6 (2.3-4.9) 52 | 5.4 51 |

| Education | | | | | | | |
|-------------------------|--------------|-------------------------------------|-------------------------------------|-----------------------|---------------------------------|-------------------------------|----------------------|
| Education | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Less than H.S. | % CI n | 96.9 (96.7 - 97.1) 55 | 97.4 (95.6-99.2) 576 | 94.9 51 | 2.0 (1.8 - 2.2) 1 | 2.6 (0.8-4.4) 14 | 5.1 51 |
| H.S. or G.E.D. | % CI n | 93.1 (93.0 - 93.3) 213 | 96.4 (94.8-98.0) 1,537 | 95.3 51 | 3.0 (2.9 - 3.1) 9 | 3.6 (2.0-5.2) 50 | 4.7 51 |
| Some post- H.S. | % CI n | 92.7 (92.6 - 92.9) 205 | 96.5 (95.1-97.9) 1,155 | 94.6 51 | 5.8 (5.7 - 5.9) 15 | 3.5 (2.1-4.9) 47 | 5.4 51 |
| College graduate | % CI n | 93.4 (93.3 - 93.5) 322 | 96.6 (95.4-97.8) 1,179 | 95.6 51 | 4.1 (4.0 - 4.1) 12 | 3.4 (2.2-4.6) 51 | 4.4 51 |

N/A=Value not available or not applicable or not computed

^ = 2001 MPH's BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed

Alcohol Consumption

Binge drinkers (adults having five or more drinks on one occasion)

2005 Data Unless Otherwise Indicated

| ALL | | | | | | | |
|-------------------|--------------|-------------------------------------|---------------------------------------|-----------------------|------------------------------------|-----------------------------------|-----------------------|
| SOURCE | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| ALL 2005 | % CI n | 87.1 (87.0 - 87.2) 768 | 91.4 (90.0 - 92.8) 4,359 | 85.6 51 | 12.1 (12.0 - 12.2) 85 | 8.6 (7.2 - 10.0) 331 | 14.4 51 |
| SMART 2005 | % CI n | 88.1 (85.4-90.9) 768 | N/A | N/A | 11.7 (9.0-14.5) 85 | N/A | N/A |
| SMART 2002 | % CI n | 89.7 (85.0-94.4) 228 | 91.8 (90.5-93.1) 2,923 | 83.7 51 | 10.3 (5.6-15.0) 26 | 8.2 (6.9-9.5) 222 | 16.3 51 |
| ALL 2001^ | % CI n | 62.6 | 93.2 (91.9-94.5) 2,667 | 85.2 51 | 37.4 | 6.8 (5.5-8.1) 150 | 14.8 51 |
| Gender | | | | | | | |
| Gender | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Male | % CI n | 83.5 (83.3 - 83.6) 260 | 87.4 (84.9-89.9) 1,521 | 78.0 51 | 15.2 (15.0 - 15.3) 47 | 12.6 (10.1-15.1) 200 | 22.0 51 |
| Female | % CI n | 90.4 (90.2 - 90.5) 508 | 95.1 (93.9-96.3) 2,838 | 92.7 51 | 9.3 (9.2 - 9.4) 38 | 4.9 (3.7-6.1) 131 | 7.3 51 |
| Age | | | | | | | |
| Age Group | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| 18-24 | % CI n | 86.6 (86.3 - 86.8) 35 | 87.1 (81.9-92.3) 191 | 73.9 49 | 13.5 (13.2 - 13.7) 6 | 12.9 (7.7-18.1) 37 | 26.1 49 |
| 25-34 | % CI n | 79.1 (78.8 - 79.3) 102 | 87.6 (82.8-92.4) 543 | 78.6 51 | 20.1 (19.9 - 20.4) 23 | 12.4 (7.6-17.2) 70 | 21.4 51 |
| 35-44 | % CI n | 86.4 (86.1 - 86.6) 134 | 88.6 (85.2-92.0) 767 | 83.9 51 | 12.1 (11.8 - 12.3) 19 | 11.4 (8.0-14.8) 81 | 16.1 51 |
| 45-54 | % CI n | 86.8 (86.6 - 87) 161 | 93.2 (91.3-95.1) 899 | 88.1 51 | 12.3 (12.1 - 12.6) 21 | 6.8 (4.9-8.7) 71 | 11.9 51 |
| 55-64 | % CI n | 90.9 (90.6 - 7.6) 154 | 94.8 (92.7-96.9) 829 | 92.2 51 | 7.6 (7.3 - 7.8) 11 | 5.2 (3.1-7.3) 42 | 7.8 51 |
| 65+ | % CI n | 97.3 (97.2 - 97.4) 182 | 97.0 (95.8-98.2) 1,130 | 97.0 51 | 2.7 (2.6 - 2.9) 5 | 3.0 (1.8-4.2) 30 | 3.0 51 |

N/A=Value not available or not applicable or not computed

^ = 2001 MPHDS BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Alcohol Consumption

Binge drinkers (adults having five or more drinks on one occasion)

2005 Data Unless Otherwise Indicated

| Race | | | | | | |
|--------------------|----------------------|----------------------|----------------|---------------------|------------------|----------------|
| Race | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| White | 85.7 | 92.3 | 85.7 | 13.8 | 7.7 | 14.3 |
| % CI n | (85.6 - 85.8) 554 | (91.2-93.4) 3,705 | 51 | (13.6 - 13.9) 68 | (6.6-8.8) 275 | 51 |
| Black | 89.8 | 86.4 | 90.4 | 8.9 | 13.6 | 9.7 |
| % CI n | (89.7 - 90.0) 169 | (80.0-92.8) 486 | 36 | (8.7 - 9.0) 14 | (7.2-20.0) 42 | 36 |
| Hispanic | 100.0 | N/A | 84.4 | 0.0 | N/A | 15.6 |
| % CI n | *** 14 | N/A | 38 | *** 0 | N/A | 38 |
| Other | 100.0 | 97.6 | 88.8 | 0.0 | 2.4 | 11.2 |
| % CI n | *** 19 | (92.9-100.0) 65 | 39 | *** 0 | (0.0-7.1) 1 | 39 |
| MultiRacial | 89.8 | N/A | 90.3 | 10.3 | N/A | 9.7 |
| % CI n | (88.8 - 90.7) 9 | N/A | 19 | (9.3 - 11.2) 1 | N/A | 19 |

| Income | | | | | | |
|----------------------------|----------------------|----------------------|----------------|---------------------|-------------------|----------------|
| Income Category | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| < \$15,000 | 94.2 | 94.6 | 87.7 | 5.8 | 5.4 | 12.3 |
| % CI n | (93.9 - 94.4) 58 | (91.7-97.5) 504 | 50 | (5.6 - 6.1) 2 | (2.5-8.3) 22 | 50 |
| \$15,000 - \$24,999 | 87.6 | 92.7 | 86.0 | 11.3 | 7.3 | 14.0 |
| % CI n | (87.3 - 87.8) 116 | (90.0-95.4) 786 | 51 | (11.1 - 11.6) 11 | (4.6-10.0) 50 | 51 |
| \$25,000 - \$34,999 | 92.0 | 91.2 | 86.0 | 8.0 | 8.8 | 14.0 |
| % CI n | (91.8 - 92.2) 101 | (87.3-95.1) 564 | 51 | (7.8 - 8.2) 9 | (4.9-12.7) 33 | 51 |
| \$35,000 - \$49,999 | 79.0 | 87.7 | 84.8 | 18.6 | 12.3 | 15.2 |
| % CI n | (78.7 - 79.3) 103 | (83.7-91.7) 583 | 51 | (18.3 - 18.9) 17 | (8.3-16.3) 67 | 51 |
| \$50,000 Plus | 85.0 | 90.0 | 83.6 | 14.8 | 10.0 | 16.4 |
| % CI n | (84.8 - 85.2) 243 | (87.8-92.2) 1,118 | 51 | (14.6 - 15.0) 36 | (7.8-12.2) 129 | 51 |

| Education | | | | | | |
|-------------------------|----------------------|----------------------|----------------|---------------------|-------------------|----------------|
| Education | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Less than H.S. | 88.6 | 94.5 | 86.5 | 11.4 | 5.5 | 13.5 |
| % CI n | (88.2 - 89.0) 53 | (91.8-97.2) 567 | 51 | (11.0 - 11.8) 4 | (2.8-8.2) 27 | 51 |
| H.S. or G.E.D. | 91.5 | 91.4 | 85.1 | 6.0 | 8.6 | 14.9 |
| % CI n | (91.3 - 91.7) 213 | (88.5-94.3) 1,524 | 51 | (5.9 - 6.2) 13 | (5.7-11.5) 86 | 51 |
| Some post- H.S. | 86.6 | 90.3 | 84.1 | 13.4 | 9.7 | 15.9 |
| % CI n | (86.4 - 86.8) 199 | (87.8-92.8) 1,117 | 51 | (13.3 - 13.6) 26 | (7.2-12.2) 99 | 51 |
| College graduate | 85.3 | 91.0 | 86.9 | 14.6 | 9.0 | 13.1 |
| % CI n | (85.1 - 85.5) 301 | (89.0-93.0) 1,137 | 51 | (14.4 - 14.6) 41 | (7.0-11.0) 118 | 51 |

N/A=Value not available or not applicable or not computed

^ = 2001 MPH's BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Arthritis

Adults who have been told they have arthritis

2005 Data Unless Otherwise Indicated

| ALL | | | | | | | |
|-------------------|--------------|-------------------------------------|------------------------------------|-----------------------|-------------------------------------|------------------------------------|-----------------------|
| SOURCE | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| ALL 2005 | % CI n | 75.6 (75.4 - 75.7) 580 | 70.3 (68.6-72.0) 3003 | 73.0 51 | 24.4 (24.3 - 24.6) 266 | 29.7 (28.0-31.4) 1684 | 27.0 51 |
| SMART 2005 | % CI n | 74.5 (71.2-77.9) 580 | N/A | N/A | 25.3 (22.0-28.7) 266 | N/A | N/A |
| SMART 2002 | % CI n | N/A | N/A | N/A | N/A | N/A | N/A |
| ALL 2001 ^ | % CI n | N/A | 73.6 (71.7-75.5) 2095 | 77.4 51 | N/A | 26.4 (24.5-28.3) 825 | 22.6 51 |
| Gender | | | | | | | |
| Gender | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Male | % CI n | 81.0 (80.9 - 81.2) 238 | 73.9 (71.2-76.6) 1207 | 77.3 51 | 19.0 (18.8 -19.2) 69 | 26.1 (23.4-28.8) 525 | 22.7 51 |
| Female | % CI n | 70.5 (70.4 - 70.7) 342 | 66.9 (64.7-69.1) 1796 | 69.4 51 | 29.5 (29.3 - 29.7) 197 | 33.1 (30.9-35.3) 1159 | 30.6 51 |
| Age | | | | | | | |
| Age Group | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| 18-24 | % CI n | 94.6 (94.4 - 94.8) 38 | 93.3 (89.4-97.2) 215 | 94.7 51 | 5.4 (5.2 - 5.6) 2 | 6.7 (2.8-10.6) 15 | 5.3 51 |
| 25-34 | % CI n | 92.5 (92.4 - 92.7) 116 | 89.7 (86.8-92.6) 551 | 90.3 51 | 7.5 (7.3 - 7.6) 10 | 10.3 (7.4-13.2) 67 | 9.7 51 |
| 35-44 | % CI n | 80.3 (80.0 - 80.6) 123 | 78.3 (74.8-81.8) 657 | 82.8 51 | 19.7 (19.5 - 20.0) 30 | 21.7 (18.2-25.2) 192 | 17.2 51 |
| 45-54 | % CI n | 68.5 (68.2 - 68.9) 124 | 62.7 (58.6-66.8) 620 | 70.4 51 | 31.5 (31.1 - 31.8) 57 | 37.3 (33.2-41.4) 348 | 29.6 51 |
| 55-64 | % CI n | 63.3 (62.9 - 63.8) 102 | 53.8 (49.4-58.2) 466 | 54.9 51 | 36.7 (36.3 - 37.1) 64 | 46.2 (41.8-50.6) 411 | 45.1 51 |
| 65+ | % CI n | 46.1 (45.7 - 46.5) 77 | 44.8 (41.1-48.5) 494 | 44.3 51 | 53.9 (53.5 - 54.3) 103 | 55.2 (51.5-58.9) 651 | 55.7 51 |
| Race | | | | | | | |
| Race | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| White | % CI n | 74.7 (74.5 - 74.9) 421 | 68.5 (66.6-70.4) 2539 | 71.7 51 | 25.3 (25.1 - 25.5) 197 | 31.5 (29.6-33.4) 1443 | 28.3 51 |
| Black | % CI n | 75.2 (74.9 - 75.4) 123 | 76.8 (72.1-81.5) 340 | 74.3 34 | 24.8 (24.6 - 25.1) 57 | 23.2 (18.5-27.9) 184 | 25.8 34 |

N/A=Value not available or not applicable or not computed

^ = 2001 MPHDP's BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Arthritis

Adults who have been told they have arthritis

2005 Data Unless Otherwise Indicated

| Hispanic | % C I n | 92.6 (92.1 - 93.2) 11 | N/A | 86.0 41 | 7.4 (6.8 - 7.9) 2 | N/A 41 |
|--------------------|------------------|------------------------------------|----------------------------------|-------------------|----------------------------------|---------------------------------|
| Other | % C I n | 90.2 (89.7 - 90.6) 16 | 82.4 (73.0-91.8) 45 | 80.6 41 | 9.8 (9.4 - 10.3) 3 | 17.6 (8.2-27.0) 20 |
| MultiRacial | % C I n | 73.4 (72.0 -74.7) 6 | N/A | 71.3 12 | 26.7 (25.3 -28.0) 4 | 28.7 12 |

Income

| Income Category | | No | | | Yes | | |
|----------------------------|------------------|-------------------------------------|-----------------------------------|-------------------|------------------------------------|-----------------------------------|-------------------|
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| < \$15,000 | % C I n | 64.7 (64.1 - 65.2) 30 | 51.2 (44.9-57.5) 229 | 61.3 51 | 35.3 (34.8 - 35.9) 29 | 48.8 (42.5-55.1) 292 | 38.7 51 |
| \$15,000 - \$24,999 | % C I n | 74.8 (74.5 - 75.1) 84 | 63.6 (59.0-68.2) 490 | 67.1 51 | 25.2 (24.9 -25.6) 44 | 36.4 (31.8-41.0) 351 | 32.9 51 |
| \$25,000 - \$34,999 | % C I n | 74.9 (74.6 -75.3) 72 | 73.7 (69.3-78.1) 406 | 71.9 51 | 25.1 (24.7 - 25.4) 36 | 26.3 (21.9-30.7) 191 | 28.1 51 |
| \$35,000 - \$49,999 | % C I n | 81.0 (80.7 - 81.3) 91 | 77.3 (73.3-81.3) 489 | 73.7 51 | 19.0 (18.7 - 19.3) 30 | 22.7 (18.7-26.7) 168 | 26.3 51 |
| \$50,000 Plus | % C I n | 78.8 (78.6 - 79.0) 211 | 76.0 (73.0-79.0) 923 | 77.7 51 | 21.2 (21.0 - 21.4) 68 | 24.0 (21.0-27.0) 335 | 22.3 51 |

Education

| Education | | No | | | Yes | | |
|-------------------------|------------------|-------------------------------------|------------------------------------|-------------------|------------------------------------|-----------------------------------|-------------------|
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Less than H.S. | % C I n | 51.0 (50.4 - 51.7) 25 | 53.0 (47.2-58.8) 261 | 68.2 51 | 49.0 (48.3 - 49.6) 29 | 47.0 (41.2-52.8) 324 | 31.8 51 |
| H.S. or G.E.D. | % C I n | 71.4 (71.1 - 71.7) 146 | 69.6 (66.5-72.7) 1001 | 69.9 51 | 28.6 (28.4 - 28.9) 81 | 30.4 (27.3-33.5) 610 | 30.1 51 |
| Some post- H.S. | % C I n | 73.1 (72.8 - 73.4) 142 | 74.6 (71.5-77.7) 837 | 73.1 51 | 26.9 (26.7 - 27.2) 79 | 25.4 (22.3-28.5) 381 | 26.9 51 |
| College graduate | % C I n | 82.5 (82.3 - 82.7) 264 | 74.4 (71.3-77.5) 897 | 77.0 51 | 17.5 (17.3 - 17.7) 77 | 25.6 (22.5-28.7) 363 | 23.0 51 |

N/A=Value not available or not applicable or not computed

^ = 2001 MPHDS BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Asthma

Adults who have been told they currently have asthma

2005 Data Unless Otherwise Indicated

| ALL | | | | | | |
|-----------------------------|-------------------------------------|------------------------------------|-----------------------|------------------------------------|----------------------------------|-----------------------|
| SOURCE | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| ALL 2005 | 90.5 (90.4 - 90.6) 779 | 92.3 (91.3-93.3) 4322 | 92.0 51 | 9.3 (9.3 - 9.4) 78 | 7.7 (6.7-8.7) 411 | 8.0 51 |
| SMART 2005 | 90.2 (87.9-92.6) 779 | N/A | N/A | 9.6 (7.3-12.0) 78 | N/A | N/A |
| SMART 2002 | 94.3 (90.9-97.7) 243 | 91.8 (90.7-92.9) 2922 | 92.4 51 | 5.7 (2.3-9.1) 15 | 8.2 (7.1-9.3) 276 | 7.6 51 |
| ALL 2001[^] | 36.0 | 93.1 (92.1-94.1) 2698 | 92.7 51 | 64.0 | 6.9 (5.9-7.9) 221 | 7.3 51 |
| Gender | | | | | | |
| Gender | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Male | 92.2 (92.1 -92.3) 287 | 95.1 (93.9-96.3) 1639 | 94.1 51 | 7.8 (7.7 - 7.9) 23 | 4.9 (3.7-6.1) 103 | 5.9 51 |
| Female | 88.9 (88.8 - 89.1) 492 | 89.7 (88.2-91.2) 2683 | 89.7 51 | 10.7 (10.6 - 10.9) 55 | 10.3 (8.8-11.8) 308 | 10.3 51 |
| Age | | | | | | |
| Age Group | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| 18-24 | 85.6 (85.3 - 85.9) 36 | 93.2 (89.5-96.9) 213 | 90.1 51 | 14.4 (14.1 - 14.7) 5 | 6.8 (3.1-10.5) 19 | 9.9 51 |
| 25-34 | 89.6 (89.4 - 89.8) 111 | 94.1 (91.8-96.4) 574 | 92.0 51 | 10.4 (10.2 - 10.6) 15 | 5.9 (3.6-8.2) 43 | 8.0 51 |
| 35-44 | 89.5 (89.3 - 89.7) 134 | 92.1 (89.8-94.4) 775 | 92.5 51 | 10.0 (9.8 - 10.2) 19 | 7.9 (5.6-10.2) 78 | 7.5 51 |
| 45-54 | 93.2 (93.1 - 93.4) 170 | 92.4 (90.4-94.4) 895 | 92.4 51 | 6.3 (6.1 - 6.5) 12 | 7.6 (5.6-9.6) 84 | 7.6 51 |
| 55-64 | 91.4 (91.1 - 91.6) 153 | 89.6 (87.2-92.0) 784 | 91.6 51 | 8.6 (8.4 - 8.9) 15 | 10.4 (8.0-12.8) 99 | 8.4 51 |
| 65+ | 93.1 (92.9 - 93.2) 175 | 92.0 (90.0-94.0) 1081 | 92.7 51 | 7.0 (6.8 - 7.2) 12 | 8.0 (6.0-10.0) 88 | 7.3 51 |

N/A=Value not available or not applicable or not computed

[^] = 2001 MPHDS BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed

Asthma

Adults who have been told they currently have asthma

2005 Data Unless Otherwise Indicated

| Race | | | | | | | |
|--------------------|----|---------------|-------------|----------------|---------------|------------|----------------|
| Race | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| White | % | 90.6 | 92.5 | 92.1 | 9.1 | 7.5 | 7.9 |
| | CI | (90.5 - 90.7) | (91.5-93.5) | | (9.0 -9.2) | (6.5-8.5) | |
| | n | 573 | 3682 | 51 | 51 | 332 | 51 |
| Black | % | 88.4 | 91.1 | 91.2 | 11.6 | 8.9 | 8.8 |
| | CI | (88.2 - 88.6) | (87.8-94.4) | | (11.4 - 11.8) | (5.6-12.2) | |
| | n | 161 | 475 | 35 | 23 | 60 | 35 |
| Hispanic | % | 90.2 | N/A | 94.2 | 9.8 | N/A | 5.9 |
| | CI | (89.6 - 90.9) | | | (9.2 - 10.4) | | |
| | n | 12 | | 44 | 2 | | 44 |
| Other | % | 100.0 | 94.8 | 92.5 | 0.0 | 5.2 | 7.6 |
| | CI | *** | (90.4-99.2) | | *** | (0.8-9.6) | |
| | n | 19 | 61 | 44 | 0 | 6 | 44 |
| MultiRacial | % | 86.9 | N/A | 88.7 | 13.1 | N/A | 11.3 |
| | CI | (85.8 - 87.9) | | | (12.1 -14.2) | | |
| | n | 8 | | 26 | 2 | | 26 |

| Income | | | | | | | |
|----------------------------|----|---------------|-------------|----------------|---------------|-------------|----------------|
| Income Category | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| < \$15,000 | % | 81.6 | 82.3 | 87.0 | 18.4 | 17.7 | 13.0 |
| | CI | (81.1 - 81.9) | (77.6-87.0) | | (18.0 - 18.9) | (13.0-22.4) | |
| | n | 52 | 436 | 51 | 8 | 90 | 51 |
| \$15,000 - \$24,999 | % | 91.3 | 90.5 | 90.8 | 8.1 | 9.5 | 9.2 |
| | CI | (91.1 - 91.5) | (88.0-93.0) | | (7.9 - 8.3) | (7.0-12.0) | |
| | n | 113 | 751 | 51 | 14 | 91 | 51 |
| \$25,000 - \$34,999 | % | 93.8 | 92.3 | 92.1 | 6.3 | 7.7 | 7.9 |
| | CI | (93.6 - 94.0) | (89.2-95.4) | | (6.1 - 6.5) | (4.6-10.8) | |
| | n | 102 | 558 | 51 | 8 | 44 | 51 |
| \$35,000 - \$49,999 | % | 86.3 | 92.2 | 92.7 | 13.7 | 7.8 | 7.3 |
| | CI | (86.1 - 86.6) | (89.4-95.0) | | (13.4 - 13.9) | (5.0-10.6) | |
| | n | 108 | 609 | 51 | 14 | 49 | 51 |
| \$50,000 Plus | % | 93.9 | 96.0 | 93.2 | 6.1 | 4.0 | 6.8 |
| | CI | (93.8 - 94.0) | (94.7-97.3) | | (6.0 - 6.2) | (2.7-5.3) | |
| | n | 262 | 1199 | 51 | 18 | 60 | 51 |

| Education | | | | | | | |
|-------------------------|----|---------------|-------------|----------------|---------------|-------------|----------------|
| Education | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Less than H.S. | % | 83.2 | 86.0 | 89.4 | 16.8 | 14.0 | 10.6 |
| | CI | (82.8 - 83.7) | (82.5-89.5) | | (16.3 - 17.3) | (10.5-17.5) | |
| | n | 47 | 506 | 51 | 10 | 92 | 51 |
| H.S. or G.E.D. | % | 90.4 | 91.2 | 92.3 | 8.9 | 8.8 | 7.7 |
| | CI | (90.2 - 90.6) | (89.3-93.1) | | (8.7 - 9.0) | (6.9-10.7) | |
| | n | 208 | 1475 | 51 | 20 | 150 | 51 |
| Some post- H.S. | % | 90.4 | 94.0 | 91.7 | 9.6 | 6.0 | 8.3 |
| | CI | (90.2 - 90.5) | (92.5-95.5) | | (9.5 - 9.8) | (4.5-7.5) | |
| | n | 204 | 1131 | 51 | 21 | 92 | 51 |
| College graduate | % | 91.4 | 94.7 | 93.0 | 8.6 | 5.3 | 7.0 |
| | CI | (91.3 - 91.5) | (93.2-96.2) | | (8.5 - 8.7) | (3.8-6.8) | |
| | n | 316 | 1195 | 51 | 27 | 75 | 51 |

N/A=Value not available or not applicable or not computed

^ = 2001 MPHDS BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed

Asthma
Adults who have ever been told they have asthma
2005 Data Unless Otherwise Indicated

| ALL | | | | | | |
|-------------------|---------------|-------------|----------------|---------------|-------------|----------------|
| SOURCE | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| ALL 2005 | 87.2 | 88.4 | 87.4 | 12.8 | 11.6 | 12.6 |
| % | (87.1 - 87.3) | (87.1-89.7) | | (12.7 - 12.9) | (10.3-12.9) | |
| CI | 753 | 4168 | 51 | 106 | 576 | 51 |
| n | | | | | | |
| SMART 2005 | 86.7 | N/A | N/A | 13.1 | N/A | N/A |
| % | (84.0-89.5) | | | (10.4-15.9) | | |
| CI | 753 | | | 106 | | |
| n | | | | | | |
| SMART 2002 | 91.5 | 87.8 | 88.2 | 8.5 | 12.2 | 11.8 |
| % | (87.5-95.6) | (86.5-89.1) | | (4.4-12.5) | (10.9-13.5) | |
| CI | 236 | 2809 | 51 | 22 | 395 | 51 |
| n | | | | | | |
| ALL 2001^ | 89.0 | 90.7 | 88.7 | 11.0 | 9.3 | 11.3 |
| % | | (89.5-91.9) | | | (8.1-10.5) | |
| CI | | 2618 | 51 | | 303 | 51 |
| n | | | | | | |

| Gender | | | | | | |
|---------------|---------------|-------------|----------------|---------------|-------------|----------------|
| Gender | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Male | 89.1 | 90.4 | 89.6 | 10.9 | 9.6 | 10.4 |
| % | (89.0 - 89.2) | (88.4-92.4) | | (10.8 - 11.0) | (7.6-11.6) | |
| CI | 277 | 1577 | 51 | 33 | 167 | 51 |
| n | | | | | | |
| Female | 85.5 | 86.5 | 85.5 | 14.5 | 13.5 | 14.5 |
| % | (85.4 - 85.7) | (84.8-88.2) | | (14.3 - 14.6) | (11.8-15.2) | |
| CI | 476 | 2591 | 51 | 73 | 409 | 51 |
| n | | | | | | |

| Age | | | | | | |
|--------------|---------------|-------------|----------------|---------------|-------------|----------------|
| Age Group | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| 18-24 | 82.4 | 88.8 | 82.2 | 17.6 | 11.2 | 17.8 |
| % | (82.1 - 82.7) | (84.0-93.6) | | 17.3 - 17.9) | (6.4-16.0) | |
| CI | 35 | 201 | 51 | 6 | 31 | 51 |
| n | | | | | | |
| 25-34 | 84.1 | 89.9 | 86.3 | 15.9 | 10.1 | 13.7 |
| % | (83.9 - 84.4) | (86.6-93.2) | | (15.7 - 16.1) | (6.8-13.4) | |
| CI | 104 | 552 | 51 | 22 | 66 | 51 |
| n | | | | | | |
| 35-44 | 86.6 | 88.6 | 88.3 | 13.4 | 11.4 | 11.7 |
| % | (86.4 - 86.8) | (86.0-91.2) | | (13.2 - 13.6) | (8.8-14.0) | |
| CI | 128 | 744 | 51 | 26 | 112 | 51 |
| n | | | | | | |
| 45-54 | 90.8 | 86.9 | 88.0 | 9.2 | 13.1 | 12.0 |
| % | (90.6 - 91.0) | (83.6-90.2) | | (9.0 - 9.4) | (9.8-16.4) | |
| CI | 166 | 861 | 51 | 17 | 122 | 51 |
| n | | | | | | |
| 55-64 | 88.1 | 87.6 | 87.6 | 11.9 | 12.4 | 12.4 |
| % | (87.8 - 88.4) | (85.0-90.2) | | (11.6 - 12.2) | (9.8-15.0) | |
| CI | 148 | 762 | 51 | 20 | 122 | 51 |
| n | | | | | | |
| 65+ | 91.6 | 88.7 | 89.8 | 8.4 | 11.3 | 10.2 |
| % | (91.4 - 91.8) | (86.3-91.1) | | (8.2 - 8.7) | (8.9-13.7) | |
| CI | 172 | 1048 | 51 | 15 | 123 | 51 |
| n | | | | | | |

| Race | | | | | | |
|--------------|---------------|-------------|----------------|---------------|-------------|----------------|
| Race | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| White | 87.4 | 88.8 | 87.7 | 12.6 | 11.2 | 12.3 |
| % | (87.3 - 87.5) | (87.5-90.1) | | (12.5 - 12.8) | (9.9-12.5) | |
| CI | 556 | 3557 | 51 | 70 | 467 | 51 |
| n | | | | | | |
| Black | 85.1 | 85.9 | 86.6 | 14.9 | 14.1 | 13.4 |
| % | (84.9 - 85.3) | (81.2-90.6) | | (14.7 - 15.1) | (9.4-18.8) | |
| CI | 153 | 450 | 35 | 31 | 86 | 35 |
| n | | | | | | |

N/A=Value not available or not applicable or not computed

^ = 2001 MPHDS BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Asthma

Adults who have ever been told they have asthma

2005 Data Unless Otherwise Indicated

| Hispanic | % CI n | 90.2 (89.6 - 90.9) 12 | N/A | 89.9 38 | 9.8 (9.2 - 10.4) 2 | N/A 38 |
|--------------------|--------------|------------------------------------|----------------------------------|-------------------|-----------------------------------|------------------------------|
| Other | % CI n | 100.0 *** 19 | 94.8 (90.4-99.2) 61 | 89.1 40 | 0.0 *** 0 | 5.2 (0.8-9.6) 6 |
| MultiRacial | % CI n | 86.9 (85.8 -87.9) 8 | N/A | 84.7 21 | 13.1 (12.0 - 14.2) 2 | 15.3 21 |

Income

| Income Category | | No | | | Yes | | |
|----------------------------|--------------|-------------------------------------|------------------------------------|-------------------|------------------------------------|-----------------------------------|-------------------|
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| < \$15,000 | % CI n | 74.9 (74.4 - 75.4) 50 | 79.9 (75.0-84.8) 425 | 82.1 51 | 25.1 (24.6 - 25.6) 10 | 20.1 (15.2-25.0) 102 | 17.9 51 |
| \$15,000 - \$24,999 | % CI n | 89.9 (89.6 - 90.1) 111 | 84.5 (80.4-88.6) 722 | 85.4 51 | 10.1 (9.9 - 10.4) 17 | 15.5 (11.4-19.6) 125 | 14.6 51 |
| \$25,000 - \$34,999 | % CI n | 90.3 (90.0 - 91.5) 98 | 88.5 (85.0-92.0) 534 | 88.0 51 | 9.8 (9.5 - 10.0) 12 | 11.5 (8.0-15.0) 69 | 12.0 51 |
| \$35,000 - \$49,999 | % CI n | 84.9 (84.6 - 85.1) 106 | 89.0 (85.6-92.4) 590 | 88.2 51 | 15.2 (14.9 - 15.4) 16 | 11.0 (7.6-14.4) 69 | 11.8 51 |
| \$50,000 Plus | % CI n | 90.0 (89.8 - 90.1) 252 | 92.0 (90.0-94.0) 1155 | 89.0 51 | 10.0 (9.9 - 10.2) 28 | 8.0 (6.0-10.0) 104 | 11.0 51 |

Education

| Education | | No | | | Yes | | |
|-------------------------|--------------|-------------------------------------|------------------------------------|-------------------|------------------------------------|-----------------------------------|-------------------|
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Less than H.S. | % CI n | 83.2 (82.8 - 83.7) 47 | 82.6 (78.3-86.9) 491 | 85.2 51 | 16.8 (16.3 - 17.3) 10 | 17.4 (13.1-21.7) 108 | 14.8 51 |
| H.S. or G.E.D. | % CI n | 86.0 (85.8 - 86.2) 200 | 87.3 (84.8-89.8) 1431 | 87.9 51 | 14.0 (13.8 - 14.2) 30 | 12.7 (10.2-15.2) 200 | 12.1 51 |
| Some post- H.S. | % CI n | 88.3 (88.1 - 88.5) 199 | 90.1 (87.9-92.3) 1086 | 86.7 51 | 11.7 (11.5 - 11.9) 26 | 9.9 (7.7-12.1) 140 | 13.3 51 |
| College graduate | % CI n | 88.2 (88.1 - 88.4) 304 | 90.7 (88.7-92.7) 1146 | 88.4 51 | 11.8 (11.6 - 11.9) 39 | 9.3 (7.3-11.3) 125 | 11.6 51 |

N/A=Value not available or not applicable or not computed

^ = 2001 MPHDS BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Cholesterol Awareness

Adults who have ever had their blood cholesterol checked

2005 Data Unless Otherwise Indicated

| ALL | | | | | | | |
|-----------------------------|--------------|-------------------------------------|-----------------------------------|-----------------------|-------------------------------------|------------------------------------|-----------------------|
| SOURCE | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| ALL 2005 | % CI n | 17.5 (17.4 - 17.6) 109 | 20.9 (18.9-22.9) 701 | 77.3 51 | 80.6 (80.5 - 80.8) 737 | 79.1 (77.1-81.1) 3967 | 22.7 51 |
| SMART 2005 | % CI n | 18.3 (14.8-21.9) 109 | N/A | N/A | 81.5 (78.0-85.1) 737 | N/A | N/A |
| SMART 2002 | % CI n | N/A | N/A | N/A | N/A | N/A | N/A |
| ALL 2001[^] | % CI n | N/A | 27.2 (25.3-29.1) 742 | 23.0 51 | N/A | 72.8 (70.9-74.7) 2140 | 77.0 51 |
| Gender | | | | | | | |
| Gender | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Male | % CI n | 20.5 (20.3 - 20.7) 48 | 22.7 (19.3-26.1) 292 | 24.2 51 | 77.9 (77.7 - 78.0) 258 | 77.3 (73.9-80.7) 1432 | 75.8 51 |
| Female | % CI n | 14.8 (14.6 - 14.9) 61 | 19.2 (16.8-21.6) 409 | 21.0 51 | 83.2 (83.0 - 83.3) 479 | 80.8 (78.4-83.2) 2535 | 79.0 51 |
| Age | | | | | | | |
| Age Group | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| 18-24 | % CI n | 36.9 (36.5 - 37.3) 16 | 55.1 (45.7-64.5) 111 | 60.6 47 | 60.2 (59.8 - 60.6) 23 | 44.9 (35.5-54.3) 108 | 39.4 47 |
| 25-34 | % CI n | 31.2 (30.9 - 31.5) 38 | 31.9 (26.3-37.5) 192 | 39.0 51 | 65.2 (64.9 - 65.5) 83 | 68.1 (62.5-73.7) 402 | 61.0 51 |
| 35-44 | % CI n | 14.9 (14.7 - 15.1) 18 | 22.1 (18.2-26.0) 165 | 21.7 51 | 83.0 (82.8 - 83.3) 134 | 77.9 (74.0-81.8) 681 | 78.3 51 |
| 45-54 | % CI n | 8.5 (8.3 - 8.7) 16 | 11.8 (9.0-14.6) 105 | 11.5 51 | 91.5 (91.3 - 91.7) 167 | 88.2 (85.4-91.0) 877 | 88.5 51 |
| 55-64 | % CI n | 7.5 (7.2 - 7.7) 13 | 6.0 (4.2-7.8) 60 | 6.5 51 | 92.6 (92.3 - 92.8) 155 | 94.0 (92.2-95.8) 820 | 93.5 51 |
| 65+ | % CI n | 4.2 (4.1 - 4.4) 8 | 6.2 (4.4-8.0) 68 | 4.8 51 | 93.7 (93.5 - 93.9) 175 | 93.8 (92.0-95.6) 1079 | 95.2 51 |

N/A=Value not available or not applicable or not computed

[^] = 2001 MPH's BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Cholesterol Awareness

Adults who have ever had their blood cholesterol checked

2005 Data Unless Otherwise Indicated

| Race | | | | | | | |
|--------------------|--------------|------------------------------------|-----------------------------------|-----------------------|-------------------------------------|------------------------------------|-----------------------|
| Race | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| White | % CI n | 15.1 (15.0 - 15.3) 70 | 19.1 (17.2-21.0) 569 | 19.6 51 | 83.1 (82.9 - 83.2) 547 | 80.9 (79.0-82.8) 3389 | 80.4 51 |
| Black | % CI n | 20.7 (20.5 - 20.9) 31 | 25.0 (17.3-32.7) 92 | 24.9 30 | 77.1 (76.8 - 77.3) 150 | 75.0 (67.3-82.7) 436 | 75.2 30 |
| Hispanic | % CI n | 19.3 (18.5 - 20.1) 2 | N/A | 46.0 30 | 80.8 (80.0 - 81.6) 12 | N/A | 54.0 30 |
| Other | % CI n | 33.2 (32.5 - 33.9) 4 | N/A | 27.2 26 | 64.0 (63.3 - 64.7) 14 | N/A | 72.9 26 |
| MultiRacial | % CI n | 16.4 (15.2 - 17.5) 1 | N/A | 23.8 9 | 83.6 (82.5 - 84.8) 9 | N/A | 76.2 9 |

| Income | | | | | | | |
|----------------------------|--------------|---|-----------------------------------|-----------------------|--|------------------------------------|-----------------------|
| Income Category | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| < \$15,000 | % CI n | 17.8 (17.3 - 18.2) 9 | 21.6 (16.2-27.0) 97 | 31.5 48 | 80.1 (79.7 - 80.6) 50 | 78.4 (73.0-83.8) 426 | 68.5 48 |
| \$15,000 - \$24,999 | % CI n | 23.7 23.4 - 24.1 21 | 29.7 (24.2-35.2) 146 | 29.9 51 | 71.9 71.5 - 72.2 103 | 70.3 (64.8-75.8) 675 | 70.1 51 |
| \$25,000 - \$34,999 | % CI n | 28.4 (28.0 - 28.8) 24 | 24.6 (19.9-29.3) 123 | 25.8 51 | 71.1 (70.7 - 71.5) 85 | 75.4 (70.7-80.1) 476 | 74.2 51 |
| \$35,000 - \$49,999 | % CI n | 15.7 (15.4 - 16.0) 13 | 20.6 (15.8-25.4) 95 | 21.3 51 | 81.6 (81.3 - 81.9) 106 | 79.4 (74.6-84.2) 554 | 78.7 51 |
| \$50,000 Plus | % CI n | 11.7 (11.6 - 11.9) 23 | 12.3 (9.1-15.5) 126 | 14.7 51 | 87.9 (87.7 - 88.1) 256 | 87.7 (84.5-90.9) 1126 | 85.3 51 |

| Education | | | | | | | |
|-------------------------|--------------|------------------------------------|-----------------------------------|-----------------------|-------------------------------------|------------------------------------|-----------------------|
| Education | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Less than H.S. | % CI n | 14.3 (13.8 - 14.7) 7 | 24.3 (18.3-30.3) 99 | 36.7 49 | 83.0 (82.5 - 83.5) 49 | 75.7 (69.7-81.7) 489 | 63.3 49 |
| H.S. or G.E.D. | % CI n | 17.4 (17.2 - 17.6) 32 | 25.6 (21.5-29.7) 275 | 26.3 51 | 78.8 (78.6 - 79.1) 192 | 74.4 (70.3-78.5) 1322 | 73.7 51 |
| Some post- H.S. | % CI n | 24.5 (24.2 - 24.7) 34 | 20.0 (16.5-23.5) 179 | 21.7 51 | 74.1 (73.9 - 74.4) 188 | 80.0 (76.5-83.5) 1026 | 78.3 51 |
| College graduate | % CI n | 13.6 (13.5 - 13.8) 36 | 14.0 (11.4-16.6) 146 | 13.8 51 | 85.5 (85.3 - 85.6) 304 | 86.0 (83.4-88.6) 1115 | 86.2 51 |

N/A=Value not available or not applicable or not computed

^ = 2001 MPH's BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Cholesterol Awareness

Adults who have had their blood cholesterol checked within the past five years

2005 Data Unless Otherwise Indicated

| ALL | | | | | | | | | |
|-------------------|-------------------------|---------------------|----------------|-----------------------------|------------------|----------------|----------------------|--------------------|----------------|
| SOURCE | Checked in past 5 years | | | Not checked in past 5 years | | | Never checked | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| ALL 2005 | 76.1 | 76.1 | 73.0 | 3.1 | 2.7 | 3.9 | 17.5 | 21.1 | 22.9 |
| % CI n | (76.0 - 76.3) 699 | (74.0-78.2) 3787 | 51 | (3.1 - 3.2) 27 | (1.9-3.5) 118 | 51 | (17.4 - 17.6) 109 | (19.0-23.2) 701 | 51 |
| SMART 2005 | 78.2 | N/A | N/A | 3.0 | N/A | N/A | 18.5 | N/A | N/A |
| % CI n | (74.5-82.0) 699 | N/A | N/A | (1.6-4.3) 27 | N/A | N/A | (14.8-22.3) 109 | N/A | N/A |
| SMART 2002 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| % CI n | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| ALL 2001^ | N/A | 69.5 | 72.4 | N/A | 2.9 | 3.9 | N/A | 27.6 | 23.2 |
| % CI n | N/A | (67.5-71.5) 2025 | 51 | N/A | (2.0-3.8) 78 | 51 | N/A | (25.6-29.6) 742 | 51 |
| Gender | | | | | | | | | |
| Gender | Checked in past 5 years | | | Not checked in past 5 years | | | Never checked | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Male | 73.4 | 73.8 | 71.3 | 3.0 | 3.4 | 4.0 | 20.5 | 22.9 | 24.7 |
| % CI n | (73.2 - 73.6) 246 | (70.3-77.3) 1369 | 51 | (3.0 - 3.1) 9 | (1.9-4.9) 46 | 51 | (20.3 - 20.7) 48 | (19.5-26.3) 292 | 51 |
| Female | 78.7 | 78.4 | 75.0 | 3.3 | 2.1 | 3.8 | 14.8 | 19.5 | 21.2 |
| % CI n | (78.5 - 78.8) 453 | (76.0-80.8) 2418 | 51 | (3.2 - 3.3) 18 | (1.5-2.7) 72 | 51 | (14.6 - 14.9) 61 | (17.1-21.9) 409 | 51 |
| Age | | | | | | | | | |
| Age Group | Checked in past 5 years | | | Not checked in past 5 years | | | Never checked | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| 18-24 | 53.7 | 43.4 | 36.4 | 3.2 | 0.3 | 1.3 | 36.9 | 56.2 | 61.5 |
| % CI n | 53.3 - 54.1 21 | (33.8-53.0) 101 | 49 | (3.1 - 3.4) 1 | (0.0-1.0) 1 | 49 | (36.5 - 37.3) 16 | (46.6-65.8) 111 | 49 |
| 25-34 | 59.5 | 63.3 | 56.7 | 3.6 | 4.4 | 4.4 | 31.2 | 32.2 | 39.3 |
| % CI n | (59.2 - 59.9) 75 | (57.4-69.2) 377 | 51 | (3.5 - 3.7) 5 | (1.0-7.8) 17 | 51 | (30.9 - 31.5) 38 | (26.5-37.9) 192 | 51 |
| 35-44 | 79.0 | 74.1 | 72.1 | 4.0 | 3.8 | 6.0 | 14.9 | 22.1 | 21.9 |
| % CI n | (78.7 - 79.3) 127 | (70.0-78.2) 644 | 51 | (3.9 - 4.2) 7 | (2.1-5.5) 35 | 51 | (14.7 -15.1) 18 | (18.2-26.0) 165 | 51 |
| 45-54 | 86.9 | 85.2 | 82.9 | 3.5 | 2.8 | 4.7 | 8.5 | 11.9 | 11.6 |
| % CI n | 86.9 | 85.2 | 82.9 | 3.5 | 2.8 | 4.7 | 8.5 | 11.9 | 11.6 |

N/A=Value not available or not applicable or not computed

^ = 2001 MPHD's BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Cholesterol Awareness

Adults who have had their blood cholesterol checked within the past five years

2005 Data Unless Otherwise Indicated

| | | | | | | | | | | |
|--------------|----|---------------|-------------|-------------|-------------|------------|------------|-------------|------------|------------|
| | CI | (86.7 - 87.1) | (82.1-88.3) | | (3.4 - 3.7) | (1.5-4.1) | | (8.3 - 8.7) | (9.1-14.7) | |
| | n | 158 | 840 | 51 | 7 | 29 | 51 | 16 | 105 | 51 |
| 55-64 | % | 89.1 | 91.1 | 90.2 | 3.0 | 2.8 | 3.4 | 7.5 | 6.1 | 6.5 |
| | CI | (88.9 - 89.4) | (88.7-93.5) | | (2.8 - 3.1) | (1.1-4.5) | | (7.2 -7.7) | (4.3-7.9) | |
| | n | 149 | 791 | 51 | 5 | 21 | 51 | 13 | 60 | 51 |
| 65+ | % | 91.2 | 92.5 | 92.9 | 0.9 | 1.1 | 1.9 | 4.2 | 6.4 | 4.9 |
| | CI | (91.0 - 91.4) | (90.6-94.4) | | (0.8 - 0.9) | (0.4-1.8) | | (4.1 - 4.4) | (4.6-8.2) | |
| | n | 169 | 1034 | 51 | 2 | 15 | 51 | 8 | 68 | 51 |

Race

| Race | Checked in past 5 years | | | Not checked in past 5 years | | | Never checked | | | |
|--------------------|-------------------------|----------------|----------------|-----------------------------|---------------|----------------|---------------|---------------|----------------|-------------|
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | |
| White | % | 77.0 | 77.8 | 75.7 | 4.3 | 2.9 | 4.4 | 15.1 | 19.3 | 19.8 |
| | CI | (76.9 - 77.2) | (75.8-79.8) | | (4.2 - 4.4) | (2.1-3.7) | | (15.0 - 15.3) | (17.4-21.2) | |
| | n | 513 | 3227 | 51 | 25 | 111 | 51 | 70 | 569 | 51 |
| Black | % | 75.9 | 72.6 | 73.4 | 0.4 | 2.0 | 1.7 | 20.7 | 25.3 | 25.2 |
| | CI | (75.7 - 76.2) | (64.6-80.6) | | (0.4 - 0.5) | (0.0-5.4) | | (20.5 - 20.9) | (17.5-33.1) | |
| | n | 147 | 422 | 30 | 1 | 4 | 38 | 31 | 92 | 30 |
| Hispanic | % | 80.8 | N/A | 52.0 | 0.0 | N/A | 1.9 | 19.3 | N/A | 46.8 |
| | CI | (80.00 - 81.6) | | | * | | | (18.5 - 20.1) | | |
| | n | 12 | | 30 | 0 | | 48 | 2 | | 29 |
| Other | % | 64.0 | N/A | 69.8 | 0.0 | 2.4 | 2.5 | 33.2 | N/A | 27.6 |
| | CI | (63.3 - 64.7) | | | * | (0.0-7.1) | | (32.5 - 33.9) | | |
| | n | 14 | | 23 | 0 | 1 | 46 | 4 | | 25 |
| MultiRacial | % | 67.3 | N/A | 73.7 | 16.4 | N/A | 3.4 | 16.4 | N/A | 23.9 |
| | CI | (65.8 - 68.7) | | | (15.2 - 17.5) | | | (15.2 - 17.5) | | |
| | n | 8 | | 7 | 1 | | 32 | 1 | | 9 |

Income

| Income Category | Checked in past 5 years | | | Not checked in past 5 years | | | Never checked | | | |
|----------------------------|-------------------------|---------------|----------------|-----------------------------|-------------|----------------|---------------|---------------|----------------|-------------|
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | |
| < \$15,000 | % | 76.3 | 77.0 | 64.2 | 1.2 | 1.0 | 3.2 | 17.8 | 22.0 | 32.3 |
| | CI | (75.8 - 76.8) | (71.5-82.5) | | (1.1 - 1.4) | (0.3-1.7) | | (17.3 - 18.2) | (16.5-27.5) | |
| | n | 46 | 404 | 49 | 1 | 10 | 51 | 9 | 97 | 48 |
| \$15,000 - \$24,999 | % | 68.2 | 68.5 | 66.1 | 3.7 | 1.5 | 3.3 | 23.7 | 30.0 | 30.1 |
| | CI | (67.8 - 68.5) | (63.0-74.0) | | (3.6 - 3.8) | (0.6-2.4) | | (23.4 - 24.1) | (24.5-35.5) | |
| | n | 97 | 647 | 51 | 6 | 18 | 51 | 21 | 146 | 51 |
| \$25,000 - \$34,999 | % | 68.7 | 70.6 | 70.6 | 1.2 | 4.4 | 3.8 | 28.4 | 25.0 | 26.0 |
| | CI | (68.3 - 69.1) | (65.0-76.2) | | (1.1 - 1.3) | (0.3-8.5) | | (28.0 28.8) | (20.2-29.8) | |
| | n | 83 | 453 | 51 | 1 | 15 | 51 | 24 | 123 | 51 |
| \$35,000 - \$49,999 | % | 74.7 | 74.4 | 73.6 | 6.1 | 4.9 | 4.1 | 15.7 | 20.7 | 21.4 |

N/A=Value not available or not applicable or not computed

^ = 2001 MPHDS BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Cholesterol Awareness

Adults who have had their blood cholesterol checked within the past five years

2005 Data Unless Otherwise Indicated

| | CI | (74.4 - 75.0) | (69.3-79.5) | | (5.9 - 6.3) | (2.3-7.5) | | (15.4 - 16.0) | (15.9-25.5) | |
|-------------------------|-------------------------|---------------|-------------|-----------------------------|-------------|------------|----------------|---------------|-------------|----------------|
| | n | 99 | 526 | 51 | 6 | 25 | 51 | 13 | 95 | 51 |
| \$50,000 Plus | % | 83.6 | 85.3 | 80.8 | 3.7 | 2.4 | 4.3 | 11.7 | 12.3 | 14.8 |
| | CI | (83.5 - 83.8) | (82.0-88.6) | | (3.6 - 3.8) | (1.2-3.6) | | (11.6 - 11.9) | (9.1-15.5) | |
| | n | 244 | 1090 | 51 | 11 | 31 | 51 | 23 | 126 | 51 |
| Education | | | | | | | | | | |
| Education | Checked in past 5 years | | | Not checked in past 5 years | | | Never checked | | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Less than H.S. | % | 76.0 | 73.5 | 59.8 | 4.7 | 1.7 | 2.1 | 14.3 | 24.8 | 37.5 |
| | CI | (75.5 - 76.6) | (67.5-79.5) | | (4.4 - 5.0) | (0.7-2.7) | | (13.8 - 14.7) | (18.7-30.9) | |
| | n | 45 | 458 | 49 | 2 | 15 | 51 | 7 | 99 | 49 |
| H.S. or G.E.D. | % | 74.4 | 72.1 | 69.4 | 2.5 | 2.1 | 3.4 | 17.4 | 25.8 | 26.5 |
| | CI | (74.1 - 74.6) | (67.9-76.3) | | (2.4 - 2.6) | (1.1-3.1) | | (17.2 - 17.6) | (21.6-30.0) | |
| | n | 183 | 1268 | 51 | 7 | 33 | 51 | 32 | 275 | 51 |
| Some post- H.S. | % | 71.8 | 76.8 | 73.1 | 0.9 | 3.0 | 4.2 | 24.5 | 20.2 | 22.0 |
| | CI | (71.6 - 72.1) | (73.1-80.5) | | (0.8 - 0.9) | (1.6-4.4) | | (24.2 - 24.7) | (16.6-23.8) | |
| | n | 181 | 978 | 51 | 3 | 33 | 51 | 34 | 179 | 51 |
| College graduate | % | 79.8 | 82.1 | 81.3 | 4.9 | 3.8 | 4.7 | 13.6 | 14.2 | 13.8 |
| | CI | (79.6 - 79.9) | (78.9-85.3) | | (4.8 - 5.0) | (1.5-6.1) | | (13.5 - 13.8) | (11.6-16.8) | |
| | n | 286 | 1068 | 51 | 15 | 37 | 51 | 36 | 146 | 51 |

N/A=Value not available or not applicable or not computed

^ = 2001 MPH's BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Cholesterol Awareness

Adults who have had their blood cholesterol checked and have been told it was high
2005 Data Unless Otherwise Indicated

| ALL | | | | | | | |
|-------------------|--------------|-------------------------------------|------------------------------------|-----------------------|-------------------------------------|------------------------------------|-----------------------|
| SOURCE | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| ALL 2005 | % CI n | 68.0 (67.8 - 68.1) 467 | 67.1 (65.1-69.1) 2491 | 64.4 51 | 30.8 (30.6 - 31.0) 257 | 32.9 (30.9-34.9) 1417 | 35.6 51 |
| SMART 2005 | % CI n | 68.0 (63.9-72.2) 467 | N/A | N/A | 31.8 (27.7-36.0) 257 | N/A | N/A |
| SMART 2002 | % CI n | N/A | N/A | N/A | N/A | N/A | N/A |
| ALL 2001^ | % CI n | 75.4 | 66.8 (64.4-69.2) 1428 | 69.8 51 | 24.6 | 33.2 (30.8-35.6) 694 | 30.2 51 |
| Gender | | | | | | | |
| Gender | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Male | % CI n | 70.2 (69.9 - 70.4) 167 | 67.3 (64.1-70.5) 890 | 62.7 51 | 29.6 (29.4 - 29.8) 90 | 32.7 (29.5-35.9) 522 | 37.3 51 |
| Female | % CI n | 66.1 (65.9 - 66.3) 300 | 66.8 (64.4-69.2) 1601 | 65.8 51 | 31.8 (31.6 - 32.0) 167 | 33.2 (30.8-35.6) 895 | 34.2 51 |
| Age | | | | | | | |
| Age Group | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| 18-24 | % CI n | 93.7 (93.4 - 93.9) 21 | 92.2 (86.8-97.6) 96 | 90.7 49 | 6.3 (6.1 - 6.6) 2 | 7.8 (2.4-13.2) 10 | 9.3 49 |
| 25-34 | % CI n | 76.2 (75.9 - 76.6) 64 | 82.9 (78.3-87.5) 325 | 82.9 51 | 23.8 (23.4 - 24.1) 19 | 17.1 (12.5-21.7) 75 | 17.1 51 |
| 35-44 | % CI n | 72.2 (71.9 - 72.5) 99 | 73.4 (69.1-77.7) 494 | 73.5 51 | 26.6 (26.3 - 26.9) 33 | 26.6 (22.3-30.9) 180 | 26.5 51 |
| 45-54 | % CI n | 64.8 (64.4 - 65.1) 106 | 62.2 (57.9-66.5) 550 | 62.3 51 | 34.1 (33.8 - 34.5) 59 | 37.8 (33.5-42.1) 313 | 37.7 51 |
| 55-64 | % CI n | 52.0 (51.5 - 52.4) 80 | 55.9 (51.3-60.5) 438 | 49.9 51 | 46.3 (45.8 - 46.7) 72 | 44.1 (39.5-48.7) 368 | 50.1 51 |
| 65+ | % CI n | 57.2 (56.8 - 57.6) 97 | 54.5 (50.7-58.3) 588 | 49.5 51 | 39.8 (39.4 - 40.2) 72 | 45.5 (41.7-49.3) 471 | 50.5 51 |
| Race | | | | | | | |
| Race | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| White | % CI n | 64.9 (64.8 - 65.1) 334 | 64.3 (62.2-66.4) 2095 | 63.5 51 | 34.0 (33.8 - 34.1) 205 | 35.7 (33.6-37.8) 1247 | 36.5 51 |
| Black | % CI n | 74.9 (74.6 - 75.2) 103 | 78.4 (73.6-83.2) 294 | 69.5 31 | 23.5 (23.2 - 23.8) 43 | 21.6 (16.8-26.4) 133 | 30.5 31 |

N/A=Value not available or not applicable or not computed

^ = 2001 MPHDS BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Cholesterol Awareness

Adults who have had their blood cholesterol checked and have been told it was high

2005 Data Unless Otherwise Indicated

| | % Cl n | | | | | |
|--------------------|------------------------------------|----------------------------------|-------------------|-----------------------------------|---------------------------------|-------------------|
| Hispanic | 83.3 (82.5 - 84.2) 9 | N/A | 71.8 29 | 13.1 (12.3 - 13.8) 2 | N/A | 28.2 29 |
| Other | 74.4 (73.6 - 75.2) 12 | 85.5 (75.8-95.2) 42 | 70.4 25 | 25.6 (24.8 -26.4) 2 | 14.5 (4.8-24.2) 10 | 29.6 25 |
| MultiRacial | 62.8 (61.1 - 64.4) 5 | N/A | 65.3 6 | 37.2 (35.6 - 38.9) 4 | N/A | 34.7 6 |

Income

| Income Category | % Cl n | No | | | Yes | | |
|----------------------------|-------------------------------------|-----------------------------------|-------------------|------------------------------------|-----------------------------------|-------------------|----------------|
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| < \$15,000 | 72.6 (72.0 - 73.2) 32 | 58.1 (51.1-65.1) 234 | 56.3 48 | 20.5 (20.0 - 21.0) 13 | 41.9 (34.9-48.9) 179 | 43.7 48 | |
| \$15,000 - \$24,999 | 72.6 (72.2 -73.0) 67 | 57.4 (52.1-62.7) 376 | 61.1 51 | 27.4 (27.0 - 27.8) 36 | 42.6 (37.3-47.9) 290 | 38.9 51 | |
| \$25,000 - \$34,999 | 55.3 (54.8 - 55.7) 42 | 67.6 (62.2-73.0) 293 | 64.1 51 | 44.8 (44.3 - 45.3) 43 | 32.4 (27.0-37.8) 182 | 35.9 51 | |
| \$35,000 - \$49,999 | 69.2 (68.9 - 69.6) 72 | 69.8 (64.9-74.7) 376 | 65.2 51 | 28.8 (28.4 - 29.1) 31 | 30.2 (25.3-35.1) 173 | 34.8 51 | |
| \$50,000 Plus | 69.9 (69.6 - 70.1) 171 | 72.3 (68.9-75.7) 780 | 67.5 51 | 29.8 (29.5 - 30.0) 84 | 27.7 (24.3-31.1) 334 | 32.5 51 | |

Education

| Education | % Cl n | No | | | Yes | | |
|-------------------------|-------------------------------------|-----------------------------------|-------------------|------------------------------------|-----------------------------------|-------------------|----------------|
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Less than H.S. | 47.7 (47.0 - 48.4) 21 | 58.4 (52.7-64.1) 267 | 58.3 48 | 46.3 (45.6 - 47.0) 24 | 41.6 (35.9-47.3) 210 | 41.7 48 | |
| H.S. or G.E.D. | 65.0 (64.7 - 65.3) 111 | 62.5 (58.8-66.2) 779 | 61.4 51 | 33.4 (33.1 - 33.7) 77 | 37.5 (33.8-41.2) 525 | 38.6 51 | |
| Some post- H.S. | 71.4 (71.1 - 71.7) 125 | 71.2 (67.6-74.8) 672 | 65.3 51 | 27.3 (27.0 - 27.6) 60 | 28.8 (25.2-32.4) 334 | 34.7 51 | |
| College graduate | 70.7 (70.5 - 70.9) 208 | 71.6 (68.0-75.2) 763 | 67.7 51 | 28.9 (28.7 - 29.1) 94 | 28.4 (24.8-32.0) 343 | 32.3 51 | |

N/A=Value not available or not applicable or not computed

^ = 2001 MPHDS BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Diabetes

Have you ever been told by a doctor that you have diabetes?

2005 Data Unless Otherwise Indicated

| ALL | | | | | | | | | | | | |
|-------------------|-------------|------------|----------------|------------------------|------------|----------------|--------------|-------------|----------------|--|------------|----------------|
| SOURCE | Yes | | | Yes, pregnancy-related | | | No | | | No, prediabetes or borderline diabetes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| ALL 2005 | 8.3 | 9.1 | 7.3 | 0.5 | 0.6 | 0.8 | 90.6 | 89.4 | 91.2 | 0.4 | 0.9 | 0.8 |
| % | (8.2 - 8.3) | (8.1-10.1) | | (0.5 - 0.6) | (0.4-0.8) | | (90.5 -90.7) | (88,3-90.5) | | N/A | (0.6-1.2) | |
| Cl | 87 | 528 | 51 | 5 | 39 | 51 | 760 | 4123 | 51 | 5 | 45 | 51 |
| n | | | | | | | | | | | | |
| SMART 2005 | 9.3 | N/A | N/A | 0.3 | N/A | N/A | 89.7 | N/A | N/A | 0.3 | N/A | N/A |
| % | (7.0-11.7) | | | (0.0-0.7) | | | (87.4-92.1) | | | (0.0-0.7) | | |
| Cl | 87 | | | 5 | | | 760 | | | 5 | | |
| n | | | | | | | | | | | | |
| SMART 2002 | 6.7 | 8.5 | 6.5 | 0.2 | 0.5 | 0.9 | 93.1 | 91.0 | 92.5 | N/A | N/A | N/A |
| % | (3.3-10.1) | (7.4-9.6) | | (0.0-0.6) | (0.2-0.8) | | (89.7-96.6) | (89.9-92.1) | | | | |
| Cl | 17 | 283 | 51 | 1 | 19 | 51 | 240 | 2895 | 51 | | | |
| n | | | | | | | | | | | | |
| ALL 2001^ | 6.5 | 7.7 | 6.5 | 1.0 | 0.5 | 0.9 | 92.5 | 91.7 | 92.7 | N/A | N/A | N/A |
| % | | (6.5-8.9) | | | (0.2-0.8) | | | (90.5-92.9) | | | | |
| Cl | | 231 | 51 | | 18 | 51 | | 2673 | 51 | | | |
| n | | | | | | | | | | | | |

N/A=Value not available or not applicable or not computed

^ = 2001 MPH's BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Diabetes

Have you ever been told by a doctor that you have diabetes?

2005 Data Unless Otherwise Indicated

| Gender | | | | | | | | | | | | | |
|---------------|----|-------------|------------|----------------|------------------------|------------|----------------|---------------|-------------|----------------|--|------------|----------------|
| Gender | | Yes | | | Yes, pregnancy-related | | | No | | | No, prediabetes or borderline diabetes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Male | % | 8.5 | 8.6 | 7.7 | 0.0 | | 0.0 | 90.9 | 90.6 | 91.5 | 0.2 | 0.7 | 0.7 |
| | CI | (8.4 - 8.6) | (7.1-10.1) | | * | N/A | | (90.7 - 91.0) | (89.0-92.2) | | (0.2 - 0.3) | (0.2-1.2) | |
| | n | 34 | 199 | 51 | 0 | | 0 | 273 | 1524 | 51 | 1 | 12 | 51 |
| Female | % | 8.0 | 9.5 | 7.1 | 1.0 | 1.1 | 1.5 | 90.4 | 88.3 | 90.2 | 0.6 | 1.1 | 0.9 |
| | CI | (7.9 - 8.1) | (8.2-10.8) | | (1.0 - 1.1) | (0.7-1.5) | | (90.3 - 90.5) | (86.9-89.7) | | (0.6 - 0.6) | (0.6-1.6) | |
| | n | 53 | 329 | 51 | 5 | 39 | 51 | 487 | 2599 | 51 | 4 | 33 | 51 |

| Age | | | | | | | | | | | | | |
|--------------|----|---------------|-------------|----------------|------------------------|------------|----------------|---------------|--------------|----------------|--|------------|----------------|
| Age Group | | Yes | | | Yes, pregnancy-related | | | No | | | No, prediabetes or borderline diabetes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| 18-24 | % | 0.0 | 0.8 | 0.8 | 0.0 | 0.3 | 0.6 | 100.0 | 98.1 | 98.3 | 0.0 | 0.8 | 0.5 |
| | CI | *** | (0.0-2.3) | | *** | (0.0-0.9) | | *** | (96.2-100.0) | | *** | (0.0-1.9) | |
| | n | 0 | 1 | 46 | 0 | 1 | 47 | 41 | 226 | 51 | 0 | 2 | 24 |
| 25-34 | % | 4.2 | 1.5 | 1.9 | 1.2 | 0.8 | 1.3 | 94.6 | 97.5 | 96.4 | 0.0 | 0.2 | 0.4 |
| | CI | (4.1 - 4.3) | (0.5-2.5) | | (1.1 - 1.3) | (0.2-1.4) | | (94.5 - 94.8) | (96.2-98.8) | | *** | (0.0-0.6) | |
| | n | 5 | 13 | 51 | 1 | 9 | 51 | 120 | 596 | 51 | 0 | 1 | 47 |
| 35-44 | % | 4.0 | 4.9 | 3.8 | 0.5 | 0.6 | 1.4 | 95.5 | 93.8 | 94.3 | 0.0 | 0.8 | 0.5 |
| | CI | (3.9 - 4.1) | (3.2-6.6) | | (0.4 - 0.6) | (0.2-1.0) | | (95.4 - 95.6) | (91.9-95.7) | | *** | (0.1-1.5) | |
| | n | 7 | 46 | 51 | 1 | 8 | 51 | 146 | 793 | 51 | 0 | 6 | 51 |
| 45-54 | % | 9.9 | 10.4 | 7.3 | 0.0 | 0.5 | 0.6 | 88.5 | 88.0 | 91.1 | 1.0 | 1.1 | 0.8 |
| | CI | (9.7 - 10.2) | (7.8-13.0) | | *** | (0.0-1.0) | | (88.2 - 88.7) | (85.3-90.7) | | (0.9 - 1.1) | (0.3-1.9) | |
| | n | 17 | 96 | 51 | 0 | 5 | 51 | 163 | 868 | 51 | 2 | 11 | 51 |
| 55-64 | % | 15.0 | 18.4 | 13.0 | 0.5 | 0.7 | 0.3 | 83.8 | 79.5 | 85.2 | 0.0 | 1.4 | 1.3 |
| | CI | (14.7 - 15.3) | (14.9-21.9) | | (0.4 - 0.6) | (0.1-1.3) | | (83.5 - 84.1) | (75.8-83.2) | | *** | (0.2-2.6) | |
| | n | 25 | 143 | 51 | 1 | 7 | 46 | 141 | 723 | 51 | 0 | 8 | 51 |
| 65+ | % | 19.4 | 19.0 | 16.8 | 0.9 | 0.5 | 0.2 | 78.3 | 79.0 | 81.0 | 1.5 | 1.5 | 1.7 |
| | CI | (19.1 - 19.7) | (16.2-21.8) | | (0.8 - 0.9) | (0.1-0.9) | | (77.9 - 78.6) | (76.1-81.9) | | (1.4 - 1.6) | (0.6-2.4) | |
| | n | 33 | 229 | 51 | 2 | 9 | 45 | 149 | 917 | 51 | 3 | 17 | 51 |

| Race | | | | | | | | | | | | | |
|--------------------|----|---------------|-------------|----------------|------------------------|------------|----------------|---------------|-------------|----------------|--|------------|----------------|
| Race | | Yes | | | Yes, pregnancy-related | | | No | | | No, prediabetes or borderline diabetes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| White | % | 6.7 | 8.9 | 6.8 | 0.4 | 0.5 | 0.7 | 92.1 | 89.5 | 91.5 | 0.5 | 1.1 | 0.8 |
| | CI | (6.6 - 6.8) | (7.8-10.0) | | (0.4 - 0.5) | (0.3-0.7) | | (92.0 - 92.2) | (88.3-90.7) | | (0.4 - 0.5) | (0.7-1.5) | |
| | n | 50 | 419 | 51 | 4 | 32 | 51 | 566 | 3524 | 51 | 4 | 40 | 51 |
| Black | % | 14.5 | 10.8 | 11.4 | 0.0 | 0.7 | 0.7 | 85.2 | 88.1 | 86.9 | 0.4 | 0.4 | 0.9 |
| | CI | (14.3 - 14.7) | (7.8-13.8) | | *** | (0.0-1.4) | | (84.9 - 85.4) | (84.9-91.3) | | N/A | (0.0-1.0) | |
| | n | 35 | 89 | 40 | 0 | 5 | 33 | 148 | 438 | 40 | 1 | 4 | 36 |
| Hispanic | % | 2.9 | 4.5 | 6.6 | 0.0 | 1.5 | 1.3 | 97.1 | 94.0 | 91.3 | 0.0 | | 0.7 |
| | CI | (2.6 - 3.3) | (0.0-9.1) | | *** | (0.0-4.4) | | (96.8 - 97.4) | (88.4-99.6) | | *** | N/A | |
| | n | 1 | 6 | 49 | 0 | 1 | 39 | 13 | 47 | 49 | 0 | | 38 |
| Other | % | 0.0 | 9.9 | 7.2 | 6.5 | 0.9 | 1.1 | 93.5 | 89.2 | 90.3 | 0.0 | | 1.2 |
| | CI | *** | (1.3-18.5) | | (6.1 - 6.9) | (0.0-2.6) | | (93.1 - 93.9) | (80.4-98.0) | | *** | N/A | |
| | n | 0 | 6 | 48 | 1 | 1 | 41 | 18 | 61 | 47 | 0 | | 40 |
| MultiRacial | % | 7.4 | | 8.3 | 0.0 | | 1.1 | 92.6 | | 89.5 | 0.0 | | 1.2 |
| | CI | (6.6 - 8.2) | N/A | | *** | N/A | | (91.8 - 93.4) | N/A | | *** | N/A | |

N/A=Value not available or not applicable or not computed

^ = 2001 MPHDS BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Diabetes

Have you ever been told by a doctor that you have diabetes?

2005 Data Unless Otherwise Indicated

| | | | | | | | | |
|---|---|----|---|----|---|----|---|----|
| n | 1 | 32 | 0 | 16 | 9 | 32 | 0 | 30 |
|---|---|----|---|----|---|----|---|----|

N/A=Value not available or not applicable or not computed

^ = 2001 MPH's BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Diabetes

Have you ever been told by a doctor that you have diabetes?

2005 Data Unless Otherwise Indicated

| Income | | | | | | | | | | | | |
|----------------------------|---------------------|-------------------|----------------|------------------------|-----------------|----------------|----------------------|---------------------|----------------|--|-----------------|----------------|
| Income Category | Yes | | | Yes, pregnancy-related | | | No | | | No, prediabetes or borderline diabetes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| < \$15,000 | 14.6 | 15.8 | 13.8 | 0.0 | 0.3 | 0.6 | 84.2 | 81.5 | 84.3 | 1.2 | 2.5 | 1.4 |
| % CI n | (14.2 - 15.0) 11 | (11.5-20.1) 95 | 51 | *** 0 | (0.0-0.7) 3 | 51 | (83.8 - 84.6) 48 | (76.9-86.1) 421 | 51 | (1.1 - 1.3) 1 | (0.7-4.3) 10 | 51 |
| \$15,000 - \$24,999 | 9.4 | 11.7 | 10.2 | 0.0 | 0.4 | 0.8 | 90.2 | 86.3 | 88.1 | 0.4 | 1.6 | 1.0 |
| % CI n | (9.2 - 9.7) 18 | (9.1-14.3) 119 | 51 | *** 0 | (0.0-0.8) 4 | 50 | (90.0 - 90.4) 109 | (83.4-89.2) 711 | 51 | (0.3 - 0.4) 1 | (0.4-2.8) 12 | 51 |
| \$25,000 - \$34,999 | 8.7 | 8.5 | 8.4 | 3.1 | 1.0 | 0.6 | 88.2 | 89.9 | 89.9 | 0.0 | 0.6 | 1.1 |
| % CI n | (8.5 - 9.0) 13 | (5.9-11.1) 64 | 51 | (2.9 - 3.2) 3 | (0.0-2.0) 6 | 48 | (87.9 - 88.5) 94 | (87.1-92.7) 529 | 51 | *** 0 | (0.0-1.3) 4 | 51 |
| \$35,000 - \$49,999 | 7.2 | 6.2 | 6.3 | 0.0 | 0.3 | 0.7 | 92.8 | 93.3 | 92.0 | 0.0 | 0.2 | 0.8 |
| % CI n | (7.0 - 7.4) 11 | (4.3-8.1) 56 | 51 | *** 0 | (0.0-0.7) 3 | 51 | (92.6 - 93.0) 111 | (91.3-95.3) 596 | 51 | *** 0 | (0.0-0.6) 1 | 51 |
| \$50,000 Plus | 6.6 | 6.2 | 4.6 | 0.0 | 0.6 | 0.8 | 92.8 | 92.6 | 94.0 | 0.0 | 0.6 | 0.5 |
| % CI n | (6.5 - 6.8) 17 | (4.4-8.0) 74 | 51 | *** 0 | (0.2-1.0) 13 | 50 | (92.6 - 92.9) 261 | (90.7-94.5) 1161 | 51 | *** 0 | (0.0-1.2) 7 | 51 |

| Education | | | | | | | | | | | | |
|-------------------------|---------------------|--------------------|----------------|------------------------|-----------------|----------------|----------------------|---------------------|----------------|--|-----------------|----------------|
| Education | Yes | | | Yes, pregnancy-related | | | No | | | No, prediabetes or borderline diabetes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Less than H.S. | 29.9 | 16.7 | 12.1 | 0.0 | 0.3 | 0.7 | 70.1 | 81.0 | 85.7 | 0.0 | 2.0 | 1.4 |
| % CI n | (29.4 - 30.5) 18 | (13.2-20.2) 130 | 51 | *** 0 | (0.0-0.7) 3 | 45 | (69.5 - 70.6) 39 | (77.2-84.8) 454 | 51 | *** 0 | (0.7-3.3) 12 | 51 |
| H.S. or G.E.D. | 10.1 | 9.6 | 8.4 | 0.3 | 0.5 | 0.7 | 88.5 | 89.1 | 89.7 | 0.9 | 0.9 | 0.9 |
| % CI n | (9.9 - 10.2) 29 | (7.9-11.3) 196 | 51 | (0.2 - 0.3) 1 | (0.2-0.8) 13 | 51 | (88.3 - 88.7) 196 | (87.2-91.0) 1401 | 51 | (0.9 - 1.0) 3 | (0.4-1.4) 17 | 51 |
| Some post- H.S. | 9.3 | 7.9 | 7.2 | 0.9 | 1.0 | 0.8 | 88.7 | 90.2 | 90.9 | 0.7 | 0.9 | 0.8 |
| % CI n | (9.1 - 9.5) 26 | (6.0-9.8) 115 | 51 | (0.9 - 1.0) 1 | (0.4-1.6) 13 | 51 | (88.5 - 88.9) 195 | (88.1-92.3) 1088 | 51 | (0.6 - 0.7) 2 | (0.2-1.6) 9 | 51 |
| College graduate | 3.7 | 6.1 | 5.1 | 0.6 | 0.3 | 0.8 | 95.7 | 92.9 | 93.5 | 0.0 | 0.6 | 0.5 |
| % CI n | (3.6 - 3.8) 14 | (4.4-7.8) 83 | 51 | (0.5 - 0.6) 3 | (0.1-0.5) 10 | 51 | (95.6 - 95.8) 326 | (91.1-94.7) 1167 | 51 | *** 0 | (0.0-1.2) 7 | 51 |

N/A=Value not available or not applicable or not computed

^ = 2001 MPHD's BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Disability

Adults who are limited in any activities because of physical, mental, or emotional problems
2005 Data Unless Otherwise Indicated

| ALL | | | | | | | |
|-----------------------------|--------------|-------------------------------------|------------------------------------|-----------------------|-------------------------------------|------------------------------------|-----------------------|
| SOURCE | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| ALL 2005 | % CI n | 82.3 (82.2 - 82.4) 675 | 79.9 (78.4-81.4) 3607 | 81.4 51 | 17.6 (17.5 - 17.8) 177 | 20.1 (18.6-21.6) 1101 | 18.6 51 |
| SMART 2005 | % CI n | 82.7 (79.8 - 85.7) 675 | N/A | N/A | 17.1 (14.2 - 20.1) 177 | N/A | N/A |
| SMART 2002 | % CI n | N/A | N/A | N/A | N/A | N/A | N/A |
| ALL 2001[^] | % CI n | N/A | 83.6 (82.0-85.2) 2387 | 83.4 51 | N/A | 16.4 (14.8-18.0) 503 | 16.6 51 |
| Gender | | | | | | | |
| Gender | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Male | % CI n | 84.1 (83.9 - 84.2) 252 | 82.4 (80.1-84.7) 1368 | 82.5 51 | 15.9 (15.8 - 16.1) 57 | 17.6 (15.3-19.9) 374 | 17.5 51 |
| Female | % CI n | 80.7 (80.5 - 80.8) 423 | 77.5 (75.5-79.5) 2239 | 80.5 51 | 19.2 (19.1 - 19.4) 120 | 22.5 (20.5-24.5) 727 | 19.5 51 |
| Age | | | | | | | |
| Age Group | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| 18-24 | % CI n | 92.8 (92.6 - 93.0) 37 | 92.6 (88.2-97.0) 212 | 90.9 51 | 7.2 (7.0 - 7.4) 3 | 7.4 (3.0-11.8) 17 | 9.1 51 |
| 25-34 | % CI n | 89.9 (89.7 - 90.1) 112 | 89.8 (86.7-92.9) 554 | 89.7 51 | 10.1 (10.0 - 10.3) 14 | 10.2 (7.1-13.3) 63 | 10.3 51 |
| 35-44 | % CI n | 85.4 (85.2 - 85.7) 132 | 81.9 (78.4-85.4) 697 | 85.4 51 | 14.6 (14.4 - 14.8) 22 | 18.1 (14.6-21.6) 156 | 14.6 51 |
| 45-54 | % CI n | 77.2 (77.9 - 77.5) 140 | 75.3 (71.8-78.8) 726 | 79.9 51 | 22.8 (22.5 - 23.1) 42 | 24.7 (21.2-28.2) 249 | 20.1 51 |
| 55-64 | % CI n | 73.6 (73.2 - 74.0) 122 | 67.0 (62.9-71.1) 591 | 72.3 51 | 25.9 (25.6 - 26.3) 44 | 33.0 (28.9-37.1) 287 | 27.7 51 |
| 65+ | % CI n | 71.6 (71.2 - 71.9) 132 | 73.2 (70.0-76.4) 827 | 70.5 51 | 28.4 (28.1 - 28.8) 52 | 26.8 (23.6-30.0) 329 | 29.5 51 |

N/A=Value not available or not applicable or not computed

[^] = 2001 MPHDS BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Disability

Adults who are limited in any activities because of physical, mental, or emotional problems

2005 Data Unless Otherwise Indicated

| Race | | | | | | | |
|--------------------|----|---------------|-------------|----------------|---------------|-------------|----------------|
| Race | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| White | % | 81.0 | 78.7 | 81.0 | 19.0 | 21.3 | 19.0 |
| | CI | (80.8 - 81.1) | (77.1-80.3) | | (18.9 - 19.2) | (19.7-22.9) | |
| | n | 488 | 3044 | 51 | 133 | 950 | 51 |
| Black | % | 83.1 | 86.1 | 82.5 | 16.7 | 13.9 | 17.5 |
| | CI | (82.9 - 83.3) | (82.2-90.0) | | (16.5 - 16.9) | (10.0-17.8) | |
| | n | 145 | 423 | 37 | 37 | | 37 |
| Hispanic | % | 90.5 | N/A | 88.6 | 9.5 | N/A | 11.4 |
| | CI | (89.9 - 91.1) | | | (8.9 - 10.1) | | |
| | n | 12 | | 40 | 2 | | 40 |
| Other | % | 91.7 | N/A | 84.9 | 8.3 | N/A | 15.1 |
| | CI | (91.3 - 92.1) | | | (7.9 - 8.7) | | |
| | n | 17 | | 42 | 2 | | 42 |
| MultiRacial | % | 86.9 | N/A | 69.4 | 13.1 | N/A | 30.7 |
| | CI | (85.8 - 87.9) | | | (12.1 - 14.2) | | |
| | n | 8 | | 12 | 2 | | 12 |

| Income | | | | | | | |
|----------------------------|----|---------------|-------------|----------------|---------------|-------------|----------------|
| Income Category | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| < \$15,000 | % | 65.3 | 53.9 | 61.3 | 34.7 | 46.1 | 38.7 |
| | CI | (64.8 - 65.9) | (47.7-60.1) | | (34.2 - 35.2) | (39.9-52.3) | |
| | n | 35 | 266 | 49 | 25 | 259 | 49 |
| \$15,000 - \$24,999 | % | 80.4 | 75.5 | 74.7 | 19.6 | 24.5 | 25.3 |
| | CI | (80.1 - 80.7) | (71.5-79.5) | | (19.3 - 19.9) | (20.5-28.5) | |
| | n | 94 | 616 | 51 | 34 | 223 | 51 |
| \$25,000 - \$34,999 | % | 85.8 | 83.5 | 81.6 | 13.8 | 16.5 | 18.4 |
| | CI | (85.5 - 86.1) | (79.8-87.2) | | (13.5 - 14.1) | (12.8-20.2) | |
| | n | 88 | 485 | 51 | 19 | 112 | 51 |
| \$35,000 - \$49,999 | % | 83.8 | 85.0 | 84.2 | 16.2 | 15.0 | 15.8 |
| | CI | (83.5 - 84.0) | (81.6-88.4) | | (16.0 - 16.5) | (11.6-18.4) | |
| | n | 97 | 545 | 51 | 25 | 114 | 51 |
| \$50,000 Plus | % | 86.7 | 87.0 | 87.9 | 13.3 | 13.0 | 12.1 |
| | CI | (86.5 - 86.8) | (84.5-89.5) | | (13.2 - 13.5) | (10.5-15.5) | |
| | n | 244 | 1090 | 51 | 35 | 167 | 51 |

| Education | | | | | | | |
|-------------------------|----|---------------|-------------|----------------|---------------|-------------|----------------|
| Education | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Less than H.S. | % | 59.9 | 63.2 | 74.6 | 40.1 | 36.8 | 25.4 |
| | CI | (59.3 - 60.5) | (57.9-68.5) | | (39.5 - 40.7) | (31.5-42.1) | |
| | n | 32 | 354 | 50 | 25 | 239 | 50 |
| H.S. or G.E.D. | % | 79.5 | 78.8 | 80.6 | 20.5 | 21.2 | 19.4 |
| | CI | (79.3 - 79.8) | (76.0-81.6) | | (20.2 - 20.7) | (18.4-24.0) | |
| | n | 181 | 1217 | 51 | 47 | 401 | 51 |
| Some post- H.S. | % | 79.1 | 82.9 | 80.7 | 20.7 | 17.1 | 19.3 |
| | CI | (78.9 - 79.3) | (80.1-85.7) | | (20.5 - 20.9) | (14.3-19.9) | |
| | n | 167 | 975 | 51 | 55 | 245 | 51 |
| College graduate | % | 88.8 | 85.5 | 85.7 | 11.2 | 14.5 | 14.3 |
| | CI | (88.7 - 89.0) | (83.1-87.9) | | (11.0 - 11.3) | (12.1-16.9) | |
| | n | 292 | 1051 | 51 | 50 | 212 | 51 |

N/A=Value not available or not applicable or not computed

^ = 2001 MPHDS BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Disability

Adults with health problem(s) that requires the use of special equipment

2005 Data Unless Otherwise Indicated

| ALL | | | | | | | |
|-----------------------------|--------------|-------------------------------------|------------------------------------|-----------------------|------------------------------------|-----------------------------------|-----------------------|
| SOURCE | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| ALL 2005 | % CI n | 93.6 (93.5 - 93.7) 788 | 92.5 (91.6-93.4) 4294 | 93.8 51 | 6.3 (6.2 - 6.4) 64 | 7.5 (6.6-8.4) 414 | 6.2 51 |
| SMART 2005 | % CI n | 94.0 (92.2-95.7) 788 | N/A | N/A | 6.0 (4.2-7.7) 64 | N/A | N/A |
| SMART 2002 | % CI n | N/A | N/A | N/A | N/A | N/A | N/A |
| ALL 2001[^] | % CI n | N/A | 94.4 (93.5-95.3) 2721 | 94.6 51 | N/A | 5.6 (4.7-6.5) 174 | 5.4 51 |
| Gender | | | | | | | |
| Gender | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Male | % CI n | 94.1 (94.0 - 94.2) 291 | 92.8 (91.3-94.3) 1594 | 94.3 51 | 5.6 (5.5 - 5.7) 17 | 7.2 (5.7-8.7) 143 | 5.7 51 |
| Female | % CI n | 93.1 (93.0 - 93.2) 497 | 92.2 (91.0-93.4) 2700 | 93.1 51 | 6.9 (6.8 - 7.0) 47 | 7.8 (6.6-9.0) 271 | 6.9 51 |
| Age | | | | | | | |
| Age Group | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| 18-24 | % CI n | 96.7 (96.6 - 96.9) 39 | 98.0 (95.7-100.0) 226 | 99.1 51 | 3.3 (3.2 - 3.5) 1 | 2.0 (0.0-4.3) 4 | 1.0 50 |
| 25-34 | % CI n | 97.1 (97.0 - 97.2) 122 | 98.3 (97.3-99.3) 606 | 98.4 51 | 2.9 (2.8 - 3.0) 4 | 1.7 (0.7-2.7) 12 | 1.6 51 |
| 35-44 | % CI n | 95.4 (95.2 - 95.5) 148 | 95.5 (93.8-97.2) 814 | 96.7 51 | 4.6 (4.5 - 4.8) 6 | 4.5 (2.8-6.2) 37 | 3.3 51 |
| 45-54 | % CI n | 95.0 (94.8 - 95.1) 173 | 91.8 (89.4-94.2) 903 | 94.0 51 | 4.3 (4.2 - 4.4) 8 | 8.2 (5.8-10.6) 71 | 6.0 51 |
| 55-64 | % CI n | 92.1 (91.8 - 92.3) 153 | 89.6 (86.9-92.3) 789 | 90.8 51 | 7.9 (7.7 - 8.2) 14 | 10.4 (7.7-13.1) 90 | 9.2 51 |
| 65+ | % CI n | 82.7 (82.4 - 83.0) 153 | 81.8 (78.9-84.7) 956 | 83.0 51 | 17.3 (17.0 - 17.6) 31 | 18.2 (15.3-21.1) 200 | 17.0 51 |

N/A=Value not available or not applicable or not computed

[^] = 2001 MPHDS BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Disability

Adults with health problem(s) that requires the use of special equipment

2005 Data Unless Otherwise Indicated

| Race | | | | | | | |
|--------------------|----|---------------|-------------|----------------|-------------|------------|----------------|
| Race | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| White | % | 93.8 | 92.3 | 93.7 | 6.2 | 7.7 | 6.3 |
| | CI | (93.7 - 93.9) | (91.3-93.3) | | (6.1 - 6.3) | (6.7-8.7) | |
| | n | 577 | 3658 | 51 | 44 | 337 | 51 |
| Black | % | 92.2 | 92.9 | 91.7 | 7.3 | 7.1 | 8.3 |
| | CI | (92.0 - 92.3) | (90.5-95.3) | | (7.1 - 7.4) | (4.7-9.5) | |
| | n | 165 | 474 | 40 | 17 | 55 | 40 |
| Hispanic | % | 97.0 | 95.4 | 96.1 | 3.0 | 4.6 | 3.9 |
| | CI | (96.7 - 97.4) | (90.9-99.9) | | (2.6 - 3.3) | (0.0-9.1) | |
| | n | 13 | 48 | 48 | 1 | 6 | 48 |
| Other | % | 95.9 | 90.6 | 94.8 | 4.1 | 9.4 | 5.2 |
| | CI | (95.6 - 96.2) | (83.6-97.6) | | (3.8 - 4.4) | (2.4-16.4) | |
| | n | 18 | 59 | 47 | 1 | 8 | 47 |
| MultiRacial | % | 92.6 | N/A | 90.4 | 7.4 | N/A | 9.6 |
| | CI | (91.8 - 93.4) | | | (6.6 - 8.2) | | |
| | n | 9 | | 31 | 1 | | 31 |

| Income | | | | | | | |
|----------------------------|----|---------------|-------------|----------------|---------------|-------------|----------------|
| Income Category | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| < \$15,000 | % | 83.1 | 79.8 | 82.9 | 17.0 | 20.2 | 17.1 |
| | CI | (82.6 - 83.5) | (75.2-84.4) | | (16.5 - 17.4) | (15.6-24.8) | |
| | n | 49 | 410 | 51 | 11 | 117 | 51 |
| \$15,000 - \$24,999 | % | 90.2 | 90.4 | 90.2 | 9.8 | 9.6 | 9.8 |
| | CI | (90.0 - 90.4) | (88.0-92.8) | | (9.6 - 10.0) | (7.2-12.0) | |
| | n | 113 | 751 | 51 | 15 | 91 | 51 |
| \$25,000 - \$34,999 | % | 93.9 | 94.9 | 93.8 | 6.1 | 5.1 | 6.2 |
| | CI | (93.7 - 94.1) | (92.9-96.9) | | (6.0 - 6.4) | (3.1-7.1) | |
| | n | 99 | 560 | 51 | 9 | 37 | 51 |
| \$35,000 - \$49,999 | % | 96.8 | 95.8 | 95.5 | 2.4 | 4.2 | 4.5 |
| | CI | (96.7 - 96.9) | (94.0-97.6) | | (2.3 - 2.5) | (2.4-6.0) | |
| | n | 117 | 628 | 51 | 4 | 30 | 51 |
| \$50,000 Plus | % | 96.9 | 96.1 | 97.3 | 3.1 | 3.9 | 2.7 |
| | CI | (96.8 - 97.0) | (94.6-97.6) | | (3.0 - 3.2) | (2.4-5.4) | |
| | n | 272 | 1220 | 51 | 7 | 39 | 51 |

| Education | | | | | | | |
|-------------------------|----|---------------|-------------|----------------|---------------|-------------|----------------|
| Education | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Less than H.S. | % | 75.3 | 83.7 | 88.0 | 24.7 | 16.3 | 12.0 |
| | CI | (74.7 - 75.8) | (80.2-87.2) | | (24.2 - 25.3) | (12.8-19.8) | |
| | n | 42 | 480 | 51 | 15 | 114 | 51 |
| H.S. or G.E.D. | % | 91.8 | 92.8 | 93.1 | 8.2 | 7.2 | 6.9 |
| | CI | (91.6 - 92.0) | (91.2-94.4) | | (8.0 - 8.4) | (5.6-8.8) | |
| | n | 210 | 1472 | 51 | 18 | 143 | 51 |
| Some post- H.S. | % | 94.1 | 93.2 | 94.0 | 5.4 | 6.8 | 6.0 |
| | CI | (94.0 - 94.2) | (91.4-95.0) | | (5.3 - 5.5) | (5.0-8.6) | |
| | n | 208 | 1131 | 51 | 14 | 89 | 51 |
| College graduate | % | 96.7 | 95.2 | 95.9 | 3.3 | 4.8 | 4.1 |
| | CI | (96.6 - 96.8) | (93.8-96.6) | | (3.2 - 3.4) | (3.4-6.2) | |
| | n | 325 | 1200 | 51 | 17 | 65 | 51 |

N/A=Value not available or not applicable or not computed

^ = 2001 MPHD's BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Exercise

During the past month, did you participate in any physical activities?

2005 Data Unless Otherwise Indicated

| ALL | | | | | | | |
|-----------------------------|----|---------------|-------------|----------------|---------------|-------------|----------------|
| SOURCE | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| ALL 2005 | % | 28.5 | 33.1 | 23.8 | 71.3 | 66.9 | 76.2 |
| | CI | (28.4 - 28.7) | (31.1-35.1) | 51.0 | (71.1 - 71.4) | (64.9-68.9) | 51.0 |
| | n | 256 | 1686 | | 601 | 3059 | |
| SMART 2005 | % | 28.0 | N/A | N/A | 72.0 | N/A | N/A |
| | CI | (24.4-31.5) | | | (68.4-75.5) | | |
| | n | 256 | | | 601 | | |
| SMART 2002 | % | 27.6 | 33.6 | 24.1 | 72.4 | 66.4 | 75.9 |
| | CI | (21.4-33.8) | (31.7-35.5) | 51 | (66.2-78.6) | (64.5-68.3) | 51 |
| | n | 71 | 1104 | 51 | 187 | 2099 | 51 |
| ALL 2001[^] | % | 24.4 | 35.1 | 25.4 | 75.6 | 64.9 | 74.6 |
| | CI | | (33.1-37.1) | | | (62.9-66.9) | |
| | n | | 1073 | 51 | | 1849 | 51 |

| Gender | | | | | | | |
|---------------|----|---------------|-------------|----------------|---------------|-------------|----------------|
| Gender | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Male | % | 23.8 | 29.9 | 22.2 | 75.7 | 70.1 | 77.8 |
| | CI | (23.6 - 24.0) | (26.6-33.2) | 51 | (75.6 - 75.9) | (66.8-73.4) | 51 |
| | n | 77 | 539 | 51 | 231 | 1207 | 51 |
| Female | % | 32.9 | 36.0 | 25.6 | 67.2 | 64.0 | 74.4 |
| | CI | (32.7 - 33.0) | (33.7-38.3) | 51 | (67.0 - 67.3) | (61.7-66.3) | 51 |
| | n | 179 | 1147 | 51 | 370 | 1852 | 51 |

| Age | | | | | | | |
|--------------|----|---------------|-------------|----------------|---------------|-------------|----------------|
| Age Group | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| 18-24 | % | 33.4 | 22.8 | 19.5 | 66.6 | 77.2 | 80.5 |
| | CI | (33.0 - 33.8) | (15.0-30.6) | 51 | (66.2 - 67.0) | (69.4-85.0) | 51 |
| | n | 14 | 53 | 51 | 27 | 179 | 51 |
| 25-34 | % | 27.0 | 27.1 | 19.6 | 73.0 | 72.9 | 80.4 |
| | CI | (27.7 - 27.3) | (21.6-32.6) | 51 | (72.7 - 73.3) | (67.4-78.4) | 51 |
| | n | 35 | 161 | 51 | 91 | 458 | 51 |
| 35-44 | % | 20.5 | 32.6 | 21.3 | 79.5 | 67.4 | 78.7 |
| | CI | (20.2 - 20.7) | (28.4-36.8) | 51 | (79.3 - 79.8) | (63.2-71.6) | 51 |
| | n | 34 | 275 | 51 | 120 | 581 | 51 |
| 45-54 | % | 22.6 | 31.1 | 22.7 | 76.3 | 68.9 | 77.3 |
| | CI | (22.3 - 22.9) | (27.0-35.2) | 51 | (76.0 - 76.6) | (64.8-73.0) | 51 |
| | n | 41 | 308 | 51 | 140 | 674 | 51 |
| 55-64 | % | 33.3 | 36.7 | 26.4 | 66.7 | 63.3 | 73.6 |
| | CI | (32.9 - 33.7) | (32.5-40.9) | 51 | (66.3 - 67.1) | (59.1-67.5) | 51 |
| | n | 56 | 343 | 51 | 112 | 540 | 51 |
| 65+ | % | 41.5 | 47.0 | 34.0 | 58.5 | 53.0 | 66.0 |
| | CI | (41.2 - 41.9) | (43.4-50.6) | 51 | (58.1 -58.9) | (49.4-56.6) | 51 |
| | n | 76 | 546 | 51 | 111 | 627 | 51 |

N/A=Value not available or not applicable or not computed

[^] = 2001 MPHDS BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Exercise

During the past month, did you participate in any physical activities?

2005 Data Unless Otherwise Indicated

| Race | | | | | | | |
|--------------------|----|---------------|-------------|----------------|---------------|-------------|----------------|
| Race | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| White | % | 26.0 | 32.1 | 22.2 | 73.7 | 67.9 | 77.8 |
| | CI | (25.9 - 26.2) | (30.2-34.0) | | (73.5 - 73.8) | (66.0-69.8) | |
| | n | 172 | 1400 | 51 | 452 | 2624 | 51 |
| Black | % | 33.1 | 40.2 | 32.2 | 66.9 | 59.8 | 67.8 |
| | CI | (32.8 - 33.4) | (32.6-47.8) | | (66.6 - 67.2) | (52.2-67.4) | |
| | n | 69 | 221 | 33 | 115 | 316 | 33 |
| Hispanic | % | 21.4 | | 33.2 | 78.6 | | 66.9 |
| | CI | (20.5 - 22.2) | N/A | | (77.8 - 79.5) | N/A | |
| | n | 4 | | 34 | 10 | | 34 |
| Other | % | 47.9 | | 23.5 | 52.1 | | 76.6 |
| | CI | (47.2 - 48.7) | N/A | | (51.3 - 52.8) | N/A | |
| | n | 5 | | 32 | 14 | | 32 |
| MultiRacial | % | 35.3 | | 22.6 | 64.8 | | 77.4 |
| | CI | (33.8 - 36.7) | N/A | | (63.3 - 66.2) | N/A | |
| | n | 4 | | 11 | 6 | | 11 |

| Income | | | | | | | |
|----------------------------|----|---------------|-------------|----------------|---------------|-------------|----------------|
| Income Category | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| < \$15,000 | % | 49.7 | 56.0 | 42.4 | 50.3 | 44.0 | 57.7 |
| | CI | (49.2 - 50.3) | (49.6-62.4) | | (49.7 - 50.8) | (37.6-50.4) | |
| | n | 29 | 305 | 50 | 31 | 224 | 50 |
| \$15,000 - \$24,999 | % | 34.3 | 41.9 | 33.8 | 65.0 | 58.1 | 66.2 |
| | CI | (34.0 - 34.7) | (36.9-46.9) | | (64.7 - 65.4) | (53.1-63.1) | |
| | n | 47 | 381 | 51 | 80 | 465 | 51 |
| \$25,000 - \$34,999 | % | 35.7 | 38.6 | 26.6 | 64.4 | 61.4 | 73.4 |
| | CI | (35.3 - 36.1) | (33.0-44.2) | | (63.9 - 64.8) | (55.8-67.0) | |
| | n | 38 | 222 | 51 | 72 | 381 | 51 |
| \$35,000 - \$49,999 | % | 26.0 | 26.4 | 22.5 | 74.0 | 73.6 | 77.5 |
| | CI | (25.7 - 26.3) | (21.8-31.0) | | (73.7 - 74.3) | (69.0-78.2) | |
| | n | 31 | 183 | 51 | 91 | 477 | 51 |
| \$50,000 Plus | % | 18.8 | 19.5 | 14.7 | 81.2 | 80.5 | 85.3 |
| | CI | (18.6 - 19.0) | (16.1-22.9) | | (81.0 - 81.4) | (77.1-83.9) | |
| | n | 51 | 243 | 51 | 229 | 1017 | 51 |

| Education | | | | | | | |
|-------------------------|----|---------------|-------------|----------------|---------------|-------------|----------------|
| Education | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Less than H.S. | % | 56.8 | 58.7 | 44.3 | 41.2 | 41.3 | 55.8 |
| | CI | (56.2 - 57.5) | (52.9-64.5) | | (40.6 - 41.8) | (35.5-47.1) | |
| | n | 32 | 367 | 50 | 24 | 232 | 50 |
| H.S. or G.E.D. | % | 36.9 | 39.8 | 31.1 | 63.1 | 60.2 | 68.9 |
| | CI | (36.6 - 37.2) | (35.9-43.7) | | (62.8 - 63.4) | (56.3-64.1) | |
| | n | 96 | 695 | 51 | 134 | 936 | 51 |
| Some post- H.S. | % | 32.8 | 25.8 | 21.5 | 67.2 | 74.2 | 78.5 |
| | CI | (32.6 - 33.1) | (22.6-29.0) | | (66.9 - 67.4) | (71.0-77.4) | |
| | n | 71 | 367 | 51 | 154 | 862 | 51 |
| College graduate | % | 17.1 | 19.4 | 13.5 | 82.7 | 80.6 | 86.5 |
| | CI | (16.9 - 17.3) | (16.2-22.6) | | (82.5 - 82.8) | (77.4-83.8) | |
| | n | 56 | 250 | 51 | 286 | 1019 | 51 |

N/A=Value not available or not applicable or not computed

^ = 2001 MPHDS BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Fruits and Vegetables

Adults who have consumed fruits and vegetables five or more times per day

2005 Data Unless Otherwise Indicated

| ALL | | | | | | | |
|-------------------|----|-----------------------------------|-------------|----------------|---------------------------------|-------------|----------------|
| SOURCE | | Consume less than 5 times per day | | | Consume 5 or more times per day | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| ALL 2005 | % | 68.6 | 73.5 | 76.8 | 29.1 | 26.5 | 23.2 |
| | CI | (68.5 - 68.7) | (71.6-75.4) | 51.0 | (29.0 - 29.2) | (24.6-28.4) | 51.0 |
| | n | 589 | 3438 | | 257 | 1245 | |
| SMART 2005 | % | 68.7 | N/A | N/A | 31.1 | N/A | N/A |
| | CI | (64.8-72.7) | | | (27.2-35.1) | | |
| | n | 589 | | | 257 | | |
| SMART 2002 | % | 70.7 | 71.6 | 77.4 | 29.3 | 28.4 | 22.6 |
| | CI | (64.0-77.4) | (69.8-73.4) | | (22.6-36.0) | (26.6-30.2) | |
| | n | 182 | 2261 | 51 | 75 | 943 | 51 |
| ALL 2001^ | % | 58.7 | 62.9 | 76.2 | 41.3 | 37.1 | 23.9 |
| | CI | | (60.8-65.0) | | | (35.0-39.2) | |
| | n | | 1668 | 10 | | 1047 | 10 |
| Gender | | | | | | | |
| Gender | | Consume less than 5 times per day | | | Consume 5 or more times per day | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Male | % | 67.8 | 74.6 | 81.4 | 29.3 | 25.4 | 18.6 |
| | CI | (67.6 - 68.0) | (71.6-77.6) | | (29.1 - 29.5) | (22.4-28.4) | |
| | n | 217 | 1292 | 51 | 88 | 440 | 51 |
| Female | % | 69.3 | 72.4 | 71.9 | 28.9 | 27.6 | 28.1 |
| | CI | (69.1 - 69.5) | (70.1-74.7) | | (28.7 - 29.1) | (25.3-29.9) | |
| | n | 372 | 2146 | 51 | 169 | 805 | 51 |
| Age | | | | | | | |
| Age Group | | Consume less than 5 times per day | | | Consume 5 or more times per day | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| 18-24 | % | 62.5 | 76.6 | 79.0 | 27.3 | 23.4 | 21.0 |
| | CI | (62.1 - 62.9) | (69.0-84.2) | | (26.9 - 27.6) | (15.8-31.0) | |
| | n | 25 | 174 | 51 | 13 | 53 | 51 |
| 25-34 | % | 71.3 | 78.0 | 78.3 | 28.0 | 22.0 | 21.7 |
| | CI | (71.0 - 71.6) | (73.5-82.5) | | (27.7 - 28.3) | (17.5-26.5) | |
| | n | 90 | 476 | 51 | 35 | 141 | 51 |
| 35-44 | % | 70.7 | 74.8 | 79.9 | 28.6 | 25.2 | 20.1 |
| | CI | (70.4 - 71.0) | (70.8-78.8) | | (28.3 - 28.9) | (21.2-29.2) | |
| | n | 111 | 658 | 51 | 42 | 192 | 51 |
| 45-54 | % | 71.9 | 73.2 | 77.6 | 26.9 | 26.8 | 22.4 |
| | CI | (71.6 - 72.2) | (69.5-76.9) | | (26.6 - 27.2) | (23.1-30.5) | |
| | n | 132 | 724 | 51 | 49 | 246 | 51 |
| 55-64 | % | 74.5 | 71.4 | 75.2 | 24.8 | 28.6 | 24.8 |
| | CI | (74.1 - 74.9) | (67.0-75.8) | | (24.4 - 25.2) | (24.2-33.0) | |
| | n | 125 | 638 | 51 | 42 | 239 | 51 |
| 65+ | % | 58.0 | 66.6 | 69.0 | 39.3 | 33.4 | 31.0 |
| | CI | (57.6 - 58.4) | (63.1-70.1) | | (38.9 - 39.6) | (29.9-36.9) | |
| | n | 106 | 768 | 51 | 76 | 374 | 51 |

N/A=Value not available or not applicable or not computed

^ = 2001 MPHDS BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Fruits and Vegetables

Adults who have consumed fruits and vegetables five or more times per day

2005 Data Unless Otherwise Indicated

| Race | | | | | | | |
|--------------------|----|-----------------------------------|-------------|----------------|---------------------------------|-------------|----------------|
| Race | | Consume less than 5 times per day | | | Consume 5 or more times per day | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| White | % | 66.8 | 73.7 | 76.5 | 31.3 | 26.3 | 23.5 |
| | CI | (66.7 - 67.0) | (71.8-75.6) | | (31.1 - 31.4) | (24.4-28.2) | |
| | n | 421 | 2911 | 51 | 196 | 1063 | 51 |
| Black | % | 76.5 | 76.4 | 78.5 | 20.0 | 23.6 | 21.5 |
| | CI | (76.3 - 76.8) | (70.2-82.6) | | (19.8 - 20.3) | (17.4-29.8) | |
| | n | 143 | 414 | 33 | 38 | 112 | 33 |
| Hispanic | % | 73.4 | N/A | 79.6 | 26.6 | N/A | 20.4 |
| | CI | (72.5 - 74.3) | | | (25.7 - 27.5) | | |
| | n | 11 | | 37 | 3 | | 37 |
| Other | % | 63.1 | N/A | 74.0 | 32.8 | N/A | 26.0 |
| | CI | (62.3 - 63.8) | | | (32.1 - 33.5) | | |
| | n | 9 | | 33 | 9 | | 33 |
| MultiRacial | % | 38.9 | N/A | 79.6 | 61.1 | N/A | 20.4 |
| | CI | (37.4 - 40.4) | | | (59.6 - 62.6) | | |
| | n | 4 | | 9 | 6 | | 9 |

| Income | | | | | | | |
|----------------------------|----|-----------------------------------|-------------|----------------|---------------------------------|-------------|----------------|
| Income Category | | Consume less than 5 times per day | | | Consume 5 or more times per day | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| < \$15,000 | % | 72.6 | 71.9 | 79.0 | 18.3 | 28.1 | 21.0 |
| | CI | (72.1 - 73.1) | (65.2-78.6) | | (17.8 - 18.8) | (21.4-34.8) | |
| | n | 44 | 405 | 51 | 15 | 116 | 51 |
| \$15,000 - \$24,999 | % | 75.3 | 77.1 | 77.9 | 23.7 | 22.9 | 22.1 |
| | CI | (75.0 - 75.7) | (72.7-81.5) | | (23.4 - 24.1) | (18.5-27.3) | |
| | n | 94 | 662 | 51 | 33 | 179 | 51 |
| \$25,000 - \$34,999 | % | 66.8 | 74.5 | 77.2 | 30.6 | 25.5 | 22.8 |
| | CI | (66.4 - 67.2) | (69.6-79.4) | | (30.2 - 31.0) | (20.6-30.4) | |
| | n | 79 | 439 | 51 | 29 | 159 | 51 |
| \$35,000 - \$49,999 | % | 64.6 | 72.5 | 77.6 | 34.5 | 27.5 | 22.4 |
| | CI | (64.3 - 65.0) | (67.8-77.2) | | (34.2 - 34.9) | (22.8-32.2) | |
| | n | 84 | 473 | 51 | 37 | 185 | 51 |
| \$50,000 Plus | % | 67.4 | 70.0 | 75.1 | 31.9 | 30.0 | 24.9 |
| | CI | (67.2 - 67.7) | (66.5-73.5) | | (31.7 - 32.2) | (26.5-33.5) | |
| | n | 184 | 868 | 51 | 94 | 389 | 51 |

| Education | | | | | | | |
|-------------------------|----|-----------------------------------|-------------|----------------|---------------------------------|-------------|----------------|
| Education | | Consume less than 5 times per day | | | Consume 5 or more times per day | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Less than H.S. | % | 82.7 | 78.7 | 81.4 | 17.3 | 21.3 | 18.7 |
| | CI | (82.2 - 83.2) | (73.3-84.1) | | (16.9 - 17.8) | (15.9-26.7) | |
| | n | 46 | 475 | 50 | 11 | 108 | 50 |
| H.S. or G.E.D. | % | 72.8 | 78.0 | 81.0 | 24.5 | 22.0 | 19.0 |
| | CI | (72.5 - 73.1) | (74.9-81.1) | | (24.3 - 24.8) | (18.9-25.1) | |
| | n | 160 | 1229 | 51 | 66 | 382 | 51 |
| Some post- H.S. | % | 67.9 | 70.5 | 76.4 | 26.9 | 29.5 | 23.6 |
| | CI | (67.6 - 68.2) | (66.8-74.2) | | (26.7 - 27.2) | (25.8-33.2) | |
| | n | 161 | 876 | 51 | 58 | 338 | 51 |
| College graduate | % | 64.8 | 68.0 | 70.8 | 34.8 | 32.0 | 29.2 |
| | CI | (64.6 - 65.0) | (64.4-71.6) | | (34.6 - 35.1) | (28.4-35.6) | |
| | n | 220 | 849 | 51 | 121 | 413 | 51 |

N/A=Value not available or not applicable or not computed

^ = 2001 MPHD's BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Health Care Access

Do you have any kind of health care coverage?

2005 Data Unless Otherwise Indicated

| ALL | | | | | | | |
|-------------------|----|---------------|-------------|----------------|---------------|-------------|----------------|
| SOURCE | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| ALL 2005 | % | 11.2 | 14.0 | 14.5 | 88.8 | 86.0 | 85.5 |
| | CI | (11.1 - 11.3) | (12.2-15.8) | | (88.7 - 88.9) | (84.2-87.8) | |
| | n | 74 | 536 | 51 | 785 | 4208 | 51 |
| SMART 2005 | % | 10.3 | N/A | N/A | 89.5 | N/A | N/A |
| | CI | (7.6-13.1) | | | (86.8-92.3) | | |
| | n | 74 | | | 785 | | |
| SMART 2002 | % | 13.8 | 12.9 | 14.1 | 86.2 | 87.1 | 85.9 |
| | CI | (9.0-18.7) | (11.3-14.5) | | (81.3-91.0) | (85.5-88.7) | |
| | n | 36 | 352 | 51 | 221 | 2850 | 51 |
| ALL 2001^ | % | 10.7 | 10.7 | 12.9 | 89.3 | 89.3 | 87.1 |
| | CI | | (9.3-12.1) | | | (87.9-90.7) | |
| | n | | 283 | 51 | | 2636 | 51 |

| Gender | | | | | | | |
|---------------|----|---------------|-------------|----------------|---------------|-------------|----------------|
| Gender | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Male | % | 12.3 | 14.8 | 16.8 | 87.7 | 85.2 | 83.2 |
| | CI | (12.2 - 12.4) | (11.7-17.9) | | (87.6 - 87.8) | (82.1-88.3) | |
| | n | 30 | 211 | 51 | 280 | 1534 | 51 |
| Female | % | 10.2 | 13.2 | 13.0 | 89.8 | 86.8 | 87.0 |
| | CI | (10.1 - 10.3) | (11.4-15.0) | | (89.7 - 90.0) | (85.0-88.6) | |
| | n | 44 | 325 | 51 | 505 | 2674 | 51 |

| Age | | | | | | | |
|--------------|----|---------------|-------------|----------------|---------------|-------------|----------------|
| Age Group | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| 18-24 | % | 17.0 | 27.4 | 28.2 | 83.0 | 72.6 | 71.9 |
| | CI | (16.7 - 17.3) | (18.3-36.5) | | (82.7 - 83.3) | (63.5-81.7) | |
| | n | 7 | 55 | 50 | 34 | 174 | 50 |
| 25-34 | % | 18.4 | 14.0 | 19.8 | 81.6 | 86.0 | 80.2 |
| | CI | (18.1 - 18.6) | (10.3-17.7) | | (81.4 - 81.9) | (82.3-89.7) | |
| | n | 23 | 92 | 51 | 103 | 527 | 51 |
| 35-44 | % | 13.4 | 15.8 | 15.1 | 86.6 | 84.2 | 84.9 |
| | CI | (13.2 - 13.7) | (12.2-19.4) | | (86.3 - 86.8) | (80.6-87.8) | |
| | n | 18 | 121 | 51 | 136 | 735 | 51 |
| 45-54 | % | 9.0 | 14.8 | 11.8 | 91.0 | 85.2 | 88.2 |
| | CI | (8.8 - 9.2) | (11.3-18.3) | | (90.8 - 91.2) | (81.7-88.7) | |
| | n | 16 | 130 | 51 | 167 | 853 | 51 |
| 55-64 | % | 5.6 | 10.7 | 10.5 | 94.4 | 89.3 | 89.5 |
| | CI | (5.5 - 5.8) | (8.2-13.2) | | (94.2 - 94.6) | (86.8-91.8) | |
| | n | 10 | 99 | 51 | 158 | 785 | 51 |
| 65+ | % | 0.0 | 3.5 | 2.3 | 100.0 | 96.5 | 97.7 |
| | CI | * | (2.1-4.9) | | ** | (95.1-97.9) | |
| | n | 0 | 39 | 51 | 187 | 1134 | 51 |

N/A=Value not available or not applicable or not computed

^ = 2001 MPH's BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Health Care Access

Do you have any kind of health care coverage?

2005 Data Unless Otherwise Indicated

| Race | | | | | | | |
|--------------------|----|---------------|-------------|----------------|---------------|-------------|----------------|
| Race | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| White | % | 10.0 | 12.5 | 11.7 | 90.0 | 87.5 | 88.3 |
| | CI | (9.9 - 10.1) | (11.0-14.0) | | (89.9 - 90.1) | (86.0-89.0) | |
| | n | 51 | 433 | 51 | 575 | 3591 | 51 |
| Black | % | 13.8 | 17.9 | 18.6 | 86.2 | 82.1 | 81.5 |
| | CI | (13.6 - 14.1) | (11.9-23.9) | | (86.0 - 86.4) | (76.1-88.1) | |
| | n | 17 | 74 | 34 | 167 | 461 | 34 |
| Hispanic | % | 10.0 | N/A | 39.4 | 90.0 | N/A | 60.6 |
| | CI | (9.4 - 10.6) | | | (89.4 - 90.6) | | |
| | n | 1 | | 32 | 13 | | 32 |
| Other | % | 10.6 | 12.4 | 17.1 | 89.4 | 87.6 | 82.9 |
| | CI | (10.2 - 11.1) | (3.0-21.8) | | (88.9 - 89.8) | (78.2-97.0) | |
| | n | 2 | 8 | 35 | 17 | 60 | 35 |
| MultiRacial | % | 41.0 | N/A | 16.0 | 59.0 | N/A | 84.1 |
| | CI | (39.5 - 42.5) | | | (57.5 - 60.5) | | |
| | n | 3 | | 16 | 7 | | 16 |

| Income | | | | | | | |
|----------------------------|----|---------------|-------------|----------------|---------------|-------------|----------------|
| Income Category | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| < \$15,000 | % | 18.5 | 22.0 | 29.6 | 81.5 | 78.0 | 70.5 |
| | CI | (18.1 - 19.0) | (16.7-27.3) | | (81.0 - 81.9) | (72.7-83.3) | |
| | n | 7 | 104 | 50 | 53 | 425 | 50 |
| \$15,000 - \$24,999 | % | 28.7 | 30.4 | 29.3 | 71.3 | 69.6 | 70.7 |
| | CI | (28.3 - 29.0) | (25.1-35.7) | | (71.0 - 71.7) | (64.3-74.9) | |
| | n | 30 | 189 | 51 | 98 | 658 | 51 |
| \$25,000 - \$34,999 | % | 14.5 | 16.3 | 18.4 | 85.6 | 83.7 | 81.6 |
| | CI | (14.2 - 14.8) | (12.1-20.5) | | (85.3 - 85.8) | (79.5-87.9) | |
| | n | 14 | 76 | 50 | 96 | 525 | 50 |
| \$35,000 - \$49,999 | % | 9.6 | 9.3 | 11.5 | 90.4 | 90.7 | 88.5 |
| | CI | (9.4 - 9.8) | (5.8-12.8) | | (90.2 - 90.6) | (87.2-94.2) | |
| | n | 10 | 58 | 51 | 112 | 602 | 51 |
| \$50,000 Plus | % | 2.6 | 2.9 | 4.7 | 97.5 | 97.1 | 95.3 |
| | CI | (2.5 - 2.6) | (1.8-4.0) | | (97.4 - 97.5) | (96.0-98.2) | |
| | n | 5 | 37 | 51 | 275 | 1224 | 51 |

| Education | | | | | | | |
|-------------------------|----|---------------|-------------|----------------|---------------|-------------|----------------|
| Education | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Less than H.S. | % | 11.4 | 21.3 | 28.5 | 88.7 | 78.7 | 71.6 |
| | CI | (11.0 - 11.8) | (15.8-26.8) | | (88.3 - 89.1) | (73.2-84.2) | |
| | n | 5 | 89 | 50 | 52 | 510 | 50 |
| H.S. or G.E.D. | % | 11.6 | 19.2 | 18.5 | 88.4 | 80.8 | 81.5 |
| | CI | (11.4 - 11.8) | (15.4-23.0) | | (88.2 - 88.6) | (77.0-84.6) | |
| | n | 23 | 233 | 51 | 207 | 1398 | 51 |
| Some post- H.S. | % | 20.0 | 10.8 | 12.6 | 80.0 | 89.2 | 87.4 |
| | CI | (19.7 - 20.2) | (8.3-13.3) | | (79.8 - 80.3) | (86.7-91.7) | |
| | n | 29 | 128 | 51 | 196 | 1098 | 51 |
| College graduate | % | 5.3 | 6.8 | 6.2 | 94.7 | 93.2 | 93.8 |
| | CI | (5.2 - 5.4) | (5.0-8.6) | | (94.6 - 94.8) | (91.4-95.0) | |
| | n | 17 | 85 | 51 | 326 | 1186 | 51 |

N/A=Value not available or not applicable or not computed

^ = 2001 MPHD's BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Health Care Access

Adults aged 18-64 who have any kind of health care coverage
2005 Data Unless Otherwise Indicated

| ALL | | | | | | | |
|-------------------|--------------|------------------------------------|-----------------------------------|-----------------------|-------------------------------------|------------------------------------|-----------------------|
| SOURCE | | No | | | Yes | | |
| | | Davidson | Tennessee | United States | Davidson | Tennessee | United States* |
| ALL 2005 | % CI n | 13.1 (13.0 - 13.2) 74 | 16.1 (14.0-18.2) 494 | 17.1 51 | 86.9 (86.8 - 87.0) 598 | 83.9 (81.8-86.0) 3045 | 82.9 51 |
| SMART 2005 | % CI n | N/A | N/A | N/A | N/A | N/A | N/A |
| SMART 2002 | % CI n | N/A | N/A | N/A | N/A | N/A | N/A |
| ALL 2001^ | % CI n | N/A | N/A | N/A | N/A | N/A | N/A |
| Gender | | | | | | | |
| Gender | | No | | | Yes | | |
| | | Davidson | Tennessee | United States | Davidson | Tennessee | United States* |
| Male | % CI n | 13.9 (13.8 - 14.1) 30 | 16.6 (13.0-20.2) 198 | 19.1 51 | 86.1 (85.9 - 86.2) 230 | 83.4 (79.8-87.0) 1161 | 80.9 51 |
| Female | % CI n | 12.3 (12.2 - 12.5) 44 | 15.6 (13.4-17.8) 296 | 15.6 51 | 87.7 (87.5 - 87.8) ` | 84.4 (82.2-86.6) 1884 | 84.4 51 |
| Age | | | | | | | |
| Age Group | | No | | | Yes | | |
| | | Davidson | Tennessee | United States | Davidson | Tennessee | United States* |
| 18-24 | % CI n | 17.0 (16.7 - 17.3) 7 | 27.4 (18.3-36.5) 55 | 28.2 50 | 83.0 (82.7 - 83.3) 34 | 72.6 (63.5-81.7) 174 | 71.9 50 |
| 25-34 | % CI n | 18.4 (18.1 - 18.6) 23 | 14.0 (10.3-17.7) 92 | 19.8 51 | 81.6 (81.4 - 81.9) 103 | 86.0 (82.3-89.7) 527 | 80.2 51 |
| 35-44 | % CI n | 13.4 (13.2 - 13.7) 18 | 15.8 (12.2-19.4) 121 | 15.1 51 | 86.6 (86.3 - 86.8) 136 | 84.2 (80.6-87.8) 735 | 84.9 51 |
| 45-54 | % CI n | 9.0 (8.8 - 9.2) 16 | 15.1 (11.5-18.7) 127 | 11.8 51 | 91.0 (90.8 - 91.2) 167 | 84.9 (81.3-88.5) 824 | 88.2 51 |
| 55-64 | % CI n | 5.6 (5.5 - 5.8) 10 | 10.7 (8.2-13.2) 99 | 10.7 51 | 94.4 (94.2 - 94.6) 158 | 89.3 (86.8-91.8) 785 | 89.3 51 |

N/A=Value not available or not applicable or not computed

^ = 2001 MPHD's BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Health Care Access

Adults aged 18-64 who have any kind of health care coverage
2005 Data Unless Otherwise Indicated

| Race | | | | | | | |
|--------------------|----|---------------|-------------|---------------|---------------|-------------|----------------|
| Race | | No | | | Yes | | |
| | | Davidson | Tennessee | United States | Davidson | Tennessee | United States* |
| White | % | 12.1 | 14.7 | 13.7 | 87.9 | 85.3 | 86.3 |
| | CI | (11.9 - 12.2) | (12.9-16.5) | | (87.8 - 88.1) | (83.5-87.1) | |
| | n | 51 | 403 | 51 | 425 | 2579 | 51 |
| Black | % | 15.5 | 19.1 | 20.5 | 84.5 | 80.9 | 79.5 |
| | CI | (15.3 - 15.7) | (12.4-25.8) | | (84.3 - 84.7) | (74.2-87.6) | |
| | n | 17 | 64 | 32 | 139 | 355 | 32 |
| Hispanic | % | 11.3 | N/A | 43.0 | 88.7 | N/A | 57.0 |
| | CI | (10.6 - 12.0) | | | (88.0 - 89.4) | | |
| | n | 1 | | 30 | 10 | | 30 |
| Other | % | 11.0 | N/A | 18.2 | 89.0 | N/A | 81.9 |
| | CI | (10.5 - 11.5) | | | (88.6 - 89.5) | | |
| | n | 2 | | 28 | 15 | | 28 |
| MultiRacial | % | 47.4 | N/A | 15.8 | 52.6 | N/A | 84.2 |
| | CI | (45.7 - 49.1) | | | (50.9 - 54.3) | | |
| | n | 3 | | 11 | 5 | | 11 |

| Income | | | | | | | |
|----------------------------|----|---------------|-------------|---------------|---------------|-------------|----------------|
| Income Category | | No | | | Yes | | |
| | | Davidson | Tennessee | United States | Davidson | Tennessee | United States* |
| < \$15,000 | % | 23.4 | 27.1 | 37.9 | 76.7 | 72.9 | 62.1 |
| | CI | (22.8 - 23.9) | (20.3-33.9) | | (76.1 - 77.2) | (66.1-79.7) | |
| | n | 7 | 92 | 47 | 33 | 252 | 47 |
| \$15,000 - \$24,999 | % | 34.3 | 37.1 | 37.8 | 65.8 | 62.9 | 62.2 |
| | CI | (33.9 - 34.6) | (30.9-43.3) | | (65.4 - 66.1) | (56.7-69.1) | |
| | n | 30 | 176 | 51 | 65 | 408 | 51 |
| \$25,000 - \$34,999 | % | 16.7 | 20.3 | 23.3 | 83.4 | 79.7 | 76.7 |
| | CI | (16.3 - 17.0) | (15.1-25.5) | | (83.0 - 83.7) | (74.5-84.9) | |
| | n | 14 | 75 | 50 | 75 | 363 | 50 |
| \$35,000 - \$49,999 | % | 10.2 | 10.1 | 13.5 | 89.8 | 89.9 | 86.5 |
| | CI | (10.0 - 10.4) | (6.3-13.9) | | (89.6 - 90.0) | (86.1-93.7) | |
| | n | 10 | 55 | 51 | 100 | 517 | 51 |
| \$50,000 Plus | % | 2.8 | 3.0 | 5.0 | 97.2 | 97.0 | 95.0 |
| | CI | (2.7 - 2.9) | (1.9-4.1) | | (97.1 - 97.3) | (95.9-98.1) | |
| | n | 5 | 35 | 51 | 243 | 1102 | 51 |

| Education | | | | | | | |
|-------------------------|----|---------------|-------------|---------------|---------------|-------------|----------------|
| Education | | No | | | Yes | | |
| | | Davidson | Tennessee | United States | Davidson | Tennessee | United States* |
| Less than H.S. | % | 19.2 | 29.9 | 37.6 | 80.8 | 70.1 | 62.4 |
| | CI | (18.5 - 19.8) | (22.1-37.7) | | (80.2 - 81.5) | (62.3-77.9) | |
| | n | 5 | 77 | 46 | 24 | 237 | 46 |
| H.S. or G.E.D. | % | 14.5 | 22.0 | 23.0 | 85.5 | 78.0 | 77.0 |
| | CI | (14.3 - 14.7) | (17.6-26.4) | | (85.3 - 85.7) | (73.6-82.4) | |
| | n | 23 | 214 | 51 | 139 | 1009 | 51 |
| Some post- H.S. | % | 23.3 | 12.3 | 14.7 | 76.7 | 87.7 | 85.3 |
| | CI | (23.0 - 23.5) | (9.5-15.1) | | (76.5 - 77.0) | (84.9-90.5) | |
| | n | 29 | 122 | 51 | 147 | 838 | 51 |
| College graduate | % | 5.8 | 7.6 | 7.0 | 94.2 | 92.4 | 93.0 |
| | CI | (5.7 - 5.9) | (5.5-9.7) | | (94.1 - 94.3) | (90.3-94.5) | |
| | n | 17 | 81 | 51 | 284 | 954 | 51 |

N/A=Value not available or not applicable or not computed

^ = 2001 MPHDS BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Health Status
How is your General Health?
2005 Data Unless Otherwise Indicated

| SOURCE | | ALL | | | | | | | | | | | | | | |
|-------------------|------------------|-------------------------------------|-----------------------------------|-------------------|-------------------------------------|-------------------------------------|-------------------|-------------------------------------|-------------------------------------|-------------------|-------------------------------------|-----------------------------------|-------------------|---------------------------------|--------------------------------|------------------|
| | | Excellent | | | Very Good | | | Good | | | Fair | | | Poor | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| ALL 2005 | % C I n | 22.1 (22.0 - 22.3) 160 | 19.0 (17.2-20.8) 777 | 20.4 51 | 31.7 (31.6 - 31.8) 277 | 30.7 (28.8-32.6) 1,416 | 33.9 51 | 30.4 (30.3 - 30.5) 263 | 30.9 (28.9-32.9) 1,421 | 30.2 51 | 11.6 (11.5 - 11.7) 113 | 12.4 (11.1-13.7) 688 | 10.8 51 | 4.1 (4.1 - 4.2) 46 | 7.1 (6.3-7.9) 440 | 4.0 51 |
| SMART 2005 | % C I n | 21.5 (17.9-25.0) 160 | N/A | N/A | 32.2 (28.3-36.2) 277 | N/A | N/A | 30.6 (26.9-34.4) 263 | N/A | N/A | 11.5 (9.1-13.8) 113 | N/A | N/A | 4.0 (2.7-5.4) 46 | N/A | N/A |
| SMART 2002 | % C I n | 23.2 (17.1-29.4) 60 | 18.3 (16.7-19.9) 570 | 21.8 51 | 31.5 (24.9-38.1) 81 | 29.1 (27.3-30.9) 952 | 34.1 51 | 29.6 (22.9-36.3) 76 | 32.0 (30.1-33.9) 975 | 29.8 51 | 12.1 (7.6-16.6) 31 | 12.7 (11.4-14.0) 426 | 10.4 51 | 3.6 (1.0-6.2) 9 | 8.0 (6.9-9.1) 279 | 3.9 51 |
| ALL 2001^ | % C I n | 22.1 | 18.3 (16.7-19.9) 543 | 22.2 51 | 33.3 | 32.3 (30.3-34.3) 916 | 34.6 51 | 29.9 | 29.4 (27.4-31.4) 859 | 28.9 51 | 10.2 | 12.9 (11.4-14.4) 385 | 10.3 51 | 4.4 | 7.0 (6.0-8.0) 217 | 3.6 51 |

N/A=Value not available or not applicable or not computed

^ = 2001 MPHDS BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Health Status
How is your General Health?
2005 Data Unless Otherwise Indicated

| Gender | | | | | | | | | | | | | | | |
|-------------|------------------------------|----------------------------|----------------|------------------------------|------------------------------|----------------|------------------------------|------------------------------|----------------|-----------------------------|----------------------------|----------------|-----------------------------|----------------------------|----------------|
| Gender | Excellent | | | Very Good | | | Good | | | Fair | | | Poor | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Male | 24.2 (24.0 - 24.4) 61 | 22.2 (19.0-25.4) 321 | 21.0 51 | 30.8 (30.6 - 31.0) 100 | 30.4 (27.3-33.5) 524 | 33.8 51 | 31.1 (30.9 - 31.3) 99 | 30.7 (27.3-34.1) 527 | 30.7 51 | 10.3 (10.1 - 10.4) 35 | 11.2 (9.3-13.1) 243 | 10.2 51 | 3.8 (3.7 - 3.8) 15 | 5.4 (4.2-6.6) 131 | 3.6 51 |
| Female | 20.2 (20.1 - 20.4) 99 | 16.0 (14.3-17.7) 456 | 19.8 51 | 32.6 (32.4 - 32.7) 177 | 30.9 (28.5-33.3) 892 | 34.1 51 | 29.8 (29.6 - 30.0) 164 | 31.0 (28.6-33.4) 894 | 30.1 51 | 12.9 (12.8 - 13.0) 78 | 13.4 (11.8-15.0) 445 | 11.1 51 | 4.5 (4.4 - 4.6) 31 | 8.8 (7.6-10.0) 309 | 4.2 51 |
| Age | | | | | | | | | | | | | | | |
| Age Group | Excellent | | | Very Good | | | Good | | | Fair | | | Poor | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| 18-24 | 25.8 (25.4 - 26.1) 8 | 27.3 (18.4-36.2) 56 | 23.4 50 | 22.9 (22.5 - 23.2) 10 | 36.3 (28.0-44.6) 92 | 37.0 49 | 45.5 (45.1 - 45.9) 20 | 28.2 (19.8-36.6) 69 | 30.7 50 | 5.9 (5.7 - 6.1) 3 | 8.0 (2.8-13.2) 14 | 6.9 51 | 0.0 0 | 0.2 (0.0-0.6) 1 | 0.8 44 |
| 25-34 | 29.7 (29.4 - 3.0) 36 | 24.5 (19.9-29.1) 155 | 25.6 51 | 39.6 (39.3 - 39.9) 51 | 34.5 (29.3-39.7) 228 | 37.6 51 | 21.6 (21.4 - 21.9) 27 | 34.2 (28.5-39.9) 183 | 28.3 51 | 7.6 (7.5 - 7.8) 10 | 5.0 (2.9-7.1) 38 | 7.2 51 | 1.5 (1.4 - 1.6) 2 | 1.8 (0.7-2.9) 15 | 1.1 51 |
| 35-44 | 30.2 (29.9 - 30.5) 42 | 25.0 (21.1-28.9) 209 | 24.1 51 | 32.0 (31.7 - 32.3) 52 | 31.2 (27.2-35.2) 275 | 35.9 51 | 25.6 (25.3 - 25.9) 42 | 29.4 (25.1-33.7) 242 | 28.6 51 | 10.3 (10.1 - 10.5) 14 | 9.5 (7.1-11.9) 84 | 8.4 51 | 2.0 (1.9 - 2.1) 4 | 4.8 (3.1-6.5) 46 | 2.3 51 |
| 45-54 | 19.1 (18.9 - 19.4) 36 | 16.3 (13.2-19.4) 160 | 20.9 51 | 29.0 (28.7 - 29.3) 53 | 30.1 (26.2-34.0) 289 | 34.6 51 | 32.2 (31.9 - 32.5) 59 | 32.8 (28.7-36.9) 315 | 29.5 51 | 13.1 (12.8 - 13.3) 23 | 12.4 (9.8-15.0) 128 | 10.5 51 | 6.6 (6.4 - 6.8) 12 | 8.5 (6.3-10.7) 92 | 4.4 51 |
| 55-64 | 12.7 (12.4 - 13.0) 22 | 12.8 (9.9-15.7) 108 | 18.2 51 | 35.8 (35.4 - 36.3) 59 | 28.1 (23.7-32.5) 240 | 31.3 51 | 34.9 (34.5 - 35.3) 58 | 28.2 (24.3-32.1) 263 | 29.2 51 | 11.2 (10.9 - 11.5) 20 | 17.0 (13.8-20.2) 156 | 13.5 51 | 5.4 (5.2 - 5.6) 9 | 13.9 (11.0-16.8) 116 | 6.2 51 |
| 65+ | 8.4 (8.2 - 8.6) 16 | 7.9 (5.9-9.9) 89 | 10.5 51 | 27.3 (27.0 - 27.7) 52 | 24.6 (21.5-27.7) 292 | 26.0 51 | 31.0 (30.6 - 31.3) 57 | 31.0 (27.6-34.4) 349 | 34.2 51 | 22.9 (22.5 - 23.2) 43 | 23.0 (19.9-26.1) 268 | 19.0 51 | 10.4 (10.2 - 10.6) 19 | 13.5 (11.2-15.8) 170 | 8.8 51 |
| Race | | | | | | | | | | | | | | | |
| Race | Excellent | | | Very Good | | | Good | | | Fair | | | Poor | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| White | 21.5 (21.4 - 21.7) 120 | 19.0 (17.2-20.8) 670 | 21.2 51 | 33.7 (33.5 - 33.9) 213 | 32.2 (30.2-34.2) 1,243 | 36.3 51 | 29.8 (29.6 - 29.9) 184 | 29.1 (27.2-31.0) 1,175 | 28.6 51 | 10.7 (10.6 - 10.8) 76 | 12.0 (10.7-13.3) 552 | 9.5 51 | 4.4 (4.3 - 4.4) 33 | 7.7 (6.8-8.6) 381 | 3.6 51 |
| Black | 19.3 (19.1 - 19.6) 29 | 12.1 (8.4-15.8) 65 | 16.5 37 | 27.9 (27.6 - 28.2) 49 | 26.6 (19.9-33.3) 128 | 27.7 33 | 34.5 (34.2 - 34.7) 65 | 41.2 (33.6-48.8) 191 | 35.1 31 | 15.3 (15.0 - 15.5) 33 | 15.2 (11.2-19.2) 111 | 14.8 39 | 3.1 (3.0 - 3.2) 8 | 4.9 (2.8-7.0) 41 | 5.6 40 |
| Hispanic | 30.7 (29.8 - 31.7) 3 | N/A | 14.6 38 | 7.9 (7.4 - 8.5) 2 | 5.4 (0.2-10.6) 6 | 20.3 33 | 52.9 (51.9 - 53.9) 7 | N/A | 37.9 30 | 0.0 0 | 9.1 (0.7-17.4) 6 | 15.7 47 | 8.4 (7.9 - 9.0) 2 | 5.2 (0.1-10.3) 6 | 4.1 46 |
| Other | 41.0 (41.0 - 42.5) 4 | N/A | 20.6 36 | 37.0 (36.3 - 37.8) 10 | N/A | 28.9 27 | 7.2 (6.9 - 7.6) 3 | N/A | 33.4 28 | 9.9 (9.4 - 10.4) 1 | 11.3 (2.7-19.9) 10 | 10.1 43 | 4.1 (3.8 - 4.4) 1 | 6.7 (0.9-12.5) 7 | 3.9 48 |
| MultiRacial | 16.4 (15.2 - 17.5) 1 | N/A | 14.4 18 | 22.1 (20.8 - 23.4) 2 | N/A | 29.9 10 | 34.9 (33.4 - 36.4) 3 | N/A | 30.1 9 | 13.5 (12.5 - 14.6) 2 | N/A | 11.9 24 | 13.1 (12.1 - 14.2) 2 | N/A | 6.5 34 |

N/A=Value not available or not applicable or not computed
 ^ = 2001 MPHDS BRFSS percentages
 * = US values are median percents of all states among the 50 States plus DC for which the value is available
 *** = Value equals 0 or not computed.

Health Status
How is your General Health?
2005 Data Unless Otherwise Indicated

| Income Category | | Excellent | | | Very Good | | | Good | | | Fair | | | Poor | | |
|----------------------------|----|---------------|-------------|----------------|---------------|-------------|----------------|---------------|-------------|----------------|---------------|-------------|----------------|---------------|-------------|----------------|
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| < \$15,000 | % | 5.1 | 8.5 | 10.4 | 14.1 | 21.2 | 18.5 | 48.0 | 25.0 | 31.5 | 21.0 | 19.6 | 23.3 | 11.9 | 25.8 | 13.8 |
| | CI | (4.8 - 5.3) | (4.3-12.7) | | (13.7 - 14.5) | (15.2-27.2) | | (47.4 - 48.5) | (19.6-30.4) | | (20.5 -21.4) | (15.2-24.0) | | (11.5 - 12.2) | (20.8-30.8) | |
| | n | 4 | 34 | 51 | 12 | 95 | 51 | 22 | 130 | 49 | 14 | 119 | 51 | 8 | 149 | 51 |
| \$15,000 - \$24,999 | % | 25.4 | 10.8 | 12.6 | 18.6 | 25.4 | 25.4 | 34.1 | 35.1 | 35.5 | 14.4 | 17.8 | 18.3 | 7.5 | 10.9 | 7.2 |
| | CI | (25.0 - 25.7) | (7.3-14.3) | | (18.3 - 18.9) | (20.6-30.2) | | (33.8 - 34.5) | (30.3-39.9) | | (14.1 - 14.6) | (14.1-21.5) | | (7.4 - 7.7) | (8.5-13.3) | |
| | n | 22 | 80 | 51 | 25 | 194 | 51 | 46 | 305 | 51 | 22 | 154 | 51 | 13 | 111 | 51 |
| \$25,000 - \$34,999 | % | 25.4 | 18.5 | 16.4 | 27.5 | 33.2 | 32.4 | 30.5 | 32.3 | 35.1 | 13.0 | 12.5 | 13.2 | 3.7 | 3.6 | 3.8 |
| | CI | (25.1 - 25.8) | (14.1-22.9) | | (27.1 - 27.8) | (27.7-38.7) | | (30.1 - 30.9) | (27.3-37.3) | | (12.7 - 13.3) | (9.1-15.9) | | (3.5 - 3.8) | (2.1-5.1) | |
| | n | 23 | 95 | 51 | 28 | 182 | 51 | 37 | 200 | 51 | 17 | 97 | 51 | 5 | 28 | 51 |
| \$35,000 - \$49,999 | % | 19.8 | 22.0 | 19.5 | 36.4 | 32.7 | 36.5 | 29.3 | 33.0 | 31.7 | 11.4 | 9.5 | 8.8 | 3.1 | 2.8 | 2.1 |
| | CI | (19.5 - 20.1) | (17.4-26.6) | | (36.0 - 36.7) | (27.9-37.5) | | (29.0 - 29.6) | (28.0-38.0) | | (11.2 - 11.6) | (6.9-12.1) | | (3.0 - 3.3) | (1.6-4.0) | |
| | n | 20 | 117 | 51 | 44 | 221 | 51 | 37 | 217 | 51 | 16 | 76 | 51 | 5 | 29 | 51 |
| \$50,000 Plus | % | 28.5 | 27.4 | 28.4 | 37.2 | 35.4 | 40.9 | 26.9 | 28.6 | 24.5 | 7.3 | 6.0 | 5.0 | 0.2 | 2.5 | 1.2 |
| | CI | (28.3 - 28.8) | (24.0-30.8) | | (36.9 - 37.4) | (31.9-38.9) | | (26.7 - 27.2) | (24.7-32.5) | | (7.1 - 7.4) | (4.4-7.6) | | N/A | (1.3-3.7) | |
| | n | 74 | 355 | 51 | 106 | 470 | 51 | 79 | 324 | 51 | 20 | 84 | 51 | 1 | 28 | 51 |

| Education | | Excellent | | | Very Good | | | Good | | | Fair | | | Poor | | |
|-------------------------|----|---------------|-------------|----------------|---------------|-------------|----------------|---------------|-------------|----------------|---------------|-------------|----------------|---------------|-------------|----------------|
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Less than H.S. | % | 9.2 | 8.0 | 9.7 | 9.2 | 14.3 | 18.6 | 30.5 | 27.2 | 35.1 | 22.6 | 29.6 | 23.6 | 28.4 | 20.9 | 10.3 |
| | CI | (8.9 - 9.6) | (4.9-11.1) | | (8.8 - 9.6) | (10.0-18.6) | | (29.9 - 31.1) | (21.9-32.5) | | (22.1 - 23.2) | (23.9-35.3) | | (27.9 - 29.0) | (17.1-24.7) | |
| | n | 5 | 40 | 51 | 6 | 83 | 51 | 15 | 151 | 48 | 14 | 160 | 51 | 17 | 162 | 51 |
| H.S. or G.E.D. | % | 14.4 | 12.7 | 15.2 | 26.1 | 30.5 | 30.5 | 38.1 | 36.0 | 35.7 | 17.1 | 13.6 | 13.3 | 4.3 | 7.3 | 4.7 |
| | CI | (14.2 - 14.6) | (9.4-16.0) | | (25.8 - 26.3) | (26.9-34.1) | | (37.8 - 38.4) | (32.1-39.9) | | (16.9 - 17.3) | (11.5-15.7) | | (4.2 - 4.5) | (5.9-8.7) | |
| | n | 30 | 168 | 51 | 60 | 446 | 51 | 82 | 572 | 51 | 46 | 278 | 51 | 12 | 165 | 51 |
| Some post- H.S. | % | 22.1 | 22.9 | 20.1 | 25.5 | 32.0 | 36.0 | 33.5 | 30.5 | 30.4 | 15.2 | 9.4 | 9.8 | 3.6 | 5.2 | 3.3 |
| | CI | (21.9 - 22.4) | (19.3-26.5) | | (25.3 - 25.8) | (28.4-35.6) | | (33.2 - 33.7) | (26.7-34.3) | | (15.0 - 15.4) | (7.5-11.3) | | (3.5 - 3.7) | (3.7-6.7) | |
| | n | 41 | 230 | 51 | 60 | 398 | 51 | 76 | 372 | 51 | 36 | 154 | 51 | 12 | 75 | 51 |
| College graduate | % | 28.1 | 28.8 | 29.3 | 42.6 | 37.2 | 39.9 | 23.9 | 25.2 | 22.8 | 4.3 | 6.1 | 5.5 | 1.2 | 2.8 | 1.7 |
| | CI | (27.9 - 28.3) | (25.3-32.3) | | (42.3 - 42.8) | (33.5-40.9) | | (23.7 - 24.1) | (21.9-28.5) | | (4.2 - 4.4) | (4.5-7.7) | | (1.2 - 1.3) | (1.7-3.9) | |
| | n | 82 | 337 | 51 | 151 | 486 | 51 | 89 | 322 | 51 | 16 | 90 | 51 | 5 | 36 | 51 |

N/A=Value not available or not applicable or not computed
 ^ = 2001 MPHDS BRFSS percentages
 * = US values are median percents of all states among the 50 States plus DC for which the value is available
 *** = Value equals 0 or not computed.

Health Status
Health Status
2005 Data Unless Otherwise Indicated

| ALL | | | | | | | |
|-------------------|----|-----------------------|-------------|----------------|---------------------|-------------|----------------|
| SOURCE | | Good or Better | | | Fair or Poor | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| ALL 2005 | % | 84.2 | 80.5 | 85.2 | 15.8 | 19.5 | 14.8 |
| | CI | (84.1 - 84.3) | (79.0-82.0) | | (15.7 - 15.9) | (18.0-21.0) | |
| | n | 700 | 3614 | 51 | 159 | 1128 | 51 |
| SMART 2005 | % | 84.3 | N/A | N/A | 15.5 | N/A | N/A |
| | CI | (81.6-87.1) | | | (12.8-18.3) | | |
| | n | 700 | | | 159 | | |
| SMART 2002 | % | 84.3 | 79.3 | 85.3 | 15.7 | 20.7 | 14.7 |
| | CI | (79.3-89.3) | (77.7-80.9) | | (10.7-20.8) | (19.1-22.3) | |
| | n | 217 | 2497 | 51 | 40 | 705 | 51 |
| ALL 2001^ | % | N/A | 80.1 | 86.0 | N/A | 19.9 | 14.0 |
| | CI | | (78.4-81.8) | | | (18.2-21.6) | |
| | n | | 2318 | 51 | | 602 | 51 |

| Gender | | | | | | | |
|---------------|----|-----------------------|-------------|----------------|---------------------|-------------|----------------|
| Gender | | Good or Better | | | Fair or Poor | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Male | % | 86.0 | 83.4 | 86.1 | 14.0 | 16.6 | 13.9 |
| | CI | (85.9 - 86.2) | (81.2-85.6) | | (13.9 - 14.2) | (14.4-18.8) | |
| | n | 260 | 1372 | 51 | 50 | 374 | 51 |
| Female | % | 82.6 | 77.8 | 84.2 | 17.4 | 22.2 | 15.8 |
| | CI | (82.5 - 82.8) | (75.9-79.7) | | (17.2 - 17.6) | (20.3-24.1) | |
| | n | 440 | 2242 | 51 | 109 | 754 | 51 |

| Age | | | | | | | |
|------------------|----|-----------------------|-------------|----------------|---------------------|-------------|----------------|
| Age Group | | Good or Better | | | Fair or Poor | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| 18-24 | % | 94.1 | 91.8 | 92.3 | 5.9 | 8.2 | 7.7 |
| | CI | (93.9 - 94.3) | (86.6-97.0) | | (5.7 - 6.1) | (3.0-13.4) | |
| | n | 38 | 217 | 51 | 3 | 15 | 51 |
| 25-34 | % | 90.9 | 93.2 | 92.1 | 9.1 | 6.8 | 7.9 |
| | CI | (90.7 - 91.1) | (90.8-95.6) | | (8.9 - 9.3) | (4.4-9.2) | |
| | n | 114 | 566 | 51 | 12 | 53 | 51 |
| 35-44 | % | 87.7 | 85.7 | 89.3 | 12.3 | 14.3 | 10.7 |
| | CI | (87.5 - 87.9) | (82.8-88.6) | | (12.1 - 12.5) | (11.4-17.2) | |
| | n | 136 | 726 | 51 | 18 | 130 | 51 |
| 45-54 | % | 80.4 | 79.1 | 85.0 | 19.7 | 20.9 | 15.0 |
| | CI | (80.1 - 80.6) | (75.8-82.4) | | (19.4 - 19.9) | (17.6-24.2) | |
| | n | 148 | 764 | 51 | 35 | 220 | 51 |
| 55-64 | % | 83.4 | 69.1 | 80.4 | 16.6 | 30.9 | 19.6 |
| | CI | (83.3 - 83.7) | (65.1-73.1) | | (16.3 - 16.9) | (26.9-34.9) | |
| | n | 139 | 611 | 51 | 29 | 272 | 51 |
| 65+ | % | 66.7 | 63.5 | 72.7 | 33.3 | 36.5 | 27.3 |
| | CI | 66.4 - 67.1) | (60.0-67.0) | | (32.9 - 33.6) | (33.0-40.0) | |
| | n | 125 | 730 | 51 | 62 | 438 | 51 |

N/A=Value not available or not applicable or not computed

^ = 2001 MPHDS BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Health Status

Health Status

2005 Data Unless Otherwise Indicated

| Race | | | | | | | |
|--------------------|--------------|-------------------------------------|------------------------------------|-----------------------|-------------------------------------|-----------------------------------|-----------------------|
| Race | | Good or Better | | | Fair or Poor | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| White | % CI n | 85.0 (84.9 - 85.1) 517 | 80.3 (78.7-81.9) 3088 | 87.2 51 | 15.0 (14.9 - 15.1) 109 | 19.7 (18.1-21.3) 933 | 12.8 51 |
| Black | % CI n | 81.7 (81.5 - 81.9) 143 | 79.9 (75.3-84.5) 384 | 81.2 38 | 18.3 (18.1 - 18.6) 41 | 20.1 (15.5-24.7) 152 | 18.9 38 |
| Hispanic | % CI n | 91.6 (91.0 - 92.1) 12 | N/A | 77.9 40 | 8.4 (7.9 - 9.0) 2 | N/A | 22.2 40 |
| Other | % CI n | 86.1 (85.5 - 86.6) 17 | N/A | 86.4 39 | 14.0 (13.4 - 14.5) 2 | N/A | 13.6 39 |
| MultiRacial | % CI n | 73.4 (72.0 - 74.7) 6 | N/A | 83.2 20 | 26.7 (25.3 - 28.0) 4 | N/A | 16.9 20 |

| Income | | | | | | | |
|----------------------------|--------------|-------------------------------------|------------------------------------|-----------------------|------------------------------------|-----------------------------------|-----------------------|
| Income Category | | Good or Better | | | Fair or Poor | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| < \$15,000 | % CI n | 67.2 (66.7 - 67.7) 38 | 54.7 (48.6-60.8) 259 | 61.8 51 | 32.8 (32.3 - 33.4) 22 | 45.3 (39.2-51.4) 268 | 38.2 51 |
| \$15,000 - \$24,999 | % CI n | 78.1 (77.8 - 78.4) 93 | 71.3 (67.1-75.5) 579 | 74.5 51 | 21.9 (21.6 - 22.2) 35 | 28.7 (24.5-32.9) 265 | 25.5 51 |
| \$25,000 - \$34,999 | % CI n | 83.4 (83.1 - 83.7) 88 | 84.0 (80.3-87.7) 477 | 83.1 51 | 16.6 (16.3 - 16.9) 22 | 16.0 (12.3-19.7) 125 | 16.9 51 |
| \$35,000 - \$49,999 | % CI n | 85.5 (85.2 - 85.7) 101 | 87.7 (84.9-90.5) 555 | 88.7 51 | 14.5 (14.3 - 14.8) 21 | 12.3 (9.5-15.1) 105 | 11.3 51 |
| \$50,000 Plus | % CI n | 92.6 (92.4 - 92.7) 259 | 91.4 (89.4-93.4) 1149 | 93.8 51 | 7.4 (7.3 - 7.6) 21 | 8.6 (6.6-10.6) 112 | 6.2 51 |

| Education | | | | | | | |
|-------------------------|--------------|-------------------------------------|------------------------------------|-----------------------|------------------------------------|-----------------------------------|-----------------------|
| Education | | Good or Better | | | Fair or Poor | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Less than H.S. | % CI n | 49.0 (48.3 - 49.6) 26 | 49.6 (43.7-55.5) 274 | 65.4 51 | 51.1 (50.4 - 51.7) 31 | 50.4 (44.5-56.3) 322 | 34.6 51 |
| H.S. or G.E.D. | % CI n | 78.6 (78.3 - 78.8) 172 | 79.1 (76.5-81.7) 1186 | 82.4 51 | 21.4 (21.2 - 21.7) 58 | 20.9 (18.3-23.5) 443 | 17.6 51 |
| Some post- H.S. | % CI n | 81.1 (80.9 - 81.4) 177 | 85.4 (83.0-87.8) 1000 | 86.8 51 | 18.9 (18.6 - 19.1) 48 | 14.6 (12.2-17.0) 229 | 13.2 51 |
| College graduate | % CI n | 94.5 (94.4 - 94.6) 322 | 91.2 (89.3-93.1) 1145 | 93.0 51 | 5.5 (5.4 - 5.6) 21 | 8.8 (6.9-10.7) 126 | 7.0 51 |

N/A=Value not available or not applicable or not computed

^ = 2001 MPHD's BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Hypertension Awareness

Adults who have been told they have high blood pressure
2005 Data Unless Otherwise Indicated

| ALL | | | | | | |
|-------------------|-------------------------------------|------------------------------------|-------------------|-------------------------------------|------------------------------------|-------------------|
| SOURCE | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| ALL 2005 | 73.6 (73.4 - 73.7) 574 | 69.8 (68.0-71.6) 3049 | 74.5 51 | 26.5 (26.3 - 26.6) 285 | 30.2 (28.4-32.0) 1690 | 25.5 51 |
| SMART 2005 | 73.3 (70.0-76.7) 574 | N/A | N/A | 26.5 (23.2-29.9) 285 | N/A | N/A |
| SMART 2002 | N/A | N/A | N/A | N/A | N/A | N/A |
| ALL 2001^ | 71.8 | 70.7 (68.8-72.6) 2017 | 74.4 51 | 28.2 | 29.3 (27.4-31.2) 906 | 25.6 51 |
| Gender | | | | | | |
| Gender | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Male | 76.2 (76.0 - 76.4) 218 | 71.6 (68.8-74.4) 1132 | 74.6 51 | 23.8 (23.7 - 24.0) 92 | 28.4 (25.6-31.2) 615 | 25.4 51 |
| Female | 71.2 (71.0 - 71.4) 356 | 68.2 (65.9-70.5) 1917 | 75.1 51 | 28.8 (28.7 - 29.0) 193 | 31.8 (29.5-34.1) 1075 | 24.9 51 |
| Age | | | | | | |
| Age Group | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| 18-24 | 96.2 (96.0 - 96.4) 39 | 94.0 (89.1-98.9) 218 | 94.4 51 | 3.8 (3.7 - 4.0) 2 | 6.0 (1.1-10.9) 13 | 5.6 51 |
| 25-34 | 91.6 (91.4 - 91.8) 114 | 89.2 (86.0-92.4) 544 | 91.4 51 | 8.4 (8.3 - 8.6) 12 | 10.8 (7.6-14.0) 75 | 8.6 51 |
| 35-44 | 78.0 (77.8 - 78.3) 123 | 75.7 (71.6-79.8) 664 | 85.0 51 | 22.0 (21.7 - 22.3) 31 | 24.3 (20.2-28.4) 192 | 15.0 51 |
| 45-54 | 71.6 (71.3 - 71.9) 132 | 65.7 (61.6-69.8) 654 | 73.2 51 | 28.4 (28.1 - 28.7) 51 | 34.3 (30.2-38.4) 327 | 26.8 51 |
| 55-64 | 51.9 (51.4 - 52.3) 85 | 50.9 (46.4-55.4) 440 | 58.2 51 | 48.2 (47.7 - 48.6) 83 | 49.1 (44.6-53.6) 442 | 41.8 51 |
| 65+ | 42.2 (41.8 - 42.6) 81 | 44.7 (41.1-48.3) 529 | 45.2 51 | 57.8 (57.5 - 58.2) 106 | 55.3 (51.7-58.9) 641 | 54.8 51 |
| Race | | | | | | |
| Race | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| White | 75.1 (75.0 - 75.3) 434 | 70.5 (68.7-72.3) 2627 | 74.0 51 | 24.9 (24.7 - 25.1) 192 | 29.5 (27.7-31.3) 1391 | 26.0 51 |
| Black | 66.9 (66.6 - 67.2) 105 | 64.4 (57.8-71.0) 293 | 66.0 34 | 33.1 (32.8 - 33.4) 79 | 35.6 (29.0-42.2) 243 | 34.1 34 |
| Hispanic | 55.9 | | 84.5 | 44.1 | | 15.5 |

N/A=Value not available or not applicable or not computed

^ = 2001 MPH's BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Hypertension Awareness

Adults who have been told they have high blood pressure

2005 Data Unless Otherwise Indicated

| | | | | | | | |
|--------------------|--------------|------------------------------------|-----|-------------------|-----------------------------------|-----|-------------------|
| | Cl n | (54.9 - 56.9) 7 | N/A | 39 | (43.1 - 45.1) 7 | N/A | 39 |
| Other | % Cl n | 92.8 (92.4 - 93.2) 16 | N/A | 81.2 43 | 7.2 (6.8 - 7.6) 3 | N/A | 18.8 43 |
| MultiRacial | % Cl n | 79.1 (77.9 - 80.4) 7 | N/A | 75.9 10 | 20.9 (19.6 - 22.2) 3 | N/A | 24.1 10 |

Income

| Income Category | | No | | | Yes | | |
|----------------------------|--------------|-------------------------------------|-----------------------------------|-------------------|------------------------------------|-----------------------------------|-------------------|
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| < \$15,000 | % Cl n | 67.2 (66.7 - 67.8) 33 | 58.5 (52.5-64.5) 282 | 63.8 51 | 32.8 (32.2 - 33.3) 27 | 41.5 (35.5-47.5) 245 | 36.2 51 |
| \$15,000 - \$24,999 | % Cl n | 67.5 (67.1 - 67.8) 80 | 66.3 (61.7-70.9) 506 | 68.9 51 | 32.6 (32.2 - 32.9) 48 | 33.7 (29.1-38.3) 339 | 31.1 51 |
| \$25,000 - \$34,999 | % Cl n | 75.5 (75.2 - 75.9) 75 | 66.2 (61.2-71.2) 383 | 72.2 51 | 24.5 (24.1 - 24.9) 35 | 33.8 (28.8-38.8) 220 | 27.8 51 |
| \$35,000 - \$49,999 | % Cl n | 76.2 (75.9 - 76.5) 85 | 74.6 (70.1-79.1) 461 | 75.4 51 | 23.8 (23.5 - 24.1) 37 | 25.4 (20.9-29.9) 198 | 24.6 51 |
| \$50,000 Plus | % Cl n | 76.6 (76.3 - 76.8) 201 | 76.4 (73.3-79.5) 932 | 79.5 51 | 23.4 (23.2 - 23.7) 79 | 23.6 (20.5-26.7) 328 | 20.5 51 |

Education

| Education | | No | | | Yes | | |
|-------------------------|--------------|-------------------------------------|------------------------------------|-------------------|------------------------------------|-----------------------------------|-------------------|
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Less than H.S. | % Cl n | 43.9 (43.2 - 44.5) 25 | 55.4 (49.8-61.0) 282 | 67.3 51 | 56.2 (55.5 - 56.8) 32 | 44.6 (39.0-50.2) 315 | 32.7 51 |
| H.S. or G.E.D. | % Cl n | 72.1 (71.9 - 72.4) 147 | 67.8 (64.3-71.3) 1016 | 70.8 51 | 27.9 (27.6 - 28.2) 83 | 32.2 (28.7-35.7) 613 | 29.2 51 |
| Some post- H.S. | % Cl n | 74.8 (74.5 - 75.0) 152 | 73.8 (70.6-77.0) 835 | 75.4 51 | 25.2 (25.0 - 25.5) 73 | 26.2 (23.0-29.4) 391 | 24.6 51 |
| College graduate | % Cl n | 77.4 (77.2 - 77.6) 247 | 74.8 (71.6-78.0) 906 | 78.5 51 | 22.6 (22.4 - 22.8) 96 | 25.2 (22.0-28.4) 364 | 21.5 51 |

N/A=Value not available or not applicable or not computed

^ = 2001 MPH's BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Immunization

Adults aged 65+ who have had a flu shot within the past year
2005 Data Unless Otherwise Indicated

| ALL | | | | | | | |
|-----------------------------|----|---------------|-------------|----------------|---------------|-------------|----------------|
| SOURCE | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| ALL 2005 | % | 38.8 | 38.4 | 34.3 | 60.1 | 61.6 | 65.7 |
| | CI | (38.4 - 39.2) | (34.9-41.9) | | (59.7 - 60.5) | (58.1-65.1) | |
| | n | 76 | 478 | 51 | 109 | 691 | 51 |
| SMART 2005 | % | 39.3 | N/A | N/A | 60.5 | N/A | N/A |
| | CI | (29.7-49.0) | | | (50.9-70.2) | | |
| | n | 76 | | | 109 | | |
| SMART 2002 | % | N/A | 28.4 | 31.4 | N/A | 71.6 | 68.6 |
| | CI | | (24.7-32.1) | | | (67.9-75.3) | |
| | n | | 187 | 51 | | 482 | 51 |
| ALL 2001[^] | % | 68.6 | 34.4 | 32.7 | 31.4 | 65.6 | 67.3 |
| | CI | | (29.8-39.0) | | | (61.0-70.2) | |
| | n | | 180 | 51 | | 338 | 51 |
| Gender | | | | | | | |
| Gender | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Male | % | 32.9 | 34.9 | 33.8 | 67.1 | 65.1 | 66.2 |
| | CI | (32.3 - 33.5) | (29.0-40.8) | | (66.5 - 67.7) | (59.2-71.0) | |
| | n | 17 | 135 | 50 | 33 | 240 | 50 |
| Female | % | 42.4 | 40.9 | 35.2 | 55.9 | 59.1 | 64.9 |
| | CI | (41.9 - 42.9) | (36.6-45.2) | | (55.4 - 56.3) | (54.8-63.4) | |
| | n | 59 | 343 | 50 | 76 | 451 | 50 |
| Age | | | | | | | |
| Age Group | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| 65-74 | % | 45.5 | 47.1 | 41.0 | 52.6 | 52.9 | 59.0 |
| | CI | (45.0 - 46.0) | (42.2-52.0) | | (52.0 - 53.1) | (48.0-57.8) | |
| | n | 50 | 316 | 51 | 54 | 352 | 51 |
| 75+ | % | 30.4 | 28.3 | 28.0 | 69.6 | 71.7 | 72.0 |
| | CI | (29.9 - 31.0) | (23.6-33.0) | | (69.1 - 70.1) | (67.0-76.4) | |
| | n | 26 | 162 | 50 | 55 | 339 | 50 |
| Race | | | | | | | |
| Race | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| White | % | 37.1 | 36.6 | 32.4 | 62.4 | 63.4 | 67.6 |
| | CI | (36.7 - 37.5) | (32.9-40.3) | | (61.9 - 62.8) | (59.7-67.1) | |
| | n | 59 | 400 | 51 | 90 | 616 | 51 |
| Black | % | 46.2 | NA | 53.1 | 50.2 | NA | 46.9 |
| | CI | (45.3 - 47.1) | | | (49.3 - 51.1) | | |
| | n | 13 | | 9 | 14 | | 9 |
| Hispanic | % | 25.7 | NA | 50.4 | 74.3 | NA | 49.6 |
| | CI | (23.0 - 28.3) | | | (71.7 - 77.0) | | |
| | n | 1 | | 3 | 2 | | 3 |
| Other | % | 50.0 | NA | 25.9 | 50.0 | NA | 74.1 |
| | CI | (45.8 - 54.3) | | | (45.8 - 54.3) | | |
| | n | 1 | | 2 | 1 | | 2 |
| MultiRacial | % | 51.6 | NA | 24.4 | 48.4 | NA | 75.6 |
| | CI | (47.4 - 55.8) | | | (44.2 - 52.6) | | |
| | n | 1 | | 2 | 1 | | 2 |

N/A=Value not available or not applicable or not computed

[^] = 2001 MPHDS BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Immunization

Adults aged 65+ who have had a flu shot within the past year

2005 Data Unless Otherwise Indicated

| Income | | | | | | | |
|----------------------------|-----------|---------------|-------------|----------------|---------------|-------------|----------------|
| Income Category | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| < \$15,000 | % | 39.3 | 39.8 | 38.9 | 60.7 | 60.2 | 61.1 |
| | CI | (38.1 - 40.5) | (31.3-48.3) | | (59.5 - 61.9) | (51.7-68.7) | |
| | n | 8 | 78 | 42 | 12 | 105 | 42 |
| \$15,000 - \$24,999 | % | 34.8 | 42.3 | 35.1 | 65.2 | 57.7 | 64.9 |
| | CI | (33.9 - 35.7) | (34.9-49.7) | | (64.3 - 66.1) | (50.3-65.1) | |
| | n | 11 | 110 | 47 | 22 | 147 | 47 |
| \$25,000 - \$34,999 | % | 34.0 | 36.7 | 31.4 | 66.0 | 63.3 | 68.6 |
| | CI | (32.9 - 35.1) | (27.2-46.2) | | (64.9 - 67.1) | (53.8-72.8) | |
| | n | 8 | 62 | 43 | 13 | 96 | 43 |
| \$35,000 - \$49,999 | % | 57.8 | N/A | 30.3 | 42.2 | N/A | 69.8 |
| | CI | (56.3 - 59.2) | | | (40.8 - 43.7) | | |
| | n | 7 | | 38 | 5 | | 38 |
| \$50,000 Plus | % | 46.2 | N/A | 32.3 | 53.8 | N/A | 67.8 |
| | CI | (45.4 - 47.1) | | | (52.9 - 54.6) | | |
| | n | 16 | | 40 | 16 | | 40 |

| Education | | | | | | | |
|-------------------------|-----------|---------------|-------------|----------------|---------------|-------------|----------------|
| Education | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Less than H.S. | % | 46.8 | 43.4 | 37.8 | 48.8 | 56.6 | 62.2 |
| | CI | (45.8 - 47.8) | (36.3-50.5) | | (47.8 - 49.8) | (49.5-63.7) | |
| | n | 14 | 131 | 43 | 13 | 150 | 43 |
| H.S. or G.E.D. | % | 36.6 | 38.8 | 34.7 | 62.2 | 61.2 | 65.3 |
| | CI | (36.0 - 37.3) | (32.7-44.9) | | (61.5 - 62.8) | (55.1-67.3) | |
| | n | 27 | 165 | 50 | 40 | 236 | 50 |
| Some post- H.S. | % | 30.8 | 37.3 | 33.1 | 69.2 | 62.7 | 66.9 |
| | CI | (30.1 - 31.5) | (29.9-44.7) | | (68.5 - 69.9) | (55.3-70.1) | |
| | n | 15 | 99 | 50 | 34 | 155 | 50 |
| College graduate | % | 45.7 | 33.5 | 29.7 | 54.3 | 66.5 | 70.3 |
| | CI | (44.9 - 46.5) | (25.7-41.3) | | (53.5 - 55.1) | (58.7-74.3) | |
| | n | 20 | 82 | 49 | 22 | 144 | 49 |

N/A=Value not available or not applicable or not computed

^ = 2001 MPHDS BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Immunization

Adults aged 65+ who have ever had a pneumonia vaccination

2005 Data Unless Otherwise Indicated

| ALL | | | | | | |
|-----------------------------|---------------------|--------------------|----------------|----------------------|--------------------|----------------|
| SOURCE | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| ALL 2005 | 33.7 | 36.2 | 34.1 | 63.6 | 63.8 | 65.9 |
| % CI n | (33.4 - 34.1) 64 | (32.6-39.8) 421 | 51 | (63.2 - 63.9) 118 | (60.2-67.4) 730 | 51 |
| SMART 2005 | 36.3 | N/A | N/A | 63.5 | N/A | N/A |
| % CI n | (26.7-46.0) 64 | | | (53.9-73.2) 118 | | |
| SMART 2002 | N/A | 38.6 | 37.0 | N/A | 61.4 | 63.0 |
| % CI n | | (34.6-42.6) 254 | 51 | (57.4-65.4) 406 | 51 | |
| ALL 2001[^] | 78.7 | 44.6 | 37.7 | 21.3 | 55.4 | 62.3 |
| % CI n | | (39.8-49.4) 229 | 51.0 | (50.6-60.2) 285 | 51.0 | |
| Gender | | | | | | |
| Gender | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Male | 34.0 | 40.2 | 35.6 | 63.9 | 59.8 | 64.5 |
| % CI n | (33.4 - 34.6) 18 | (34.0-46.4) 148 | 50 | (63.3 - 64.5) 31 | (53.6-66.0) 219 | 50 |
| Female | 33.6 | 33.5 | 32.8 | 63.3 | 66.5 | 67.3 |
| % CI n | (33.1 - 34.0) 46 | (29.3-37.7) 273 | 50 | (62.9 - 63.8) 87 | (62.3-70.7) 511 | 50 |
| Age | | | | | | |
| Age Group | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| 65-74 | 40.9 | 44.0 | 41.3 | 55.7 | 56.0 | 58.7 |
| % CI n | (40.4 - 41.4) 44 | (39.1-48.9) 286 | 51 | (55.2 - 56.2) 59 | (51.1-60.9) 372 | 51 |
| 75+ | 24.7 | 27.1 | 26.2 | 73.4 | 72.9 | 73.9 |
| % CI n | (24.2 - 25.2) 20 | (22.2-32.0) 135 | 50 | (72.9 - 73.9) 59 | (68.0-77.8) 358 | 50 |
| Race | | | | | | |
| Race | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| White | 29.5 | 33.6 | 32.4 | 67.8 | 66.4 | 67.6 |
| % CI n | (29.1 - 29.9) 46 | (29.9-37.3) 340 | 51 | (67.4 - 68.2) 100 | (62.7-70.1) 660 | 51 |
| Black | 42.6 | NA | 49.5 | 53.8 | NA | 50.5 |
| % CI n | (41.7 - 43.5) 12 | | 10 | (52.9 - 54.7) 15 | | 10 |
| Hispanic | 48.7 | NA | 56.7 | 51.3 | NA | 43.3 |
| % CI n | (45.7 - 51.7) 1 | | 3 | (48.3 - 54.3) 2 | | 3 |
| Other | 50.0 | NA | 25.5 | 50.0 | NA | 74.5 |
| % CI n | (45.8 - 54.3) 1 | | 2 | (45.8 - 54.3) 1 | | 2 |
| MultiRacial | 100.0 | NA | 22.8 | 0.0 | NA | 77.2 |
| % CI n | *** 2 | | 1 | *** 0 | | 1 |

N/A=Value not available or not applicable or not computed

[^] = 2001 MPHDS BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Immunization

Adults aged 65+ who have ever had a pneumonia vaccination

2005 Data Unless Otherwise Indicated

| Income | | | | | | | |
|----------------------------|-----------|---------------|-------------|----------------|---------------|-------------|----------------|
| Income Category | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| < \$15,000 | % | 28.4 | 29.5 | 35.5 | 71.6 | 70.5 | 64.5 |
| | Cl | (27.3 - 29.6) | (21.7-37.3) | | (70.4 - 72.7) | (62.7-78.3) | |
| | n | 6 | 58 | 43 | 14 | 123 | 43 |
| \$15,000 - \$24,999 | % | 26.3 | 42.4 | 33.0 | 73.7 | 57.6 | 67.2 |
| | Cl | (25.5 - 27.1) | (34.8-50.0) | | (72.9 - 74.5) | (50.0-65.2) | |
| | n | 8 | 105 | 47 | 25 | 149 | 48 |
| \$25,000 - \$34,999 | % | 28.7 | N/A | 30.6 | 67.5 | N/A | 69.6 |
| | Cl | (27.6 - 29.7) | | | (66.4 - 68.6) | | |
| | n | 7 | | 43 | 13 | | 42 |
| \$35,000 - \$49,999 | % | 45.3 | N/A | 30.9 | 54.7 | N/A | 69.3 |
| | Cl | (43.9 - 46.8) | | | (53.2 - 56.1) | | |
| | n | 5 | | 39 | 7 | | 38 |
| \$50,000 Plus | % | 44.0 | N/A | 35.5 | 49.7 | N/A | 64.5 |
| | Cl | (43.1 - 44.9) | | | (48.8 - 50.6) | | |
| | n | 15 | | 38 | 15 | | 38 |

| Education | | | | | | | |
|-------------------------|-----------|---------------|-------------|----------------|---------------|-------------|----------------|
| Education | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Less than H.S. | % | 36.7 | 39.2 | 37.8 | 59.0 | 60.8 | 62.2 |
| | Cl | (35.7 - 37.6) | (31.9-46.5) | | (58.0 - 60.0) | (53.5-68.1) | |
| | n | 10 | 107 | 41 | 17 | 173 | 41 |
| H.S. or G.E.D. | % | 31.3 | 33.9 | 33.9 | 66.3 | 66.1 | 66.1 |
| | Cl | (30.7 - 31.9) | (27.9-39.9) | | (65.6 - 66.9) | (60.1-72.1) | |
| | n | 23 | 136 | 49 | 43 | 258 | 49 |
| Some post- H.S. | % | 28.3 | 37.4 | 31.6 | 68.6 | 62.6 | 68.5 |
| | Cl | (27.6 - 29.0) | (29.6-45.2) | | (67.9 - 69.3) | (54.8-70.4) | |
| | n | 13 | 86 | 50 | 35 | 162 | 50 |
| College graduate | % | 41.2 | 35.9 | 33.0 | 57.0 | 64.1 | 67.0 |
| | Cl | (40.5 - 42.0) | (28.0-43.8) | | (56.2 - 57.8) | (56.2-72.0) | |
| | n | 18 | 91 | 50 | 23 | 131 | 50 |

N/A=Value not available or not applicable or not computed

^ = 2001 MPHD's BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Weight Classification by Body Mass Index
2005 Data Unless Otherwise Indicated

| ALL | | | | | | | | | | |
|------------|--|---------------|----------------|------------------------------|---------------|----------------|-------------------------|---------------|----------------|-------------|
| SOURCE | Neither overweight nor obese (bmi le 24.9) | | | Overweight (bmi 25.0 - 29.9) | | | Obese (bmi 30.0 - 99.8) | | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | |
| ALL 2005 | % | 35.8 | 37.7 | 38.6 | 33.1 | 34.9 | 36.7 | 25.8 | 27.4 | 24.4 |
| | CI | (35.7 - 36.0) | (35.5-39.9) | | (32.9 - 33.2) | (32.9-36.9) | | (25.7 - 26.0) | (25.4-29.4) | |
| | n | 296 | 1626 | 51 | 283 | 1619 | 51 | 228 | 1245 | 51 |
| SMART 2005 | % | 37.6 | N/A | N/A | 35.3 | N/A | N/A | 26.8 | N/A | N/A |
| | CI | (33.5-41.8) | | | (31.2-39.5) | | | (23.3-30.4) | | |
| | n | 296 | | | 283 | | | 228 | | |
| SMART 2002 | % | 45.4 | 38.7 | 41.2 | 30.6 | 36.8 | 37.0 | 24.0 | 24.5 | 21.9 |
| | CI | (38.1-52.8) | (36.7-40.7) | | (24.0-37.1) | (34.8-38.8) | | (17.8-30.2) | (22.7-26.3) | |
| | n | 113 | 1215 | 51 | 76 | 1118 | 51 | 60 | 740 | 51 |
| ALL 2001^ | % | 40.9 | 41.1 | 41.1 | 35.8 | 35.4 | 37.2 | 19.1 | 23.4 | 20.9 |
| | CI | | (38.9-43.3) | | | (33.3-37.5) | | | (21.6-25.2) | |
| | n | | 1158 | 51 | | 924 | 51 | | 653 | 51 |
| Gender | | | | | | | | | | |
| Gender | Neither overweight nor obese (bmi le 24.9) | | | Overweight (bmi 25.0 - 29.9) | | | Obese (bmi 30.0 - 99.8) | | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | |
| Male | % | 34.2 | 30.6 | 30.2 | 39.8 | 41.7 | 43.7 | 23.5 | 27.7 | 24.8 |
| | CI | (34.0 - 34.4) | (27.2-34.0) | | (39.6 - 40.0) | (38.3-45.1) | | (23.3 - 23.6) | (24.4-31.0) | |
| | n | 96 | 477 | 51 | 129 | 752 | 51 | 77 | 477 | 51 |
| Female | % | 37.3 | 44.7 | 46.2 | 26.9 | 28.2 | 29.3 | 28.0 | 27.1 | 24.0 |
| | CI | (37.2 - 37.5) | (42.1-47.3) | | (26.8 - 27.1) | (26.0-30.4) | | (27.8 - 28.2) | (24.8-29.4) | |
| | n | 200 | 1149 | 51 | 154 | 867 | 51 | 151 | 768 | 51 |
| Age | | | | | | | | | | |
| Age Group | Neither overweight nor obese (bmi le 24.9) | | | Overweight (bmi 25.0 - 29.9) | | | Obese (bmi 30.0 - 99.8) | | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | |
| 18-24 | % | 45.4 | 59.9 | 58.3 | 26.1 | 24.3 | 26.9 | 22.6 | 15.8 | 16.2 |
| | CI | (45.0 - 45.8) | (50.7-69.1) | | (25.8 - 26.5) | (16.5-32.1) | | (22.3 - 3.0) | (8.7-22.9) | |
| | n | 18 | 130 | 48 | 11 | 51 | 50 | 9 | 38 | 51 |
| 25-34 | % | 42.0 | 36.3 | 41.7 | 32.7 | 35.0 | 35.0 | 21.3 | 28.7 | 23.1 |
| | CI | (41.7 - 42.4) | (31.1-41.5) | | (32.4 - 33.0) | (29.4-40.6) | | (21.0 - 21.6) | (22.7-34.7) | |
| | n | 51 | 243 | 51 | 39 | 189 | 51 | 30 | 148 | 51 |
| 35-44 | % | 31.1 | 36.3 | 36.3 | 33.0 | 34.6 | 37.6 | 31.7 | 29.1 | 26.2 |
| | CI | (30.8 - 31.4) | (31.8-40.8) | | (32.7 - 33.3) | (30.4-38.8) | | (31.4 - 32.0) | (25.0-33.2) | |

N/A=Value not available or not applicable or not computed

^ = 2001 MPHDS BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Weight Classification by Body Mass Index

2005 Data Unless Otherwise Indicated

| | n | 47 | 289 | 51 | 47 | 276 | 51 | 51 | 253 | 51 |
|--------------|----|---------------|-------------|-------------|---------------|-------------|-------------|---------------|-------------|-------------|
| 45-54 | % | 29.9 | 32.7 | 33.3 | 33.9 | 35.0 | 38.5 | 27.5 | 32.3 | 28.7 |
| | CI | (29.6 - 30.2) | (28.6-36.8) | | (33.5 - 34.2) | (30.9-39.1) | | (27.2 - 27.9) | (28.0-36.6) | |
| | n | 56 | 293 | 51 | 61 | 334 | 51 | 50 | 288 | 51 |
| 55-64 | % | 29.1 | 27.5 | 29.6 | 36.3 | 39.6 | 39.8 | 30.3 | 32.9 | 30.6 |
| | CI | (28.7 - 29.5) | (23.1-31.9) | | (35.9 - 36.7) | (35.3-43.9) | | (29.9 - 30.7) | (28.6-37.2) | |
| | n | 49 | 238 | 51 | 60 | 346 | 51 | 51 | 264 | 51 |
| 65+ | % | 38.3 | 38.4 | 38.4 | 36.2 | 38.8 | 40.4 | 21.1 | 22.8 | 21.0 |
| | CI | (37.9 - 38.6) | (34.8-42.0) | | (35.8 - 36.5) | (35.1-42.5) | | (20.8 - 21.4) | (19.6-26.0) | |
| | n | 75 | 433 | 51 | 65 | 423 | 51 | 37 | 254 | 51 |

Race

| Race | Neither overweight nor obese (bmi le 24.9) | | | Overweight (bmi 25.0 - 29.9) | | | Obese (bmi 30.0 - 99.8) | | | |
|--------------------|--|---------------|----------------|------------------------------|---------------|----------------|-------------------------|---------------|----------------|-------------|
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | |
| White | % | 38.7 | 38.3 | 39.5 | 32.8 | 36.1 | 36.8 | 22.9 | 25.6 | 23.5 |
| | CI | (38.5 - 38.9) | (36.2-40.4) | | (32.6 - 33.0) | (34.0-38.2) | | (22.7 - 23.0) | (23.8-27.4) | |
| | n | 242 | 1435 | 51 | 201 | 1377 | 51 | 144 | 1005 | 51 |
| Black | % | 20.3 | 27.8 | 28.5 | 36.6 | 30.2 | 36.1 | 39.8 | 42.1 | 35.0 |
| | CI | (20.1 - 20.5) | (20.9-34.7) | | (36.3 - 36.8) | (23.8-36.6) | | (39.5 - 40.0) | (34.2-50.0) | |
| | n | 31 | 112 | 31 | 67 | 182 | 30 | 79 | 208 | 31 |
| Hispanic | % | 39.2 | N/A | 37.2 | 27.5 | N/A | 37.7 | 20.6 | N/A | 24.6 |
| | CI | (38.2 - 40.2) | | | (26.6 - 28.4) | | | (19.8 -21.4) | | |
| | n | 4 | | 29 | 4 | | 30 | 3 | | 34 |
| Other | % | 75.6 | N/A | 47.4 | 21.5 | N/A | 31.5 | 0.0 | N/A | 15.6 |
| | CI | (75.0 - 76.3) | | | (20.9 - 22.1) | | | * | | |
| | n | 13 | | 23 | 5 | | 27 | 0 | | 37 |
| MultiRacial | % | 41.0 | N/A | 36.6 | 40.1 | N/A | 33.0 | 13.1 | N/A | 24.4 |
| | CI | (39.5 - 42.5) | | | (38.6 -41.7) | | | (12.1 - 14.2) | | |
| | n | 3 | | 7 | 4 | | 7 | 2 | | 10 |

Income

| Income Category | Neither overweight nor obese (bmi le 24.9) | | | Overweight (bmi 25.0 - 29.9) | | | Obese (bmi 30.0 - 99.8) | | | |
|----------------------------|--|---------------|----------------|------------------------------|---------------|----------------|-------------------------|---------------|----------------|-------------|
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | |
| < \$15,000 | % | 36.7 | 39.9 | 38.4 | 24.7 | 27.9 | 32.0 | 36.3 | 32.2 | 29.3 |
| | CI | (36.2 - 37.3) | (33.3-46.5) | | (24.2 - 25.2) | (22.7-33.1) | | (35.8 - 36.9) | (26.3-38.1) | |
| | n | 22 | 193 | 48 | 16 | 156 | 50 | 20 | 157 | 51 |
| \$15,000 - \$24,999 | % | 34.6 | 34.8 | 37.3 | 28.4 | 32.2 | 34.5 | 34.7 | 32.9 | 27.5 |
| | CI | (34.3 - 35.0) | (29.7-39.9) | | (28.1 - 28.8) | (27.4-37.0) | | (34.4 - 35.1) | (28.0-37.8) | |

N/A=Value not available or not applicable or not computed

^ = 2001 MPHDS BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Weight Classification by Body Mass Index

2005 Data Unless Otherwise Indicated

| | n | 39 | 265 | 51 | 42 | 283 | 51 | 43 | 262 | 51 |
|----------------------------|-----------|---------------|-------------|-------------|---------------|-------------|-------------|---------------|-------------|-------------|
| \$25,000 - \$34,999 | % | 37.4 | 37.1 | 36.8 | 30.4 | 33.7 | 36.2 | 25.4 | 29.2 | 26.7 |
| | CI | (37.0 - 37.8) | (31.7-42.5) | | (30.1 - 30.8) | (28.7-38.7) | | (25.0 - 25.8) | (23.5-34.9) | |
| | n | 35 | 212 | 51 | 33 | 203 | 51 | 33 | 159 | 51 |
| \$35,000 - \$49,999 | % | 34.9 | 38.7 | 36.4 | 33.3 | 32.1 | 38.1 | 26.6 | 29.3 | 26.7 |
| | CI | (34.5 - 35.2) | (33.4-44.0) | | (33.0 - 33.7) | (27.4-36.8) | | (26.3 - 26.9) | (24.5-34.1) | |
| | n | 39 | 220 | 51 | 38 | 227 | 51 | 37 | 186 | 51 |
| \$50,000 Plus | % | 35.5 | 32.7 | 37.4 | 37.7 | 43.2 | 39.3 | 22.9 | 24.1 | 22.5 |
| | CI | (35.2 - 35.7) | (29.2-36.2) | | (37.4 - 37.9) | (39.2-47.2) | | (22.6 - 23.1) | (20.5-27.7) | |
| | n | 101 | 428 | 51 | 99 | 489 | 51 | 66 | 301 | 51 |

Education

| Education | Neither overweight nor obese (bmi le 24.9) | | | Overweight (bmi 25.0 - 29.9) | | | Obese (bmi 30.0 - 99.8) | | | |
|-------------------------|--|---------------|----------------|------------------------------|---------------|----------------|-------------------------|---------------|----------------|-------------|
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | |
| Less than H.S. | % | 24.9 | 38.2 | 37.1 | 28.0 | 34.3 | 34.3 | 41.2 | 27.5 | 28.1 |
| | CI | (24.4 - 25.5) | (32.3-44.1) | | (27.4 - 28.6) | (28.3-40.3) | | (40.5 - 41.8) | (22.7-32.3) | |
| | n | 14 | 208 | 49 | 18 | 187 | 49 | 23 | 172 | 51 |
| H.S. or G.E.D. | % | 33.1 | 35.9 | 36.3 | 33.1 | 32.5 | 36.3 | 28.6 | 31.6 | 27.1 |
| | CI | (32.8 - 33.4) | (31.8-40.0) | | (32.8 - 33.4) | (29.2-35.8) | | (28.4 - 28.9) | (27.6-35.6) | |
| | n | 80 | 513 | 51 | 78 | 574 | 51 | 59 | 453 | 51 |
| Some post- H.S. | % | 36.9 | 38.6 | 37.1 | 29.5 | 33.7 | 36.3 | 29.1 | 27.7 | 26.4 |
| | CI | (36.6 - 37.2) | (34.6-42.6) | | (29.2 - 29.8) | (29.6-37.8) | | (28.8 - 29.3) | (24.2-31.2) | |
| | n | 73 | 421 | 51 | 68 | 387 | 51 | 71 | 352 | 51 |
| College graduate | % | 38.0 | 39.1 | 42.4 | 36.5 | 39.6 | 37.7 | 20.3 | 21.3 | 18.8 |
| | CI | (37.7 - 38.2) | (35.3-42.9) | | (36.3 - 36.8) | (35.9-43.3) | | (20.2 - 20.5) | (17.9-24.7) | |
| | n | 127 | 479 | 51 | 119 | 468 | 51 | 75 | 266 | 51 |

N/A=Value not available or not applicable or not computed

^ = 2001 MPH's BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Physical Activity

Adults with 30+ minutes of moderate physical activity five or more days per week, or vigorous physical activity for 20+ minutes three or more days per week

2005 Data Unless Otherwise Indicated

| ALL | | | | | | | |
|-----------------------------|--------------|-------------------------------------|------------------------------------|-----------------------|-------------------------------------|------------------------------------|-----------------------|
| SOURCE | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| ALL 2005 | % CI n | 60.5 (60.4 - 60.7) 533 | 63.9 (61.8-66.0) 2931 | 50.9 51 | 34.2 (34.0 - 34.3) 283 | 36.1 (34.0-38.2) 1550 | 49.1 51 |
| SMART 2005 | % CI n | 64.2 (60.1-68.4) 533 | N/A | N/A | 35.6 (31.5-39.8) 283 | N/A | N/A |
| SMART 2002 | % CI n | N/A | N/A | N/A | N/A | N/A | N/A |
| ALL 2001[^] | % CI n | N/A | 63.0 (60.7-65.3) 1696 | 53.9 51 | N/A | 37.0 (34.7-39.3) 862 | 46.1 51 |
| Gender | | | | | | | |
| Gender | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Male | % CI n | 59.8 (59.6 - 60.0) 192 | 60.3 (56.8-63.8) 1021 | 49.3 51 | 36.2 (35.9 - 36.4) 109 | 39.7 (36.2-43.2) 644 | 50.7 51 |
| Female | % CI n | 61.2 (61.0 - 61.4) 341 | 67.2 (64.8-69.6) 1910 | 52.1 51 | 32.3 (32.1 - 32.5) 174 | 32.8 (30.4-35.2) 906 | 47.9 51 |
| Age | | | | | | | |
| Age Group | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| 18-24 | % CI n | 51.3 (50.9 - 51.7) 21 | 62.6 (53.8-71.4) 127 | 40.5 48 | 34.9 (34.5 - 35.3) 15 | 37.4 (28.6-46.2) 89 | 59.6 48 |
| 25-34 | % CI n | 61.1 (60.7 - 61.4) 77 | 60.4 (54.5-66.3) 371 | 48.1 51 | 34.5 (34.2 - 34.8) 43 | 39.6 (33.7-45.5) 227 | 51.9 51 |
| 35-44 | % CI n | 59.2 (58.9 - 59.5) 92 | 61.7 (57.3-66.1) 519 | 49.5 51 | 38.2 (37.9 - 38.6) 58 | 38.3 (33.9-42.7) 303 | 50.5 51 |
| 45-54 | % CI n | 57.4 (57.0 - 57.7) 104 | 61.3 (57.2-65.4) 573 | 51.4 51 | 39.9 (39.5 - 40.2) 74 | 38.7 (34.6-42.8) 369 | 48.6 51 |
| 55-64 | % CI n | 64.7 (64.3 - 65.1) 109 | 67.4 (63.2-71.6) 565 | 55.2 51 | 31.1 (30.7 - 31.5) 51 | 32.6 (28.4-36.8) 269 | 44.8 51 |
| 65+ | % CI n | 70.0 (69.7 - 70.4) 130 | 71.4 (67.9-74.9) 776 | 61.0 51 | 22.6 (22.3 - 23.0) 42 | 28.6 (25.1-32.1) 293 | 39.0 51 |

N/A=Value not available or not applicable or not computed

[^]= 2001 MPHD's BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Physical Activity

Adults with 30+ minutes of moderate physical activity five or more days per week, or vigorous physical activity for 20+ minutes three or more days per week

2005 Data Unless Otherwise Indicated

| Race | | | | | | | |
|--------------------|----|---------------|-------------|----------------|---------------|-------------|----------------|
| Race | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| White | % | 58.6 | 62.9 | 48.9 | 37.0 | 37.1 | 51.1 |
| | CI | (58.5 - 58.8) | (60.8-65.0) | | (36.8 - 37.2) | (35.0-39.2) | |
| | n | 378 | 2451 | 51 | 219 | 1358 | 51 |
| Black | % | 65.8 | 68.5 | 58.2 | 26.9 | 31.5 | 41.8 |
| | CI | (65.5 - 66.1) | (61.0-76.0) | | (26.6 - 27.2) | (24.0-39.0) | |
| | n | 124 | 371 | 31 | 49 | 132 | 31 |
| Hispanic | % | 65.0 | N/A | 56.1 | 35.0 | N/A | 44.0 |
| | CI | (64.0 - 65.9) | | | (34.1 - 36.0) | | |
| | n | 11 | | 28 | 3 | | 28 |
| Other | % | 65.1 | N/A | 53.7 | 30.7 | N/A | 46.3 |
| | CI | (64.4 - 65.8) | | | (30.0 - 31.4) | | |
| | n | 10 | | 21 | 8 | | 21 |
| MultiRacial | % | 54.5 | N/A | 40.3 | 29.1 | N/A | 59.7 |
| | CI | (53.0 - 56.1) | | | (27.7 - 30.5) | | |
| | n | 7 | | 7 | 2 | | 7 |

| Income | | | | | | | |
|----------------------------|----|---------------|-------------|----------------|---------------|-------------|----------------|
| Income Category | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| < \$15,000 | % | 65.2 | 75.8 | 61.3 | 19.1 | 24.2 | 38.7 |
| | CI | (64.6 - 65.7) | (70.2-81.4) | | (18.6 - 19.5) | (18.6-29.8) | |
| | n | 42 | 380 | 47 | 10 | 110 | 47 |
| \$15,000 - \$24,999 | % | 66.7 | 68.5 | 56.9 | 29.6 | 31.5 | 43.1 |
| | CI | (66.4 - 67.1) | (63.7-73.3) | | (29.3 - 30.0) | (26.7-36.3) | |
| | n | 91 | 564 | 51 | 33 | 237 | 51 |
| \$25,000 - \$34,999 | % | 66.1 | 66.2 | 52.1 | 29.4 | 33.8 | 47.9 |
| | CI | (65.7 - 66.5) | (60.9-71.5) | | (29.0 - 29.8) | (28.5-39.1) | |
| | n | 73 | 366 | 51 | 32 | 207 | 51 |
| \$35,000 - \$49,999 | % | 61.0 | 64.6 | 50.2 | 36.6 | 35.4 | 49.8 |
| | CI | (60.7 - 61.4) | (59.6-69.6) | | (36.2 - 36.9) | (30.4-40.4) | |
| | n | 81 | 413 | 51 | 37 | 228 | 51 |
| \$50,000 Plus | % | 53.6 | 54.9 | 45.6 | 43.9 | 45.1 | 54.4 |
| | CI | (53.3 - 53.8) | (51.0-58.8) | | (43.7 - 44.2) | (41.2-49.0) | |
| | n | 147 | 680 | 51 | 125 | 547 | 51 |

| Education | | | | | | | |
|-------------------------|----|---------------|-------------|----------------|---------------|-------------|----------------|
| Education | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Less than H.S. | % | 82.9 | 74.7 | 62.2 | 7.5 | 25.3 | 37.8 |
| | CI | (82.5 - 83.4) | (68.7-80.7) | | (7.2 - 7.8) | (19.3-31.3) | |
| | n | 47 | 428 | 48 | 5 | 116 | 48 |
| H.S. or G.E.D. | % | 65.6 | 67.8 | 54.1 | 26.8 | 32.2 | 45.9 |
| | CI | (65.3 - 65.8) | (64.0-71.6) | | (26.6 - 27.1) | (28.4-36.0) | |
| | n | 150 | 1050 | 51 | 62 | 481 | 51 |
| Some post- H.S. | % | 61.2 | 59.2 | 49.8 | 32.4 | 40.8 | 50.2 |
| | CI | (60.9 - 61.5) | (55.1-63.3) | | (32.2 - 32.7) | (36.7-44.9) | |
| | n | 144 | 733 | 51 | 71 | 433 | 51 |
| College graduate | % | 54.5 | 58.5 | 46.8 | 43.6 | 41.5 | 53.2 |
| | CI | (54.3 - 54.7) | (54.7-62.3) | | (43.3 - 43.8) | (37.7-45.3) | |
| | n | 191 | 710 | 51 | 144 | 518 | 51 |

N/A=Value not available or not applicable or not computed

^= 2001 MPHDS BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Physical Activity

Adults with 20+ minutes of vigorous physical activity three or more days per week
2005 Data Unless Otherwise Indicated

| ALL | | | | | | |
|-------------------|----------------------|---------------------|---------------|----------------------|--------------------|----------------|
| SOURCE | No | | | Yes | | |
| | Davidson | Tennessee | United States | Davidson | Tennessee | United States* |
| ALL 2005 | 75.2 | 82.6 | 72.5 | 20.6 | 17.4 | 27.5 |
| % CI n | (75.1 - 75.3) 672 | (81.0-84.2) 3874 | 51 | (20.4 - 20.7) 155 | (15.8-19.0) 716 | 51 |
| SMART 2005 | 78.7 | N/A | N/A | 21.1 | N/A | N/A |
| % CI n | (75.2-82.3) 672 | | | (17.6-24.7) 155 | | |
| SMART 2002 | N/A | N/A | N/A | N/A | N/A | N/A |
| % CI n | | | | | | |
| ALL 2001^ | N/A | 80.4 | 75.4 | N/A | 19.6 | 24.6 |
| % CI n | | (78.5-82.3) 2257 | 51 | | (17.7-21.5) 452 | 51 |
| Gender | | | | | | |
| Gender | No | | | Yes | | |
| | Davidson | Tennessee | United States | Davidson | Tennessee | United States* |
| Male | 71.9 | 78.6 | 68.0 | 25.3 | 21.4 | 32.0 |
| % CI n | (71.7 - 72.1) 234 | (75.8-81.4) 1361 | 51 | (25.2 - 25.5) 69 | (18.6-24.2) 335 | 51 |
| Female | 78.3 | 86.3 | 75.7 | 16.2 | 13.7 | 24.3 |
| % CI n | (78.1 - 78.4) 438 | (84.6-88.0) 2513 | 51 | (16.1 - 16.4) 86 | (12.0-15.4) 381 | 51 |
| Age | | | | | | |
| Age Group | No | | | Yes | | |
| | Davidson | Tennessee | United States | Davidson | Tennessee | United States* |
| 18-24 | 66.8 | 79.7 | 59.6 | 22.6 | 20.3 | 40.4 |
| % CI n | (66.4 - 67.2) 28 | (73.0-86.4) 171 | 48 | (22.2 - 22.9) 9 | (13.6-27.0) 50 | 48 |
| 25-34 | 69.9 | 77.9 | 66.6 | 25.7 | 22.1 | 33.4 |
| % CI n | (69.6 - 70.2) 90 | (73.4-82.4) 475 | 51 | (25.5 - 26.0) 30 | (17.6-26.6) 133 | 51 |
| 35-44 | 72.1 | 79.1 | 69.9 | 25.4 | 20.9 | 30.1 |
| % CI n | (71.8 - 72.4) 113 | (75.4-82.8) 663 | 51 | (25.1 - 25.7) 37 | (17.2-24.6) 171 | 51 |
| 45-54 | 75.6 | 82.5 | 74.0 | 22.1 | 17.5 | 26.0 |
| % CI n | (75.3 - 75.8) 137 | (79.3-85.7) 792 | 51 | (21.8 - 22.4) 42 | (14.3-20.7) 165 | 51 |
| 55-64 | 83.6 | 85.4 | 78.9 | 13.5 | 14.6 | 21.1 |
| % CI n | (83.3 - 83.9) 141 | (82.1-88.7) 746 | 51 | (13.2 - 13.8) 22 | (11.3-17.9) 109 | 51 |
| 65+ | 87.1 | 91.9 | 85.9 | 8.5 | 8.1 | 14.1 |
| % CI n | (86.8 - 87.4) 163 | (89.8-94.0) 1027 | 51 | (8.3 - 8.7) 15 | (6.0-10.2) 88 | 51 |

N/A=Value not available or not applicable or not computed

^ = 2001 MPH's BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Physical Activity

Adults with 20+ minutes of vigorous physical activity three or more days per week

2005 Data Unless Otherwise Indicated

| Race | | | | | | |
|--------------------|----------------------|---------------------|---------------|----------------------|--------------------|----------------|
| Race | No | | | Yes | | |
| | Davidson | Tennessee | United States | Davidson | Tennessee | United States* |
| White | 75.1 | 82.2 | 71.5 | 22.0 | 17.8 | 28.5 |
| % CI n | (74.9 - 75.2) 486 | (80.5-83.9) 3281 | 51 | (21.8 - 22.1) 120 | (16.1-19.5) 621 | 51 |
| Black | 74.9 | 84.2 | 76.5 | 17.8 | 15.8 | 23.6 |
| % CI n | (74.6 - 75.1) 147 | (79.0-89.4) 445 | 30 | (17.5 - 18.0) 27 | (10.6-21.0) 67 | 30 |
| Hispanic | 95.1 | 94.5 | 76.7 | 4.9 | 5.5 | 23.4 |
| % CI n | (94.7 - 95.5) 13 | (88.8-100.0) 47 | 32 | (4.5 - 5.5) 1 | (0.0-11.2) 5 | 32 |
| Other | 80.3 | N/A | 74.8 | 15.6 | N/A | 25.2 |
| % CI n | (79.7 - 80.9) 15 | | 25 | (15.0 - 16.1) 3 | | 25 |
| MultiRacial | 70.9 | N/A | 73.7 | 29.1 | N/A | 26.3 |
| % CI n | (69.5 - 72.3) 8 | | 9 | (27.7 -30.5) 2 | | 9 |

| Income | | | | | | |
|----------------------------|----------------------|--------------------|---------------|---------------------|--------------------|----------------|
| Income Category | No | | | Yes | | |
| | Davidson | Tennessee | United States | Davidson | Tennessee | United States* |
| < \$15,000 | 79.7 | 89.2 | 83.4 | 8.9 | 10.8 | 16.6 |
| % CI n | (79.2 - 80.1) 53 | (85.1-93.3) 471 | 49 | (8.6 - 9.2) 4 | (6.7-14.9) 39 | 49 |
| \$15,000 - \$24,999 | 82.4 | 89.5 | 79.2 | 14.0 | 10.5 | 20.8 |
| % CI n | (82.1 - 82.6) 112 | (86.1-92.9) 750 | 51 | 13.8 - 14.3) 12 | (7.1-13.9) 73 | 51 |
| \$25,000 - \$34,999 | 79.1 | 82.7 | 75.1 | 17.0 | 17.3 | 24.9 |
| % CI n | (78.7 - 79.4) 89 | (78.4-87.0) 497 | 51 | (16.7 - 17.3) 17 | (13.0-21.6) 93 | 51 |
| \$35,000 - \$49,999 | 68.1 | 82.9 | 72.1 | 28.8 | 17.1 | 27.9 |
| % CI n | (67.7 - 68.4) 93 | (78.9-86.9) 536 | 51 | (28.4 - 29.1) 24 | (13.1-21.1) 106 | 51 |
| \$50,000 Plus | 70.9 | 73.6 | 66.0 | 27.5 | 26.4 | 34.0 |
| % CI n | (70.6 - 71.1) 198 | (70.1-77.1) 925 | 51 | (27.3 - 27.7) 77 | (22.9-29.9) 313 | 51 |

| Education | | | | | | |
|-------------------------|--------------------------------|----------------------------|---------------|------------------------------|----------------------------|----------------|
| Education | No | | | Yes | | |
| | Davidson | Tennessee | United States | Davidson | Tennessee | United States* |
| Less than H.S. | 91.6 | 95.8 | 83.4 | 0.0 | 4.2 | 16.6 |
| % CI n | (91.2 - 91.9) 53 | (93.7-97.9) 548 | 49 | * 0 | (2.1-6.3) 23 | 49 |
| H.S. or G.E.D. | 83.0 | 86.5 | 76.8 | 12.6 | 13.5 | 23.2 |
| % CI n | (82.7 - 83.2) 192 | (83.9-89.1) 1394 | 51 | (12.4 - 12.8) 27 | (10.9-16.1) 184 | 51 |
| Some post- H.S. | 73.8 | 78.4 | 71.5 | 20.3 | 21.6 | 28.5 |
| % CI n | (73.5 - 74.0) 176 | (74.9-81.9) 967 | 51 | (20.0 - 20.5) 41 | (18.1-25.1) 221 | 51 |
| College graduate | 69.9 | 75.7 | 66.9 | 28.5 | 24.3 | 33.1 |
| % CI | (69.7 - 70.1) (69.7 - 70.1) | (72.4-79.0) (72.4-79.0) | | (28.3 -28.7) (28.3 -28.7) | (21.0-27.6) (21.0-27.6) | |

N/A=Value not available or not applicable or not computed

^ = 2001 MPH's BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Physical Activity

Adults with 20+ minutes of vigorous physical activity three or more days per week

2005 Data Unless Otherwise Indicated

| | | | | | | |
|---|-----|-----|----|----|-----|----|
| n | 250 | 954 | 51 | 86 | 287 | 51 |
|---|-----|-----|----|----|-----|----|

N/A=Value not available or not applicable or not computed

^ = 2001 MPHD's BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Tobacco Use
Four Level Smoking Status
2005 Data Unless Otherwise Indicated

| ALL | | | | | | | | | | | | |
|------------|------------------------------|----------------------------|---------------|--------------------------|--------------------------|----------------|------------------------------|-----------------------------|---------------|------------------------------|-----------------------------|----------------|
| SOURCE | Smoke everyday | | | Smoke some days | | | Former smoker | | | Never smoked | | |
| | Davidson | Tennessee | United States | Davidson | Tennessee | United States* | Davidson | Tennessee | United States | Davidson | Tennessee | United States* |
| ALL 2005 | 16.1 (16.0 - 16.2) 137 | 20.4 (18.5-22.3) 886 | 15.3 51 | 5.1 (5.0 - 5.2) 41 | 6.3 (4.9-7.7) 237 | 5.3 51 | 19.4 (19.3 - 19.5) 193 | 22.0 (20.4-23.6) 1131 | 24.8 51 | 59.3 (59.1 - 59.4) 487 | 51.3 (49.2-53.4) 2479 | 54.0 51 |
| SMART 2005 | 16.5 (13.5-19.4) 137.0 | N/A | N/A | 6.2 (3.9-8.6) 41.0 | N/A | N/A | 20.3 (17.2-23.5) 193.0 | N/A | N/A | 56.7 (52.6-60.9) 487.0 | N/A | N/A |
| SMART 2002 | 18.6 (12.7-24.4) 47 | 22.9 (21.1-24.7) 660 | 17.8 51 | 3.1 (0.9-5.2) 8 | 4.9 (3.9-5.9) 145 | 5.0 51 | 19.1 (13.7-24.6) 49 | 18.7 (17.2-20.2) 641 | 24.7 51 | 59.2 (52.2-66.2) 151 | 53.6 (51.6-55.6) 1746 | 52.0 51 |
| ALL 2001^ | N/A | 19.7 (18.0-21.4) 567 | 17.4 51 | N/A | 4.7 (3.8-5.6) 142 | 5.7 51 | N/A | 19.1 (17.4-20.8) 540 | 24.7 51 | N/A | 56.6 (54.5-58.7) 1667 | 51.3 51 |
| Gender | | | | | | | | | | | | |
| Gender | Smoke everyday | | | Smoke some days | | | Former smoker | | | Never smoked | | |
| | Davidson | Tennessee | United States | Davidson | Tennessee | United States* | Davidson | Tennessee | United States | Davidson | Tennessee | United States* |
| Male | 17.1 (16.9 - 17.2) 60 | 22.2 (19.0-25.4) 351 | 16.4 51 | 5.6 (5.5 - 5.7) 17 | 7.0 (4.5-9.5) 91 | 5.8 51 | 20.3 (20.1 - 20.5) 78 | 24.9 (22.3-27.5) 527 | 28.5 51 | 57.1 (56.8 - 57.3) 155 | 45.9 (42.4-49.4) 773 | 48.9 51 |
| Female | 15.3 (15.1 -15.4) 77 | 18.8 (16.9-20.7) 535 | 14.3 51 | 4.6 (4.6 - 4.7) 24 | 5.7 (4.4-7.0) 146 | 4.8 51 | 18.6 (18.5 - 18.8) 115 | 19.3 (17.4-21.2) 604 | 21.3 51 | 61.3 (61.1 -61.5) 332 | 56.3 (53.8-58.8) 1706 | 58.9 51 |
| Age | | | | | | | | | | | | |
| Age Group | Smoke everyday | | | Smoke some days | | | Former smoker | | | Never smoked | | |
| | Davidson | Tennessee | United States | Davidson | Tennessee | United States* | Davidson | Tennessee | United States | Davidson | Tennessee | United States* |
| 18-24 | 14.4 (14.1 - 14.7) 6 | 20.4 (12.9-27.9) 49 | 17.6 51 | 4.1 (3.9 - 4.3) 2 | 14.6 (6.2-23.0) 26 | 8.6 51 | 2.0 (1.9 - 2.2) 1 | 8.4 (3.4-13.4) 13 | 8.3 51 | 79.5 (79.2 - 79.8) 32 | 56.6 (47.2-66.0) 143 | 64.8 48 |
| 25-34 | 11.2 (11.0 - 11.4) 15 | 24.4 (18.8-30.0) 135 | 17.7 51 | 3.9 (3.8 - 4.0) 5 | 7.8 (4.8-10.8) 42 | 7.3 51 | 17.2 (16.9 - 17.4) 22 | 13.7 (10.3-17.1) 86 | 16.0 51 | 67.7 (67.4 - 68.0) 84 | 54.1 (48.4-59.8) 355 | 58.9 51 |
| 35-44 | 19.1 (18.9 - 19.4) 30 | 27.4 (23.2-31.6) 215 | 17.8 51 | 8.9 (8.7 - 9.1) 12 | 5.7 (3.6-7.8) 49 | 5.4 51 | 14.4 (14.2 - 14.7) 20 | 17.7 (14.3-21.1) 141 | 18.7 51 | 57.1 (56.8 - 57.4) 91 | 49.3 (44.8-53.8) 448 | 57.9 51 |
| 45-54 | 27.0 (26.6 - 27.3) 48 | 23.5 (19.7-27.3) 228 | 17.3 51 | 5.2 (5.1 - 5.4) 9 | 4.6 (3.0-6.2) 52 | 5.0 51 | 19.9 (19.7 - 20.2) 37 | 23.1 (19.7-26.5) 237 | 26.3 51 | 47.9 (47.9 - 48.2) 89 | 48.7 (44.5-52.9) 461 | 49.7 51 |
| 55-64 | 18.0 (17.7 - 18.3) 29 | 15.9 (12.8-19.0) 148 | 14.7 51 | 3.8 (3.6 - 3.9) 7 | 5.0 (3.2-6.8) 44 | 3.8 51 | 36.0 (35.6 - 36.4) 60 | 32.2 (28.1-36.3) 278 | 36.4 51 | 42.3 (41.9 - 42.7) 72 | 47.0 (42.5-51.5) 412 | 43.6 51 |
| 65+ | 5.3 (5.2 - 5.5) 9 | 8.3 (6.4-10.2) 111 | 6.7 51 | 3.2 (3.1 - 3.4) 6 | 2.2 (1.1-3.3) 24 | 2.2 51 | 30.3 (29.9 - 30.6) 53 | 36.4 (32.8-40.0) 376 | 41.7 51 | 61.2 (60.8 -61.6) 119 | 53.1 (49.5-56.7) 660 | 48.6 51 |

N/A=Value not available or not applicable or not computed

^ = 2001 MPHDS BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Tobacco Use
Four Level Smoking Status
2005 Data Unless Otherwise Indicated

| Race | | Race | | | | | | | | | | | |
|--------------------|----|----------------|-------------|----------------|-----------------|------------|----------------|---------------|-------------|----------------|---------------|-------------|----------------|
| | | Smoke everyday | | | Smoke some days | | | Former smoker | | | Never smoked | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| White | % | 18.1 | 20.2 | 15.8 | 5.3 | 5.8 | 4.7 | 22.0 | 24.2 | 26.9 | 54.6 | 49.8 | 51.2 |
| | CI | (17.9 - 18.2) | (18.5-21.9) | | (5.2 - 5.3) | (4.7-6.9) | | (21.8 - 22.1) | (22.5-25.9) | | (54.4 - 54.7) | (47.7-51.9) | |
| | n | 105 | 770 | 51 | 27 | 194 | 51 | 152 | 995 | 51 | 341 | 2057 | 51 |
| Black | % | 12.4 | 21.7 | 14.4 | 5.0 | 4.3 | 6.5 | 12.6 | 12.6 | 16.5 | 70.0 | 61.4 | 62.5 |
| | CI | (12.2 - 12.6) | (13.7-29.7) | | (4.9 - 5.1) | (2.2-6.4) | | (12.4 - 12.8) | (8.7-16.5) | | (69.8 - 70.3) | (53.7-69.1) | |
| | n | 26 | 80 | 36 | 11 | 29 | 39 | 31 | 95 | 37 | 116 | 330 | 33 |
| Hispanic | % | 15.6 | N/A | 10.9 | 0.0 | N/A | 7.8 | 12.5 | N/A | 16.6 | 71.9 | N/A | 64.7 |
| | CI | (14.8 - 16.3) | | | * | | | (11.9 - 13.2) | | | (71.0 - 72.8) | | |
| | n | 3 | | 38 | 0 | | 45 | 2 | | 42 | 9 | | 30 |
| Other | % | 8.3 | N/A | 14.1 | 4.2 | N/A | 6.2 | 20.1 | N/A | 18.9 | 67.4 | N/A | 62.2 |
| | CI | (7.9 - 8.7) | | | (3.9 - 4.5) | | | (19.5 - 20.7) | | | (66.7 - 68.1) | | |
| | n | 2 | | 39 | 1 | | 46 | 3 | | 38 | 13 | | 24 |
| MultiRacial | % | 0.0 | N/A | 18.2 | 5.8 | N/A | 6.9 | 42.6 | N/A | 21.8 | 51.6 | N/A | 40.1 |
| | CI | * | | | (5.0 - 6.5) | | | (41.1 - 44.2) | | | (50.1 - 53.2) | | |
| | n | 0 | | 13 | 1 | | 31 | 4 | | 13 | 5 | | 6 |

| Income Category | | Income | | | | | | | | | | | |
|----------------------------|----|----------------|-------------|----------------|-----------------|------------|----------------|---------------|-------------|----------------|---------------|-------------|----------------|
| | | Smoke everyday | | | Smoke some days | | | Former smoker | | | Never smoked | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| < \$15,000 | % | 25.6 | 25.6 | 22.8 | 8.2 | 7.0 | 7.6 | 14.0 | 19.7 | 22.0 | 52.3 | 47.7 | 47.0 |
| | CI | (25.1 - 26.1) | (20.4-30.8) | | (7.9 - 8.5) | (4.3-9.7) | | (13.6 - 14.3) | (15.0-24.4) | | (51.7 - 52.8) | (41.3-54.1) | |
| | n | 13 | 140 | 49 | 5 | 38 | 50 | 12 | 111 | 51 | 30 | 239 | 49 |
| \$15,000 - \$24,999 | % | 21.2 | 29.1 | 21.1 | 7.3 | 6.2 | 6.7 | 15.2 | 18.1 | 23.9 | 56.2 | 46.6 | 48.8 |
| | CI | (20.9 - 21.6) | (24.0-34.2) | | (7.1 - 7.5) | (3.5-8.9) | | (14.9 - 15.5) | (14.7-21.5) | | (55.9 - 56.6) | (41.5-51.7) | |
| | n | 30 | 209 | 51 | 7 | 44 | 51 | 25 | 187 | 51 | 66 | 406 | 51 |
| \$25,000 - \$34,999 | % | 18.9 | 24.1 | 19.6 | 2.5 | 4.7 | 5.2 | 17.3 | 22.4 | 26.0 | 61.4 | 48.8 | 49.2 |
| | CI | (18.5 - 19.2) | (19.3-28.9) | | (2.4 - 2.7) | (2.1-7.3) | | (16.9 - 17.6) | (17.9-26.9) | | (60.9 - 61.8) | (43.2-54.4) | |
| | n | 21 | 127 | 51 | 3 | 26 | 51 | 23 | 140 | 51 | 63 | 307 | 51 |
| \$35,000 - \$49,999 | % | 20.9 | 23.7 | 17.4 | 4.4 | 5.8 | 5.3 | 17.4 | 24.8 | 25.9 | 57.4 | 45.8 | 51.8 |
| | CI | (20.6 - 21.2) | (19.0-28.4) | | (4.2 - 4.5) | (3.4-8.2) | | (17.1 - 17.7) | (20.2-29.4) | | (57.0 - 57.7) | (40.6-51.0) | |
| | n | 28 | 143 | 51 | 7 | 38 | 51 | 22 | 164 | 51 | 65 | 314 | 51 |
| \$50,000 Plus | % | 8.2 | 13.0 | 10.9 | 5.4 | 6.6 | 4.3 | 21.9 | 23.2 | 25.5 | 64.2 | 57.3 | 58.1 |
| | CI | (8.0 - 8.3) | (9.7-16.3) | | (5.3 - 5.5) | (4.5-8.7) | | (21.7 - 22.1) | (20.2-26.2) | | (63.9 - 64.5) | (53.4-61.2) | |
| | n | 25 | 144 | 51 | 13 | 64 | 51 | 67 | 316 | 51 | 174 | 731 | 51 |

| Education | | Education | | | | | | | | | | | |
|-------------------------|----|----------------|-------------|----------------|-----------------|------------|----------------|---------------|-------------|----------------|---------------|-------------|----------------|
| | | Smoke everyday | | | Smoke some days | | | Former smoker | | | Never smoked | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Less than H.S. | % | 44.7 | 33.6 | 24.2 | 2.2 | 6.3 | 6.6 | 20.3 | 20.3 | 23.5 | 32.8 | 39.8 | 43.9 |
| | CI | (44.1 - 45.4) | (27.9-39.3) | | (2.0 - 2.4) | (2.9-9.7) | | (19.8 - 20.8) | (16.0-24.6) | | (32.2 - 33.4) | (34.2-45.4) | |
| | n | 20 | 168 | 49 | 2 | 30 | 51 | 13 | 138 | 51 | 22 | 261 | 49 |
| H.S. or G.E.D. | % | 26.2 | 26.3 | 20.8 | 6.8 | 6.4 | 5.8 | 16.5 | 19.9 | 25.3 | 50.6 | 47.5 | 47.5 |
| | CI | (26.0 - 26.5) | (22.5-30.1) | | (6.6 - 6.9) | (3.4-9.4) | | (16.2 - 16.7) | (17.3-22.5) | | (50.3 - 50.9) | (43.6-51.4) | |
| | n | 59 | 375 | 51 | 13 | 78 | 51 | 44 | 364 | 51 | 114 | 811 | 51 |
| Some post- H.S. | % | 15.5 | 17.5 | 15.9 | 6.1 | 8.7 | 6.1 | 20.6 | 23.6 | 25.4 | 57.8 | 50.2 | 51.7 |
| | CI | (15.3 - 15.7) | (14.4-20.6) | | (6.0 - 6.3) | (6.2-11.2) | | (20.4 - 20.8) | (20.4-26.8) | | (57.5 - 58.1) | (46.3-54.1) | |
| | n | 34 | 218 | 51 | 16 | 88 | 51 | 57 | 299 | 51 | 118 | 621 | 51 |
| College graduate | % | 6.2 | 9.4 | 6.7 | 3.8 | 3.7 | 3.8 | 20.5 | 24.1 | 24.1 | 69.3 | 62.8 | 64.6 |
| | CI | (6.1 - 6.3) | (7.2-11.6) | | (3.7 - 3.9) | (2.2-5.2) | | (20.3 - 20.7) | (21.1-27.1) | | (69.0 - 69.5) | (59.2-66.4) | |
| | n | 23 | 124 | 51 | 10 | 41 | 51 | 78 | 323 | 51 | 231 | 777 | 51 |

N/A=Value not available or not applicable or not computed
 ^ = 2001 MPHDS BRFSS percentages
 * = US values are median percents of all states among the 50 States plus DC for which the value is available
 *** = Value equals 0 or not computed.

Tobacco Use
 Adults who are current smokers
 2005 Data Unless Otherwise Indicated

| ALL | | | | | | |
|-----------------------------|---------------|-------------|---------------|---------------|-------------|----------------|
| SOURCE | No | | | Yes | | |
| | Davidson | Tennessee | United States | Davidson | Tennessee | United States* |
| ALL 2005 | 78.7 | 73.3 | 79.4 | 21.2 | 26.7 | 20.6 |
| CI | (78.6 - 78.8) | (71.2-75.4) | 51 | (21.1 - 21.3) | (24.6-28.8) | 51 |
| n | 680 | 3610 | | 178 | 1123 | |
| SMART 2005 | 77.1 | N/A | N/A | 22.7 | N/A | N/A |
| CI | (73.6-80.7) | | | (19.2-26.3) | | |
| n | 680 | | | 178 | | |
| SMART 2002 | 78.3 | 72.3 | 76.8 | 21.7 | 27.7 | 23.2 |
| CI | (72.3-84.4) | (70.4-74.2) | 51 | (15.6-27.7) | (25.8-29.6) | 51 |
| n | 200 | 2387 | | 55 | 805 | |
| ALL 2001[^] | N/A | 75.6 | 76.8 | N/A | 24.4 | 23.2 |
| CI | | (73.7-77.5) | 51 | | (22.5-26.3) | 51 |
| n | | 2207 | | | 709 | |
| Gender | | | | | | |
| Gender | No | | | Yes | | |
| | Davidson | Tennessee | United States | Davidson | Tennessee | United States* |
| Male | 77.4 | 70.8 | 77.9 | 22.6 | 29.2 | 22.1 |
| CI | (77.2 - 77.6) | (67.2-74.4) | 51 | (22.5 - 22.8) | (25.6-32.8) | 51 |
| n | 233 | 1300 | | 77 | 442 | |
| Female | 79.9 | 75.6 | 80.8 | 19.9 | 24.4 | 19.2 |
| CI | (79.7 - 80.1) | (73.4-77.8) | 51 | (19.7 - 20.1) | (22.2-26.6) | 51 |
| n | 447 | 2310 | | 101 | 681 | |
| Age | | | | | | |
| Age Group | No | | | Yes | | |
| | Davidson | Tennessee | United States | Davidson | Tennessee | United States* |
| 18-24 | 81.6 | 65.0 | 74.0 | 18.5 | 35.0 | 26.1 |
| CI | (81.2 - 81.9) | (55.5-74.5) | 50 | (18.1 - 18.8) | (25.5-44.5) | 50 |
| n | 33 | 156 | | 8 | 75 | |
| 25-34 | 84.9 | 67.8 | 75.3 | 15.1 | 32.2 | 24.7 |
| CI | (84.7 - 85.1) | (62.1-73.5) | 51 | (14.9 - 15.4) | (26.5-37.9) | 51 |
| n | 106 | 441 | | 20 | 177 | |
| 35-44 | 71.5 | 66.9 | 76.8 | 28.0 | 33.1 | 23.2 |
| CI | (71.2 - 71.8) | (62.5-71.3) | 51 | (27.7 - 28.3) | (28.7-37.5) | 51 |
| n | 111 | 589 | | 42 | 264 | |
| 45-54 | 67.8 | 71.8 | 76.9 | 32.2 | 28.2 | 23.1 |
| CI | (67.5 - 68.1) | (67.9-75.7) | 51 | (31.9 - 32.5) | (24.3-32.1) | 51 |
| n | 126 | 698 | | 57 | 280 | |
| 55-64 | 78.2 | 79.2 | 81.2 | 21.8 | 20.8 | 18.8 |
| CI | (77.9 - 78.6) | (75.7-82.7) | 51 | (21.4 - 22.1) | (17.3-24.3) | 51 |
| n | 132 | 690 | | 36 | 192 | |
| 65+ | 91.5 | 89.5 | 91.1 | 8.5 | 10.5 | 8.9 |
| CI | (91.3 - 91.7) | (87.4-91.6) | 51 | (8.3 - 8.8) | (8.4-12.6) | 51 |
| n | 172 | 1036 | | 15 | 135 | |

N/A=Value not available or not applicable or not computed

[^] = 2001 MPHDS BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Tobacco Use
Adults who are current smokers
2005 Data Unless Otherwise Indicated

| Race | | | | | | |
|--------------------|---------------|-------------|---------------|---------------|-------------|----------------|
| Race | No | | | Yes | | |
| | Davidson | Tennessee | United States | Davidson | Tennessee | United States* |
| White | 76.5 | 74.0 | 79.6 | 23.3 | 26.0 | 20.4 |
| % | (76.4 - 76.7) | (72.1-75.9) | 51 | (23.2 - 23.5) | (24.1-27.9) | 51 |
| CI | 493 | 3052 | | 132 | 964 | |
| n | | | | | | |
| Black | 82.6 | 74.0 | 79.3 | 17.4 | 26.0 | 20.7 |
| % | (82.4 - 82.8) | (66.1-81.9) | 35 | (17.2 - 17.6) | (18.1-33.9) | 35 |
| CI | 147 | 425 | | 37 | 109 | |
| n | | | | | | |
| Hispanic | 84.4 | N/A | 80.5 | 15.6 | N/A | 19.5 |
| % | (83.7 - 85.2) | | 32 | (14.8 - 16.3) | | 32 |
| CI | 11 | | | 3 | | |
| n | | | | | | |
| Other | 87.6 | N/A | 80.4 | 12.5 | N/A | 19.6 |
| % | (87.0 - 88.0) | | 35 | (12.0 - 13.0) | | 35 |
| CI | 16 | | | 3 | | |
| n | | | | | | |
| MultiRacial | 94.2 | N/A | 70.8 | 5.8 | N/A | 29.3 |
| % | (93.5 - 95.0) | | 8 | (5.0 - 6.5) | | 8 |
| CI | 9 | | | 1 | | |
| n | | | | | | |

| Income | | | | | | |
|----------------------------|---------------|-------------|---------------|---------------|-------------|----------------|
| Income Category | No | | | Yes | | |
| | Davidson | Tennessee | United States | Davidson | Tennessee | United States* |
| < \$15,000 | 66.2 | 67.4 | 69.1 | 33.8 | 32.6 | 30.9 |
| % | (65.7 - 66.7) | (61.8-73.0) | 49 | (33.3 - 34.3) | (27.0-38.2) | 49 |
| CI | 42 | 350 | | 18 | 178 | |
| n | | | | | | |
| \$15,000 - \$24,999 | 71.4 | 64.7 | 71.7 | 28.6 | 35.3 | 28.3 |
| % | (71.1 - 71.8) | (59.5-69.9) | 51 | (28.2 - 28.9) | (30.1-40.5) | 51 |
| CI | 91 | 593 | | 37 | 253 | |
| n | | | | | | |
| \$25,000 - \$34,999 | 78.6 | 71.2 | 75.1 | 21.4 | 28.8 | 24.9 |
| % | (78.3 - 78.9) | (66.1-76.3) | 51 | (21.1 - 21.8) | (23.7-33.9) | 51 |
| CI | 86 | 447 | | 24 | 153 | |
| n | | | | | | |
| \$35,000 - \$49,999 | 74.8 | 70.6 | 77.1 | 25.2 | 29.4 | 22.9 |
| % | (74.5 - 75.1) | (65.7-75.5) | 51 | (24.9 - 25.5) | (24.5-34.3) | 51 |
| CI | 87 | 478 | | 35 | 181 | |
| n | | | | | | |
| \$50,000 Plus | 86.1 | 80.5 | 84.7 | 13.6 | 19.5 | 15.3 |
| % | (85.9 - 86.3) | (76.8-84.2) | 51 | (13.4 - 13.8) | (15.8-23.2) | 51 |
| CI | 241 | 1047 | | 38 | 208 | |
| n | | | | | | |

| Education | | | | | | |
|-------------------------|---------------|-------------|---------------|---------------|-------------|----------------|
| Education | No | | | Yes | | |
| | Davidson | Tennessee | United States | Davidson | Tennessee | United States* |
| Less than H.S. | 53.1 | 60.2 | 68.6 | 46.9 | 39.8 | 31.4 |
| % | (52.5 - 53.7) | (54.3-66.1) | 49 | (46.3 - 47.6) | (33.9-45.7) | 49 |
| CI | 35 | 399 | | 22 | 198 | |
| n | | | | | | |
| H.S. or G.E.D. | 67.0 | 67.3 | 73.1 | 33.0 | 32.7 | 26.9 |
| % | (66.7 - 67.3) | (63.2-71.4) | 51 | (32.7 - 33.3) | (28.6-36.8) | 51 |
| CI | 158 | 1175 | | 72 | 453 | |
| n | | | | | | |
| Some post- H.S. | 78.4 | 73.8 | 77.7 | 21.6 | 26.2 | 22.3 |
| % | (78.2 - 78.7) | (70.1-77.5) | 51 | (21.4 - 21.8) | (22.5-29.9) | 51 |
| CI | 175 | 920 | | 50 | 306 | |
| n | | | | | | |
| College graduate | 89.7 | 86.9 | 89.1 | 10.0 | 13.1 | 10.9 |
| % | (89.6 - 89.9) | (84.3-89.5) | 51 | (9.9 - 10.2) | (10.5-15.7) | 51 |
| CI | 309 | 1100 | | 33 | 165 | |
| n | | | | | | |

N/A=Value not available or not applicable or not computed

^ = 2001 MPHDS BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.