

Alcohol Consumption

Adults who have had at least one drink of alcohol within the past 30 days

2008 Data Unless Otherwise Indicated

| ALL | | | | | | |
|-------------------|-----------------------|----------------------------|----------------|----------------------|----------------------------|----------------|
| SOURCE | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| ALL 2008 | 83.9 | 66.4 | 45.5 | 16.1 | 33.5 | 54.4 |
| % CI n | (83.8 - 84.0) 1199 | (64.1-68.7) 3704 | 51 | (15.8 - 16.4) 173 | (31.3-35.8) 1235 | 51 |
| ALL 2005 | 55.1 | 65.3 | 43.8 | 42.2 | 34.7 | 56.2 |
| % CI n | (55.0 - 55.3) 507 | (63.2-67.4) 3250 | 51 | (42.1 - 42.4) 328 | (32.6-36.8) 1485 | 51 |
| SMART 2005 | 57.0 | 65.3 | 43.8 | 42.8 | 34.7 | 56.2 |
| % CI n | (52.9-61.2) 505 | (63.2-67.4) 3250 | 51 | (38.7-47.0) 351 | (32.6-36.8) 1485 | 51 |
| SMART 2002 | 55.0 | 69.6 | 41.9 | 45.0 | 30.4 | 58.1 |
| % CI n | (47.9-62.1) 140 | (67.7-71.5) 2227 | 51 | (37.9-52.1) 115 | (28.5-32.3) 940 | 51 |
| ALL 2001^ | 57.2^ | 72.3 | 44.2 | 42.8^ | 27.7 | 55.8 |
| % CI n | (57.2 - 57.2) 2101 | (70.3-74.3) 2101 | 51 | (42.8 - 42.8) 734 | (25.7-29.7) 734 | 51 |
| Gender | | | | | | |
| Gender | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Male | 78.3 | 58.3 | 38.7 | 21.7 | 41.6 | 61.2 |
| % CI n | (78.1 - 78.5) 319 | (54.4-62.3) 1097 | 51 | (21.3 - 22.1) 79 | (37.6-45.5) 562 | 51 |
| Female | 89.0 | 73.9 | 52.3 | 11.0 | 26.0 | 47.6 |
| % CI n | (88.8 - 89.1) 878 | (71.6-76.2) 2607 | 51 | (10.6 - 11.4) 94 | (23.7-28.3) 673 | 51 |
| Age | | | | | | |
| Age Group | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| 18-24 | 85.5 | N/A | 50.0 | 14.5 | N/A | 49.9 |
| % CI n | (85.2 - 85.8) 68 | N/A | 45 | (13.7 - 15.3) 8 | N/A | 45 |
| 25-34 | 80.8 | 61.8 | 39.4 | 19.2 | 38.1 | 60.5 |
| % CI n | 80.5 - 81.1) 121 | (54.8-68.8) 256 | 51 | (18.6 - 19.9) 22 | (31.1-45.1) 134 | 51 |
| 35-44 | 85.0 | 58.8 | 39.4 | 15.0 | 41.1 | 60.5 |
| % CI n | (84.8 - 85.3) 188 | (53.2-64.4) 447 | 51 | (14.4 - 15.6) 23 | (35.5-46.7) 231 | 51 |
| 45-54 | 83.1 | 65.3 | 41.5 | 16.9 | 34.6 | 58.4 |
| % CI n | (82.9 - 83.4) 213 | (61.5-69.2) 727 | 51 | (16.2 - 17.5) 37 | (30.7-38.5) 311 | 51 |
| 55-64 | 80.0 | 70.3 | 46.5 | 20.0 | 29.6 | 53.4 |
| % CI n | (79.6 - 80.3) 193 | (66.7-74.0) 855 | 51 | (19.3 - 20.7) 38 | (25.9-33.2) 277 | 51 |
| 65+ | 89.4 | 81.3 | 59.3 | 10.6 | 18.6 | 40.6 |
| % CI n | (89..2 - 89.7) 412 | (78.8-83.8) 1334 | 51 | (9.9 - 11.3) 45 | (16.1-21.1) 247 | 51 |

Note: Figures for State and US (States and DC) are from the CDC (Behavioral Risk Factor Surveillance System) website as of July 06, 2009.

N/A=Value not available or not applicable or not computed

^ = 2001 MPH's BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available.

Alcohol Consumption

Adults who have had at least one drink of alcohol within the past 30 days

2008 Data Unless Otherwise Indicated

| Race | | | | | | | |
|--------------------|--------------|-------------------------------------|------------------------------------|-----------------------|-------------------------------------|------------------------------------|-----------------------|
| Race | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| White | % CI n | 80.9 (80.7 - 81.1) 687 | 68.1 (65.9-70.3) 3188 | 40.7 51 | 19.1 (18.8 - 19.4) 125 | 31.8 (29.6-34.0) 1040 | 59.2 51 |
| Black | % CI n | 90.2 (90.0 - 90.4) 329 | 63.8 (56.6-71.1) 380 | 57.9 31 | 9.8 (9.3 - 10.4) 34 | 36.1 (28.8-43.3) 138 | 42.0 31 |
| Hispanic | % CI n | 92.6 (92.3 - 93.0) 150 | N/A | 58.4 27 | 7.4 (6.2 - 8.5) 8 | N/A | 41.5 27 |
| Other | % CI n | 80.3 (79.5 - 81.0) 18 | N/A | 59.7 19 | 19.7 (18.2 - 21.2) 3 | N/A | 40.2 19 |
| MultiRacial | % CI n | 79.2 (78.0 - 80.4) 11 | N/A | 47.8 4 | 20.8 (18.5 -23.1) 2 | N/A | 52.1 4 |

| Income | | | | | | | |
|----------------------------|--------------|-------------------------------------|-----------------------------------|-----------------------|------------------------------------|-----------------------------------|-----------------------|
| Income Category | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| < \$15,000 | % CI n | 88.2 (87.4 - 89.0) 27 | 80.3 (75.2-85.5) 474 | 67.6 48 | 11.8 (9.6 - 14.0) 2 | 19.6 (14.4-24.7) 85 | 32.3 48 |
| \$15,000 - \$24,999 | % CI n | 81.2 (80.8 - 81.6) 159 | 76.0 (69.6-82.4) 734 | 60.7 50 | 18.8 (18.0 - 19.6) 21 | 23.9 (17.5-30.3) 129 | 39.2 50 |
| \$25,000 - \$34,999 | % CI n | 83.7 (83.3 - 84.0) 167 | 70.7 (64.2-77.3) 411 | 52.6 50 | 16.3 (15.5 - 17.1) 24 | 29.2 (22.6-35.7) 133 | 47.3 50 |
| \$35,000 - \$49,999 | % CI n | 80.6 (80.3 - 81.0) 164 | 60.4 (52.1-68.7) 388 | 46.6 50 | 20.6 (19.9 - 21.3) 27 | 39.5 (31.2-47.8) 160 | 53.3 50 |
| \$50,000 Plus | % CI n | 77.9 (77.7 - 78.2) 289 | 50.9 (46.7-55.0) 640 | 33.4 51 | 22.1 (21.6 - 22.5) 76 | 49.0 (44.9-53.2) 521 | 66.5 51 |

| Education | | | | | | | |
|-------------------------|--------------|-------------------------------------|------------------------------------|-----------------------|------------------------------------|-----------------------------------|-----------------------|
| Education | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Less than H.S. | % CI n | 89.7 (89.4 - 90.0) 172 | 82.9 (76.3-89.4) 636 | 67.6 49 | 10.3 (9.4 - 11.2) 11 | 17.0 (10.5-23.6) 63 | 32.3 49 |
| H.S. or G.E.D. | % CI n | 84.9 (84.7 - 85.1) 386 | 73.9 (69.7-78.1) 1457 | 53.7 51 | 15.1 (14.6 - 15.6) 43 | 26.0 (21.8-30.2) 331 | 46.3 51 |
| Some post- H.S. | % CI n | 79.8 (79.5 - 80.1) 260 | 62.0 (58.0-66.0) 975 | 44.7 51 | 20.2 (19.7 - 20.7) 54 | 37.9 (33.9-41.9) 393 | 55.2 51 |
| College graduate | % CI n | 83.8 (83.6 - 84.1) 361 | 52.3 (47.9-56.7) 625 | 33.7 51 | 16.2 (15.7 - 16.6) 62 | 47.6 (43.2-52.0) 448 | 66.2 51 |

Note: Figures for State and US (States and DC) are from the CDC (Behavioral Risk Factor Surveillance System) website as of July 06, 2009.

N/A=Value not available or not applicable or not computed

^ = 2001 MPH's BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available.

Alcohol Consumption

Heavy drinkers (adult men having more than two drinks per day and adult women having more than one drink per day)

2008 Data Unless Otherwise Indicated

| ALL | | | | | | | |
|-----------------------------|----|---------------|--------------|----------------|-------------|------------|----------------|
| SOURCE | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| ALL 2008 | % | 97.4 | | | 2.6 | | |
| | CI | (97.4 - 97.5) | N/A | N/A | (2.3 - 2.9) | N/A | N/A |
| | n | 1,345 | | | 27 | | |
| ALL 2005 | % | 93.2 | 96.6 | 95.1 | 4.1 | 3.4 | 4.9 |
| | CI | (93.1 - 93.3) | (95.8-97.4) | | (4.1 - 4.2) | (2.6-4.2) | |
| | n | 798 | 4,462 | 51 | 37 | 162 | 51 |
| SMART 2005 | % | 95.7 | 96.6 | 95.1 | 4.1 | 3.4 | 4.9 |
| | CI | (94.2-97.3) | (95.8-97.4) | | (2.6-5.7) | (2.6-4.2) | |
| | n | 798 | 4,462 | 51 | 37 | 162 | 51 |
| SMART 2002 | % | 95.5 | 96.7 | 94.1 | 4.5 | 3.3 | 5.9 |
| | CI | (92.4-98.6) | (95.8-97.6) | | (1.4-7.6) | (2.4-4.2) | |
| | n | 242 | 3,059 | 51 | 11 | 87 | 51 |
| ALL 2001[^] | % | N/A | 97.5 | 94.9 | N/A | 2.5 | 5.1 |
| | CI | N/A | (96.8-98.2) | | N/A | (1.8-3.2) | |
| | n | | 2,749 | 51 | | 68 | 51 |
| Gender | | | | | | | |
| Gender | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Male | % | 96.5 | 94.7 | 94.4 | 3.5 | 5.2 | 5.6 |
| | CI | (96.5 - 96.6) | (92.0-97.5) | | (3.0 - 3.9) | (2.4-7.9) | |
| | n | 387 | 1,553 | 51 | 11 | 54 | 51 |
| Female | % | 98.3 | 98.1 | 95.5 | 1.7 | 1.9 | 4.4 |
| | CI | (98.2 - 98.3) | (97.2-98.9) | | (1.3 - 2.2) | (1.0-2.7) | |
| | n | 956 | 3,193 | 51 | 16 | 47 | 51 |
| Age | | | | | | | |
| Age Group | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| 18-24 | % | 97.4 | 91.7 | 92.7 | 2.6 | 8.2 | 7.2 |
| | CI | (97.3 - 97.6) | (84.3-99.0) | | (1.7 - 3.4) | (0.9-15.6) | |
| | n | 75 | 111 | 51 | 1 | 6 | 51 |
| 25-34 | % | 98.7 | 97.2 | 94.5 | 1.3 | 2.7 | 5.4 |
| | CI | (98.6 - 98.8) | (94.5-99.9) | | (0.6 - 2.0) | (0.0-5.4) | |
| | n | 141 | 373 | 51 | 2 | 6 | 51 |
| 35-44 | % | 99.1 | 95.8 | 94.8 | 0.9 | 4.1 | 5.1 |
| | CI | (99.0 - 99.1) | (91.4-100.0) | | (0.3 - 1.6) | (0.0-8.6) | |
| | n | 210 | 647 | 51 | 1 | 16 | 51 |
| 45-54 | % | 96.0 | 96.2 | 94.2 | 4.0 | 3.7 | 5.7 |
| | CI | (95.8 - 96.1) | (94.7-97.8) | | (3.4 - 4.7) | (2.1-5.2) | |
| | n | 242 | 988 | 51 | 8 | 34 | 51 |
| 55-64 | % | 94.1 | 97.0 | 95.3 | 5.9 | 2.9 | 4.6 |
| | CI | (93.9 - 94.3) | (95.3-98.8) | | (5.1 - 6.7) | (1.2-4.6) | |
| | n | 222 | 1,093 | 51 | 9 | 18 | 51 |
| 65+ | % | 98.7 | 98.5 | 96.9 | 1.3 | 1.4 | 3.0 |
| | CI | (98.6 - 98.8) | (97.8-99.2) | | (0.6 - 2.1) | (0.7-2.1) | |
| | n | 451 | 1,534 | 51 | 6 | 21 | 51 |

Note: Figures for State and US (States and DC) are from the CDC (Behavioral Risk Factor Surveillance System) website as of July 06, 2009.

N/A=Value not available or not applicable or not computed

[^] = 2001 MPH's BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed

Alcohol Consumption

Heavy drinkers (adult men having more than two drinks per day and adult women having more than one drink per day)

2008 Data Unless Otherwise Indicated

| Race | | | | | | |
|--------------------|-------------------------------------|-------------------------------------|-------------------|---------------------------------|-------------------------------|------------------|
| Race | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| White | 97.0 (96.9 - 97.0) 791 | 97.4 (96.5-98.2) 4,075 | 94.3 51 | 3.0 (2.7 - 3.4) 21 | 2.5 (1.7-3.4) 82 | 5.6 51 |
| Black | 98.5 (98.5 - 98.6) 359 | 96.1 (93.5-98.6) 489 | 96.5 38 | 1.5 (0.9 - 2.1) 4 | 3.8 (1.3-6.4) 12 | 3.4 38 |
| Hispanic | 100.0 *** 158 | N/A | 96.3 46 | 0.0 *** 0 | N/A | 3.7 45 |
| Other | 92.8 (92.3 - 93.2) 19 | 96.4 (91.4-100.0) 53 | 96.1 46 | 7.2 (5.7 - 8.8) 2 | 3.5 (0.0-8.5) 2 | 4.1 44 |
| MultiRacial | 100.0 *** 13 | N/A | 95.5 35 | 0.0 *** 0 | N/A | 4.4 35 |

| Income | | | | | | |
|----------------------------|-------------------------------------|-------------------------------------|-------------------|---------------------------------|--------------------------------|------------------|
| Income Category | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| < \$15,000 | 92.9 (92.3 - 93.5) 28 | 96.3 (93.5-99.1) 534 | 95.9 50 | 7.1 (4.9 - 9.3) 1 | 3.6 (0.8-6.4) 11 | 4.0 50 |
| \$15,000 - \$24,999 | 93.7 (93.5 - 94.0) 174 | 97.7 (95.3-100.0) 845 | 95.6 51 | 6.3 (5.4 - 7.1) 6 | 2.2 (0.0-4.6) 10 | 4.3 51 |
| \$25,000 - \$34,999 | 98.2 (98.1 - 98.3) 188 | 98.5 (97.3-99.7) 532 | 94.7 51 | 1.8 (0.9 - 2.7) 3 | 1.4 (0.2-2.6) 8 | 5.2 51 |
| \$35,000 - \$49,999 | 98.8 (98.7 - 98.9) 189 | 92.0 (82.8-100.0) 521 | 94.8 51 | 1.2 (0.5 - 2.0) 2 | 7.9 (0.0-17.1) 16 | 5.1 51 |
| \$50,000 Plus | 96.5 (96.4 - 96.6) 351 | 96.5 (94.9-98.1) 1,100 | 94.2 51 | 3.5 (3.0 - 4.0) 14 | 3.4 (1.8-5.1) 38 | 5.7 51 |

| Education | | | | | | |
|-------------------------|-------------------------------------|--------------------------------------|-------------------|---------------------------------|-------------------------------|------------------|
| Education | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Less than H.S. | 96.8 (96.7 - 97.0) 181 | 98.1 (96.4-99.8) 678 | 96.0 51 | 3.2 (2.2 - 4.1) 2 | 1.8 (0.1-3.5) 9 | 3.9 51 |
| H.S. or G.E.D. | 97.5 (97.4 - 97.6) 422 | 96.9 (93.6-100.0) 1,737 | 94.5 51 | 2.5 (2.0 - 3.0) 7 | 3.1 (0.0-6.3) 24 | 5.5 51 |
| Some post- H.S. | 97.6 (97.5 - 97.7) 307 | 95.3 (93.0-97.6) 1,311 | 94.5 51 | 2.4 (1.8 - 3.0) 7 | 4.6 (2.3-6.9) 35 | 5.4 51 |
| College graduate | 97.3 (97.2 - 97.4) 412 | 96.6 (95.0-98.1) 1,009 | 95.2 51 | 2.7 (2.2 - 3.2) 11 | 3.3 (1.8-4.9) 33 | 4.7 51 |

Note: Figures for State and US (States and DC) are from the CDC (Behavioral Risk Factor Surveillance System) website as of July 06, 2009.

N/A=Value not available or not applicable or not computed

^ = 2001 MPH's BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed

Alcohol Consumption

Binge drinkers (adults having five or more drinks on one occasion)

2008 Data Unless Otherwise Indicated

| ALL | | | | | | | |
|-----------------------------|--------------|---------------------------------------|---------------------------------------|-------------------|------------------------------------|-----------------------------------|-------------------|
| SOURCE | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| ALL 2008 | % CI n | 91.5 (91.4 - 91.6) 1,282 | N/A | N/A | 8.5 (8.2 - 8.8) 75 | N/A | N/A |
| ALL 2005 | % CI n | 87.1 (87.0 - 87.2) 768 | 91.4 (90.0 - 92.8) 4,359 | 85.6 51 | 12.1 (12.0 - 12.2) 85 | 8.6 (7.2 - 10.0) 331 | 14.4 51 |
| SMART 2005 | % CI n | 88.1 (85.4-90.9) 768 | 91.4 (90.0-92.8) 4,359 | 85.6 51 | 11.7 (9.0-14.5) 85 | 8.6 (7.2-10.0) 331 | 14.4 51 |
| SMART 2002 | % CI n | 89.7 (85.0-94.4) 228 | 91.8 (90.5-93.1) 2,923 | 83.7 51 | 10.3 (5.6-15.0) 26 | 8.2 (6.9-9.5) 222 | 16.3 51 |
| ALL 2001[^] | % CI n | 62.6 | 93.2 (91.9-94.5) 2,667 | 85.2 51 | 37.4 | 6.8 (5.5-8.1) 150 | 14.8 51 |
| Gender | | | | | | | |
| Gender | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Male | % CI n | 88.7 (88.6 - 88.9) 357 | 84.3 (80.8-87.8) 1,458 | 78.9 51 | 11.3 (10.9 - 11.7) 37 | 15.6 (12.2-19.1) 173 | 21.0 51 |
| Female | % CI n | 93.9 (93.9 - 94.1) 923 | 94.3 (93.0-95.6) 3,132 | 89.9 51 | 6.1 (5.7 - 6.5) 38 | 5.6 (4.3-7.0) 138 | 10.0 51 |
| Age | | | | | | | |
| Age Group | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| 18-24 | % CI n | 88.9 (88.6 - 89.1) 70 | 86.9 (78.8-95.0) 107 | 75.2 49 | 11.1 (10.4 - 12.0) 6 | 13.0 (4.9-21.2) 13 | 24.7 49 |
| 25-34 | % CI n | 86.5 (86.2 - 86.7) 128 | 85.7 (80.5-90.9) 341 | 76.1 51 | 13.5 (12.9 - 14.2) 16 | 14.2 (9.0-19.4) 44 | 23.8 51 |
| 35-44 | % CI n | 91.2 (91.0 91.4) 195 | 84.2 (78.9-89.5) 598 | 81.8 51 | 8.8 (8.2 - 9.4) 15 | 15.7 (10.4-21.0) 72 | 18.1 51 |
| 45-54 | % CI n | 92.9 (92.7 - 93.0) 232 | 91.4 (89.3-93.6) 942 | 85.7 51 | 7.1 (6.5 - 7.8) 17 | 8.5 (6.3-10.6) 91 | 14.2 51 |
| 55-64 | % CI n | 91.6 (91.3 - 91.8) 211 | 93.1 (90.8-95.4) 1,070 | 91.3 51 | 8.4 (7.7 - 9.2) 14 | 6.8 (4.5-9.1) 53 | 8.6 51 |
| 65+ | % CI n | 98.3 (98.2 - 98.4) 443 | 96.7 (95.5-97.9) 1,532 | 96.7 51 | 1.7 (1.0 - 2.5) 6 | 3.2 (2.0-4.4) 38 | 3.2 51 |

Note: Figures for State and US (States and DC) are from the CDC (Behavioral Risk Factor Surveillance System) website as of July 06, 2009.

N/A=Value not available or not applicable or not computed

[^] = 2001 MPH's BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Alcohol Consumption

Binge drinkers (adults having five or more drinks on one occasion)

2008 Data Unless Otherwise Indicated

| Race | | | | | | | |
|--------------------|----|---------------|-------------|----------------|---------------|-------------|----------------|
| Race | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| White | % | 89.3 | 90.7 | 83.9 | 10.7 | 9.2 | 16.0 |
| | CI | (89.2 - 89.4) | (89.2-92.2) | | (10.4 - 11.1) | (7.7-10.7) | |
| | n | 750 | 3,936 | 51 | 54 | 267 | 51 |
| Black | % | 94.8 | 89.5 | 89.0 | 5.2 | 10.4 | 10.9 |
| | CI | (94.7 - 95.0) | (84.1-95.0) | | (4.6 - 5.8) | (4.9-15.8) | |
| | n | 343 | 479 | 35 | 15 | 29 | 35 |
| Hispanic | % | 95.3 | N/A | 87.0 | 4.7 | N/A | 13.0 |
| | CI | (95.1 - 95.6) | N/A | | (3.5 - 5.9) | N/A | |
| | n | 153 | | 36 | 5 | | 36 |
| Other | % | 99.0 | N/A | 87.9 | 1.0 | N/A | 12.0 |
| | CI | (98.8 - 99.2) | N/A | | (0.0 - 2.7) | N/A | |
| | n | 19 | | 39 | 1 | | 39 |
| MultiRacial | % | 100.0 | N/A | 88.2 | 0.0 | N/A | 11.7 |
| | CI | *** | N/A | | ** | N/A | |
| | n | 13 | | 14 | 0 | | 14 |

| Income | | | | | | | |
|----------------------------|----|---------------|-------------|----------------|---------------|-------------|----------------|
| Income Category | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| < \$15,000 | % | 88.2 | 92.0 | 89.1 | 11.8 | 7.9 | 10.8 |
| | CI | (87.4 - 89.0) | (88.3-95.8) | | (9.6 - 14.0) | (4.1-11.6) | |
| | n | 27 | 524 | 50 | 2 | 29 | 50 |
| \$15,000 - \$24,999 | % | 86.2 | 90.6 | 87.0 | 13.8 | 9.3 | 12.9 |
| | CI | (85.9 - 86.6) | (86.0-95.2) | | (12.9 - 14.6) | (4.7-13.9) | |
| | n | 165 | 818 | 51 | 11 | 41 | 51 |
| \$25,000 - \$34,999 | % | 90.7 | 91.3 | 87.0 | 9.3 | 8.6 | 12.9 |
| | CI | (90.4 - 90.9) | (86.4-96.2) | | (8.5 - 10.2) | (3.7-13.5) | |
| | n | 178 | 515 | 51 | 12 | 28 | 51 |
| \$35,000 - \$49,999 | % | 91.6 | 83.4 | 83.9 | 8.4 | 16.5 | 16.0 |
| | CI | (91.4 - 91.8) | (74.3-92.5) | | (7.7 - 9.2) | (7.4-25.6) | |
| | n | 181 | 495 | 51 | 10 | 47 | 51 |
| \$50,000 Plus | % | 90.5 | 87.0 | 82.1 | 9.5 | 13.0 | 17.8 |
| | CI | (90.4 - 90.7) | (83.9-90.0) | | (9.0 - 9.9) | (9.9-16.0) | |
| | n | 335 | 1,034 | 51 | 26 | 122 | 51 |

| Education | | | | | | | |
|-------------------------|----|---------------|-------------|----------------|--------------|-------------|----------------|
| Education | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Less than H.S. | % | 95.3 | 90.1 | 87.8 | 4.7 | 9.8 | 12.1 |
| | CI | (95.1 - 95.5) | (83.9-96.3) | | (3.7 - 5.6) | (3.6-16.1) | |
| | n | 175 | 673 | 51 | 7 | 23 | 51 |
| H.S. or G.E.D. | % | 90.9 | 90.4 | 84.3 | 9.1 | 9.6 | 15.6 |
| | CI | (90.8 - 91.1) | (86.8-93.9) | | (8.6 - 9.6) | (6.0-13.1) | |
| | n | 404 | 1,673 | 51 | 21 | 99 | 51 |
| Some post- H.S. | % | 90.1 | 89.7 | 84.2 | 9.9 | 10.2 | 15.7 |
| | CI | (89.9 - 90.3) | (87.0-92.5) | | (9.3 - 10.5) | (7.4-13.0) | |
| | n | 288 | 1,269 | 51 | 22 | 91 | 51 |
| College graduate | % | 91.3 | 87.4 | 85.2 | 8.7 | 12.5 | 14.7 |
| | CI | (91.2 - 91.4) | (84.0-90.9) | | (8.2 - 9.2) | (9.0-15.9) | |
| | n | 394 | 964 | 51 | 25 | 98 | 51 |

Note: Figures for State and US (States and DC) are from the CDC (Behavioral Risk Factor Surveillance System) website as of July 06, 2009.

N/A=Value not available or not applicable or not computed

^ = 2001 MPH's BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Asthma

Adults who have been told they currently have asthma
2008 Data Unless Otherwise Indicated

| ALL | | | | | | | |
|------------|----|---------------|-------------|----------------|---------------|-------------|----------------|
| SOURCE | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| ALL 2008 | % | 92.3 | N/A | N/A | 7.7 | N/A | N/A |
| | CI | (92.2 - 92.4) | | | (7.4 - 8.0) | | |
| | n | 1245 | | | 124 | | |
| ALL 2005 | % | 90.5 | 92.3 | 92.0 | 9.3 | 7.7 | 8.0 |
| | CI | (90.4 - 90.6) | (91.3-93.3) | | (9.3 - 9.4) | (6.7-8.7) | |
| | n | 779 | 4322 | 51 | 78 | 411 | 51 |
| SMART 2005 | % | 90.2 | 92.3 | 92.0 | 9.6 | 7.7 | 8.0 |
| | CI | (87.9-92.6) | (91.3-93.3) | | (7.3-12.0) | (6.7-8.7) | |
| | n | 779 | 4322 | 51 | 78 | 411 | 51 |
| SMART 2002 | % | 94.3 | 91.8 | 92.4 | 5.7 | 8.2 | 7.6 |
| | CI | (90.9-97.7) | (90.7-92.9) | | (2.3-9.1) | (7.1-9.3) | |
| | n | 243 | 2922 | 51 | 15 | 276 | 51 |
| ALL 2001^ | % | 36.0 | 93.1 | 92.7 | 64.0 | 6.9 | 7.3 |
| | CI | | (92.1-94.1) | | | (5.9-7.9) | |
| | n | | 2698 | 51 | | 221 | 51 |
| Gender | | | | | | | |
| Gender | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Male | % | 94.2 | 93.9 | 93.3 | 5.8 | 6.1 | 6.6 |
| | CI | (94.1 - 94.3) | (92.3-95.4) | | (5.4 - 6.2) | (4.5-7.6) | |
| | n | 373 | 1572 | 51 | 23 | 114 | 51 |
| Female | % | 90.5 | 88.3 | 89.3 | 9.5 | 11.6 | 10.6 |
| | CI | (90.4 - 90.7) | (86.6-89.9) | | (9.1 - 9.8) | (10.0-13.3) | |
| | n | 871 | 2955 | 51 | 100 | 359 | 51 |
| Age | | | | | | | |
| Age Group | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| 18-24 | % | 95.5 | 89.8 | 89.2 | 4.5 | 10.1 | 10.8 |
| | CI | (95.3 - 95.7) | (82.7-97.0) | | (3.7 - 5.3) | (3.0-17.3) | |
| | n | 73 | 111 | 50 | 3 | 10 | 50 |
| 25-34 | % | 94.9 | 90.2 | 90.8 | 5.1 | 9.7 | 9.1 |
| | CI | (94.8 - 95.1) | (86.7-93.7) | | (4.4 - 5.7) | (6.2-13.2) | |
| | n | 136 | 347 | 51 | 8 | 44 | 51 |
| 35-44 | % | 92.4 | 91.8 | 91.8 | 7.6 | 8.1 | 8.1 |
| | CI | (92.3 - 92.6) | (89.2-94.3) | | (6.9 - 8.2) | (5.6-10.7) | |
| | n | 197 | 619 | 51 | 14 | 58 | 51 |
| 45-54 | % | 92.6 | 91.6 | 91.4 | 7.4 | 8.3 | 8.5 |
| | CI | (92.4 - 92.8) | (89.6-93.6) | | (6.7 - 8.0) | (6.3-10.3) | |
| | n | 226 | 947 | 51 | 23 | 103 | 51 |
| 55-64 | % | 86.0 | 89.9 | 90.8 | 14.0 | 10.0 | 9.1 |
| | CI | (85.7 - 86.3) | (87.5-92.4) | | (13.3 - 14.8) | (7.6-12.5) | |
| | n | 195 | 1031 | 51 | 34 | 119 | 51 |
| 65+ | % | 91.8 | 91.1 | 92.0 | 8.2 | 8.8 | 7.9 |
| | CI | (91.6 - 92.1) | (89.4-92.9) | | (7.4 - 8.9) | (7.1-10.5) | |
| | n | 415 | 1472 | 51 | 41 | 139 | 51 |

Note: Figures for State and US (States and DC) are from the CDC (Behavioral Risk Factor Surveillance System) website as of July 06, 2009.

N/A=Value not available or not applicable or not computed

^ = 2001 MPHDS BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed

Asthma

Adults who have been told they currently have asthma
2008 Data Unless Otherwise Indicated

| Race | | | | | | | |
|--------------------|----|---------------|---------------------|----------------|-------------|-------------------|----------------|
| Race | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| White | % | 91.7 | 90.9 | 91.2 | 8.3 | 9.0 | 8.7 |
| | CI | (91.6 - 91.8) | (89.6-92.2) | | (8.0 - 8.7) | (7.7-10.3) | |
| | n | 736 | 3881 | 51 | 75 | 389 | 51 |
| Black | % | 91.0 | 90.2 | 89.8 | 9.0 | 9.7 | 10.1 |
| | CI | (90.8 - 91.2) | (86.7-93.7) | | (8.5 -9.6) | (6.2-13.3) | |
| | n | 319 | 473 | 37 | 43 | 64 | 37 |
| Hispanic | % | 98.6 | 94.3 | 93.4 | 1.4 | 5.6 | 6.5 |
| | CI | (98.5 - 98.8) | (89.2-99.4) | | (0.2 - 2.6) | (0.5-10.7) | |
| | n | 153 | 55 | 43 | 4 | 9 | 43 |
| Other | % | 100.0 | 92.6 | 92.5 | 0.0 | 7.3 | 7.4 |
| | CI | *** | (85.2-100.0) | | *** | (0.0-14.7) | |
| | n | 21 | 50 | 45 | 1 | 5 | 45 |
| MultiRacial | % | 100.0 | 94.7 | 89.2 | 0.0 | 5.2 | 10.7 |
| | CI | *** | (88.5-100.0) | | *** | (0.0-11.4) | |
| | n | 13 | 53 | 28 | 0 | 4 | 28 |

| Income | | | | | | | |
|----------------------------|----|---------------|-------------|----------------|--------------|-------------|----------------|
| Income Category | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| < \$15,000 | % | 77.4 | 82.8 | 84.7 | 22.6 | 17.2 | 15.2 |
| | CI | (76.3 - 78.5) | (78.3-87.2) | | (20.6 -24.6) | (12.7-21.6) | |
| | n | 25 | 464 | 50 | 4 | 103 | 50 |
| \$15,000 - \$24,999 | % | 86.7 | 87.4 | 89.3 | 13.3 | 12.5 | 10.6 |
| | CI | (86.4 - 87.0) | (83.8-90.9) | | (12.5 -14.2) | (9.0-16.1) | |
| | n | 151 | 762 | 50 | 28 | 109 | 50 |
| \$25,000 - \$34,999 | % | 93.9 | 89.2 | 91.5 | 6.1 | 10.7 | 8.4 |
| | CI | (93.7 - 94.1) | (85.3-93.2) | | (5.2 - 7.0) | (6.7-14.6) | |
| | n | 174 | 494 | 51 | 17 | 52 | 51 |
| \$35,000 - \$49,999 | % | 94.3 | 92.4 | 91.7 | 5.7 | 7.5 | 8.2 |
| | CI | (94.1 - 94.5) | (89.1-95.8) | | (5.0 - 6.4) | (4.1-10.8) | |
| | n | 177 | 507 | 51 | 15 | 43 | 51 |
| \$50,000 Plus | % | 92.9 | 96.0 | 92.5 | 7.1 | 3.9 | 7.4 |
| | CI | (92.8 - 93.1) | (94.5-97.5) | | (6.6 - 7.6) | (2.4-5.4) | |
| | n | 338 | 1109 | 51 | 25 | 56 | 51 |

| Education | | | | | | | |
|-------------------------|----|---------------|-------------|----------------|---------------|-------------|----------------|
| Education | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Less than H.S. | % | 88.7 | 80.5 | 88.1 | 11.3 | 19.4 | 11.8 |
| | CI | (88.4 - 89.0) | (76.0-85.0) | | (10.4 - 12.2) | (14.9-23.9) | |
| | n | 155 | 580 | 50 | 27 | 131 | 50 |
| H.S. or G.E.D. | % | 90.8 | 91.3 | 91.2 | 9.2 | 8.7 | 8.7 |
| | CI | (90.6 - 90.9) | (89.4-93.1) | | (8.7 - 9.8) | (6.8-10.5) | |
| | n | 383 | 1640 | 51 | 45 | 167 | 51 |
| Some post- H.S. | % | 92.3 | 92.5 | 90.7 | 7.7 | 7.4 | 9.2 |
| | CI | (92.2 - 92.5) | (90.4-94.6) | | (7.0 - 8.2) | (5.3-9.5) | |
| | n | 288 | 1275 | 51 | 27 | 102 | 51 |
| College graduate | % | 94.1 | 93.7 | 92.2 | 5.9 | 6.2 | 7.7 |
| | CI | (93.9 - 94.2) | (91.6-95.8) | | (5.5 - 6.4) | (4.1-8.3) | |
| | n | 396 | 1013 | 51 | 25 | 71 | 51 |

Note: Figures for State and US (States and DC) are from the CDC (Behavioral Risk Factor Surveillance System) website as of July 06, 2009.

N/A=Value not available or not applicable or not computed

^ = 2001 MPHDS BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed

Asthma

Adults who have ever been told they have asthma
2008 Data Unless Otherwise Indicated

| ALL | | | | | | |
|-----------------------------|---------------|-------------|----------------|---------------|-------------|----------------|
| SOURCE | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| ALL 2008 | 86.6 | 87.4 | 86.3 | 13.4 | 12.5 | 13.6 |
| CI | (86.5 - 86.7) | (86.0-88.8) | | (13.1 - 13.7) | (11.1-13.9) | |
| n | 1189 | 4372 | 51 | 182 | 636 | 51 |
| ALL 2005 | 87.2 | 88.4 | 87.4 | 12.8 | 11.6 | 12.6 |
| CI | (87.1 - 87.3) | (87.1-89.7) | | (12.7 - 12.9) | (10.3-12.9) | |
| n | 753 | 4168 | 51 | 106 | 576 | 51 |
| SMART 2005 | 86.7 | 88.4 | 87.4 | 13.1 | 11.6 | 12.6 |
| CI | (84.0-89.5) | (87.1-89.7) | | (10.4-15.9) | (10.3-12.9) | |
| n | 753 | 4168 | 51 | 106 | 576 | 51 |
| SMART 2002 | 91.5 | 87.8 | 88.2 | 8.5 | 12.2 | 11.8 |
| CI | (87.5-95.6) | (86.5-89.1) | | (4.4-12.5) | (10.9-13.5) | |
| n | 236 | 2809 | 51 | 22 | 395 | 51 |
| ALL 2001[^] | 89.0 | 90.7 | 88.7 | 11.0 | 9.3 | 11.3 |
| CI | | (89.5-91.9) | | | (8.1-10.5) | |
| n | | 2618 | 51 | | 303 | 51 |

| Gender | | | | | | |
|---------------|---------------|-------------|----------------|---------------|-------------|----------------|
| Gender | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Male | 88.6 | 90.6 | 88.0 | 11.4 | 9.3 | 11.9 |
| CI | (88.4 - 88.7) | (88.6-92.6) | | (11.0 - 11.8) | (7.3-11.3) | |
| n | 359 | 1522 | 51 | 38 | 165 | 51 |
| Female | 84.9 | 84.4 | 84.5 | 15.1 | 15.5 | 15.4 |
| CI | (84.7 - 85.0) | (82.6-86.3) | | (14.8 - 15.5) | (13.6-17.3) | |
| n | 829 | 2850 | 51 | 143 | 471 | 51 |

| Age | | | | | | |
|--------------|---------------|-------------|----------------|---------------|-------------|----------------|
| Age Group | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| 18-24 | 79.1 | 85.6 | 81.8 | 20.9 | 14.3 | 18.1 |
| CI | (78.7 - 79.5) | (77.8-93.4) | | (20.1 - 21.7) | (6.5-22.1) | |
| n | 63 | 105 | 49 | 13 | 16 | 49 |
| 25-34 | 86.2 | 87.3 | 85.4 | 13.8 | 12.6 | 14.5 |
| CI | (86.0 - 86.5) | (83.4-91.2) | | (13.1 - 14.4) | (8.7-16.5) | |
| n | 127 | 336 | 51 | 17 | 55 | 51 |
| 35-44 | 90.5 | 86.9 | 87.5 | 9.5 | 13.0 | 12.4 |
| CI | (90.3 - 90.7) | (83.5-90.3) | | (8.9 - 10.1) | (9.6-16.4) | |
| n | 191 | 596 | 51 | 20 | 85 | 51 |
| 45-54 | 88.8 | 88.6 | 87.0 | 11.2 | 11.3 | 12.9 |
| CI | (88.6 - 89.0) | (86.3-90.9) | | (10.6 - 11.8) | (9.0-13.6) | |
| n | 218 | 911 | 51 | 32 | 140 | 51 |
| 55-64 | 82.6 | 86.7 | 87.1 | 17.4 | 13.2 | 12.8 |
| CI | (82.2 - 82.9) | (84.1-89.4) | | (16.7 - 18.2) | (10.5-15.8) | |
| n | 186 | 994 | 51 | 43 | 157 | 51 |
| 65+ | 88.8 | 88.2 | 88.9 | 11.2 | 11.7 | 11.0 |
| CI | (88.5 - 89.0) | (86.2-90.2) | | (10.5 - 12.0) | (9.7-13.7) | |
| n | 401 | 1430 | 51 | 56 | 183 | 51 |

Note: Figures for State and US (States and DC) are from the CDC (Behavioral Risk Factor Surveillance System) website as of July 06, 2009.

N/A=Value not available or not applicable or not computed

[^] = 2001 MPHDS BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Asthma

Adults who have ever been told they have asthma
2008 Data Unless Otherwise Indicated

| Race | | | | | | |
|--------------------|---------------|-------------|----------------|---------------|-------------|----------------|
| Race | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| White | 86.3 | 87.5 | 86.6 | 13.7 | 12.4 | 13.3 |
| % | (86.2 - 86.4) | (86.0-88.9) | | (13.4 -14.1) | (11.0-13.9) | |
| CI | 704 | 3748 | 51 | 109 | 529 | 51 |
| n | | | | | | |
| Black | 84.3 | 86.0 | 84.5 | 15.7 | 13.9 | 15.4 |
| % | (84.0 - 84.5) | (81.7-90.4) | | (15.2 - 16.3) | (9.5-18.2) | |
| CI | 304 | 457 | 35 | 58 | 81 | 35 |
| n | | | | | | |
| Hispanic | 91.7 | N/A | 88.5 | 8.3 | N/A | 11.4 |
| % | (91.4 - 92.1) | | | (7.1 - 9.5) | | |
| CI | 145 | | 39 | 12 | | 39 |
| n | | | | | | |
| Other | 100.0 | 90.0 | 88.2 | 0.0 | 9.9 | 11.7 |
| % | *** | (81.8-98.3) | | *** | (1.6-18.2) | |
| CI | 20 | 47 | 44 | 1 | 8 | 44 |
| n | | | | | | |
| MultiRacial | 93.0 | 91.4 | 85.3 | 7.0 | 8.6 | 14.7 |
| % | (92.3 - 93.7) | (83.1-99.6) | | (4.5 - 9.5) | (0.3-16.8) | |
| CI | 12 | 51 | 20 | 1 | 6 | 20 |
| n | | | | | | |

| Income | | | | | | |
|----------------------------|---------------|-------------|----------------|---------------|-------------|----------------|
| Income Category | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| < \$15,000 | 74.2 | 79.8 | 80.6 | 25.8 | 20.1 | 19.3 |
| % | (73.0 - 75.3) | (75.1-84.6) | | (23.8 - 27.8) | (15.3-24.8) | |
| CI | 23 | 449 | 49 | 6 | 120 | 49 |
| n | | | | | | |
| \$15,000 - \$24,999 | 77.0 | 85.0 | 84.6 | 23.0 | 14.9 | 15.3 |
| % | (76.6 - 77.5) | (81.3-88.7) | | (22.2 - 23.8) | (11.2-18.6) | |
| CI | 142 | 743 | 50 | 38 | 129 | 50 |
| n | | | | | | |
| \$25,000 - \$34,999 | 88.9 | 85.0 | 86.7 | 11.1 | 14.9 | 13.2 |
| % | (88.5 - 89.2) | (80.5-89.5) | | (10.3 - 12.0) | (10.4-19.4) | |
| CI | 165 | 476 | 51 | 26 | 71 | 51 |
| n | | | | | | |
| \$35,000 - \$49,999 | 89.4 | 90.8 | 87.3 | 10.6 | 9.1 | 12.6 |
| % | (89.1 - 89.6) | (87.2-94.4) | | (10.0 - 11.4) | (5.6-12.7) | |
| CI | 169 | 493 | 51 | 23 | 57 | 51 |
| n | | | | | | |
| \$50,000 Plus | 88.0 | 91.0 | 87.5 | 12.0 | 9.0 | 12.4 |
| % | (87.8 - 88.2) | (88.4-93.5) | | (11.5 - 12.5) | (6.4-11.5) | |
| CI | 325 | 1059 | 51 | 38 | 109 | 51 |
| n | | | | | | |

| Education | | | | | | |
|-------------------------|---------------|-------------|----------------|---------------|-------------|----------------|
| Education | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Less than H.S. | 81.8 | 76.4 | 83.8 | 18.2 | 23.5 | 16.1 |
| % | (81.4 - 82.2) | (71.5-81.2) | | (17.4 - 19.1) | (18.7-28.4) | |
| CI | 145 | 554 | 50 | 37 | 157 | 50 |
| n | | | | | | |
| H.S. or G.E.D. | 83.1 | 88.2 | 86.5 | 16.9 | 11.7 | 13.4 |
| % | (82.9 - 83.4) | (86.0-90.4) | | (16.4 - 17.4) | (9.5-13.9) | |
| CI | 363 | 1593 | 51 | 65 | 218 | 51 |
| n | | | | | | |
| Some post- H.S. | 88.0 | 89.5 | 85.4 | 12.0 | 10.4 | 14.5 |
| % | (87.8 - 88.2) | (87.1-91.8) | | (11.5 - 12.6) | (8.1-12.8) | |
| CI | 277 | 1232 | 51 | 38 | 147 | 51 |
| n | | | | | | |
| College graduate | 89.1 | 89.1 | 87.7 | 10.9 | 10.9 | 12.2 |
| % | (88.9 - 89.3) | (86.0-92.1) | | (10.4 - 11.4) | (7.8-13.9) | |
| CI | 381 | 977 | 51 | 42 | 109 | 51 |
| n | | | | | | |

Note: Figures for State and US (States and DC) are from the CDC (Behavioral Risk Factor Surveillance System) website as of July 06, 2009.

N/A=Value not available or not applicable or not computed

^ = 2001 MPHDS BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Cardiovascular Disease

Ever told you had a heart attack (myocardial infarction)?

2008 Data Unless Otherwise Indicated

| ALL | | | | | | | |
|-----------------------------|----|---------------|-------------|----------------|-------------|------------|----------------|
| SOURCE | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| ALL 2008 | % | 94.8 | 94.5 | 95.7 | 5.2 | 5.4 | 4.2 |
| | CI | (94.7 - 94.9) | (93.7-95.2) | | (4.9 - 5.5) | (4.7-6.2) | |
| | n | 1277 | 4607 | 51 | 95 | 401 | 51 |
| SMART 2007 | % | 96.7 | 94.5 | 95.8 | 3.3 | 5.5 | 4.2 |
| | CI | (94.5-98.8) | (93.3-95.7) | | (1.1-5.4) | (4.3-6.7) | |
| | n | 268 | 4653 | 51 | 16 | 368 | 51 |
| SMART 2005 | % | | 94.9 | 96.0 | | 5.1 | 4.0 |
| | CI | N/A | (94.2-95.6) | | N/A | (4.4-5.8) | |
| | n | | 4447 | 51 | | 291 | 51 |
| SMART 2002 | % | | | | | | |
| | CI | N/A | N/A | N/A | N/A | N/A | N/A |
| | n | | | | | | |
| ALL 2001[^] | % | | | | | | |
| | CI | N/A | N/A | N/A | N/A | N/A | N/A |
| | n | | | | | | |

| Gender | | | | | | | |
|---------------|----|---------------|-------------|----------------|-------------|------------|----------------|
| Gender | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Male | % | 93.6 | 93.9 | 94.4 | 6.4 | 6.0 | 5.5 |
| | CI | (93.5 - 93.7) | (92.7-95.0) | | (6.0 - 6.8) | (4.9-7.2) | |
| | n | 362 | 1493 | 51 | 37 | 189 | 51 |
| Female | % | 95.8 | 95.0 | 96.9 | 4.2 | 4.9 | 3.0 |
| | CI | (95.8 - 95.9) | (94.1-96.0) | | (3.8 - 4.6) | (3.9-5.8) | |
| | n | 913 | 3114 | 51 | 58 | 212 | 51 |

| Age | | | | | | | |
|--------------|----|---------------|--------------|----------------|---------------|-------------|----------------|
| Age Group | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| 18-24 | % | 99.8 | 99.8 | 99.8 | 0.2 | 0.1 | 0.4 |
| | CI | *** | (99.6-100.0) | | *** | (0.0-0.3) | |
| | n | 75 | 120 | 51 | 1 | 1 | 30 |
| 25-34 | % | 98.2 | 98.6 | 99.4 | 1.8 | 1.4 | 0.6 |
| | CI | *** | (96.8-100.0) | | (1.1 - 2.5) | (0.0-3.2) | |
| | n | 142 | 386 | 51 | 2 | 5 | 49 |
| 35-44 | % | 98.3 | 98.7 | 98.9 | 1.7 | 1.2 | 1.0 |
| | CI | (98.2 - 98.4) | (97.8-99.5) | | (1.1 - 2.4) | (0.4-2.1) | |
| | n | 208 | 671 | 51 | 3 | 11 | 51 |
| 45-54 | % | 95.4 | 95.0 | 97.0 | 4.6 | 4.9 | 2.9 |
| | CI | (95.2 - 95.5) | (93.4-96.6) | | (4.0 - 5.3) | (3.3-6.5) | |
| | n | 242 | 1001 | 51 | 9 | 51 | 51 |
| 55-64 | % | 87.4 | 91.0 | 93.6 | 12.6 | 8.9 | 6.3 |
| | CI | (87.2 - 87.7) | (89.0-93.1) | | (11.8 - 13.3) | (6.9-10.9) | |
| | n | 206 | 1046 | 51 | 25 | 105 | 51 |
| 65+ | % | 87.7 | 84.7 | 86.1 | 12.1 | 15.2 | 13.9 |
| | CI | (87.6 - 88.2) | (82.4-87.0) | | (11.4 - 12.8) | (12.9-17.5) | |
| | n | 401 | 1383 | 51 | 54 | 228 | 51 |

Note: Figures for State and US (States and DC) are from the CDC (Behavioral Risk Factor Surveillance System) website as of July 06, 2009.

N/A=Value not available or not applicable or not computed

[^] = 2001 MPH's BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Cardiovascular Disease

Ever told you had a heart attack (myocardial infarction)?

2008 Data Unless Otherwise Indicated

| Race | | | | | | | |
|--------------------|----|---------------|---------------------|----------------|---------------|-------------------|----------------|
| Race | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| White | % | 93.8 | 94.2 | 95.5 | 6.2 | 5.7 | 4.4 |
| | CI | (93.7 - 93.9) | (93.4-95.0) | | (5.8 - 6.5) | (4.9-6.5) | |
| | n | 747 | 3924 | 51 | 65 | 353 | 51 |
| Black | % | 96.9 | 95.3 | 96.0 | 3.1 | 4.6 | 3.9 |
| | CI | (96.8 - 97.0) | (93.2-97.3) | | (2.6 - 3.7) | (2.6-6.7) | |
| | n | 344 | 502 | 38 | 19 | 35 | 38 |
| Hispanic | % | 98.8 | 95.3 | 97.0 | 1.2 | 4.6 | 2.9 |
| | CI | (98.7 - 99.0) | (90.5-100.0) | | (0.0 - 2.4) | (0.0-9.4) | |
| | n | 154 | 59 | 48 | 4 | 6 | 46 |
| Other | % | 98.1 | 93.0 | 95.9 | 1.9 | 6.9 | 4.0 |
| | CI | (97.9 - 98.3) | (85.2-100.0) | | (0.3 - 3.6) | (0.0-14.7) | |
| | n | 18 | 51 | 50 | 3 | 4 | 50 |
| MultiRacial | % | 75.5 | 98.7 | 94.1 | 24.5 | 1.2 | 5.8 |
| | CI | (74.2 - 76.7) | (96.9-100.0) | | (22.3 - 26.8) | (0.0-3.0) | |
| | n | 10 | 55 | 38 | 3 | 2 | 38 |

| Income | | | | | | | |
|----------------------------|----|---------------|-------------|----------------|---------------|-------------|----------------|
| Income Category | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| < \$15,000 | % | 81.1 | 88.0 | 91.2 | 18.9 | 11.9 | 8.7 |
| | CI | (80.1 - 82.2) | (84.7-91.3) | | (16.8 - 20.9) | (8.6-15.2) | |
| | n | 25 | 486 | 51 | 4 | 83 | 51 |
| \$15,000 - \$24,999 | % | 94.8 | 93.0 | 92.9 | 5.2 | 7.0 | 7.0 |
| | CI | (94.5 - 95.0) | (91.2-94.7) | | (4.4 - 6.1) | (5.2-8.7) | |
| | n | 167 | 779 | 51 | 14 | 93 | 51 |
| \$25,000 - \$34,999 | % | 92.3 | 96.7 | 94.5 | 7.7 | 3.3 | 5.4 |
| | CI | (92.1 - 92.5) | (95.3-98.0) | | (6.9 - 8.6) | (1.9-4.6) | |
| | n | 171 | 517 | 51 | 19 | 30 | 51 |
| \$35,000 - \$49,999 | % | 92.6 | 93.6 | 95.8 | 7.4 | 6.4 | 4.1 |
| | CI | (92.4 - 92.8) | (90.4-96.7) | | (6.7 - 8.2) | (3.2-9.5) | |
| | n | 178 | 510 | 51 | 14 | 39 | 51 |
| \$50,000 Plus | % | 98.1 | 97.0 | 97.6 | 1.9 | 2.9 | 2.3 |
| | CI | (98.0 - 98.1) | (96.0-98.1) | | (1.4 - 2.5) | (1.8-3.9) | |
| | n | 354 | 1118 | 51 | 11 | 48 | 51 |

| Education | | | | | | | |
|-------------------------|----|---------------|-------------|----------------|-------------|-------------|----------------|
| Education | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Less than H.S. | % | 92.1 | 86.1 | 91.4 | 7.9 | 13.8 | 8.5 |
| | CI | (91.8 - 92.3) | (82.5-89.6) | | (7.0 - 8.9) | (10.3-17.4) | |
| | n | 163 | 593 | 51 | 20 | 118 | 51 |
| H.S. or G.E.D. | % | 94.7 | 94.2 | 95.0 | 5.3 | 5.7 | 4.9 |
| | CI | (94.6 - 94.9) | (93.0-95.4) | | (4.7 - 5.8) | (4.5-6.9) | |
| | n | 393 | 1660 | 51 | 35 | 153 | 51 |
| Some post- H.S. | % | 92.2 | 95.6 | 96.2 | 7.8 | 4.3 | 3.7 |
| | CI | (92.1 - 92.4) | (94.4-96.8) | | (7.2 - 8.3) | (3.1-5.5) | |
| | n | 295 | 1287 | 51 | 20 | 91 | 51 |
| College graduate | % | 97.1 | 97.5 | 97.2 | 2.9 | 2.4 | 2.7 |
| | CI | (97.0 - 97.2) | (96.4-98.6) | | (2.4 - 3.4) | (1.4-3.5) | |
| | n | 405 | 1047 | 51 | 19 | 38 | 51 |

Note: Figures for State and US (States and DC) are from the CDC (Behavioral Risk Factor Surveillance System) website as of July 06, 2009.

N/A=Value not available or not applicable or not computed

^ = 2001 MPHDS BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Cardiovascular Disease

Ever told you had angina or coronary heart disease?

2008 Data Unless Otherwise Indicated

| ALL | | | | | | | |
|-----------------------------|----|---------------|--------------------|----------------|-------------|------------------|----------------|
| SOURCE | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| ALL 2008 | % | 94.1 | 94.2 | 95.7 | 5.9 | | 5.7 |
| | CI | (94.0 - 94.2) | (93.4-95.0) | | (5.6 - 6.2) | | (4.9-6.5) |
| | n | 1261 | 4582 | 51 | 111 | | 397 |
| SMART 2007 | % | 96.6 | 95.0 | 95.9 | 3.4 | 5.0 | 4.1 |
| | CI | (94.4-98.7) | (94.2-95.8) | | (1.2-5.5) | (4.2-5.8) | |
| | n | 269 | 4090 | 51 | 14 | 348 | 51 |
| SMART 2005 | % | | 95.3 | 95.6 | | 4.7 | 4.4 |
| | CI | N/A | (94.6-96.0) | | N/A | (4.0-5.4) | |
| | n | | 4432 | 51 | | 283 | 51 |
| SMART 2002 | % | | | | | | |
| | CI | N/A | N/A | N/A | N/A | N/A | N/A |
| | n | | | | | | |
| ALL 2001[^] | % | | | | | | |
| | CI | N/A | N/A | N/A | N/A | N/A | N/A |
| | n | | | | | | |

| Gender | | | | | | | |
|---------------|----|---------------|-------------|----------------|-------------|------------|----------------|
| Gender | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Male | % | 93.4 | 93.9 | 94.7 | 6.6 | 6.0 | 5.2 |
| | CI | (93.3 - 93.5) | (92.6-95.3) | | (6.2 - 7.1) | (4.6-7.3) | |
| | n | 360 | 1515 | 51 | 39 | 154 | 51 |
| Female | % | 94.8 | 94.4 | 96.6 | 5.2 | 5.5 | 3.3 |
| | CI | (94.7 - 94.9) | (93.5-95.4) | | (4.8 - 5.6) | (4.5-6.4) | |
| | n | 899 | 3067 | 51 | 72 | 243 | 51 |

| Age | | | | | | | |
|--------------|----|---------------|---------------|----------------|---------------|-------------|----------------|
| Age Group | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| 18-24 | % | 100.0 | 99.7 | 100.0 | 0.0 | 0.2 | 0.5 |
| | CI | *** | (99.3-100.0) | | *** | (0.0-0.6) | |
| | n | 76 | 120 | 51 | 0 | 1 | 25 |
| 25-34 | % | 98.8 | 100.0 | 99.6 | 1.2 | N/A | 0.4 |
| | CI | (98.7 - 98.9) | (100.0-100.0) | | (0.5 - 1.9) | | |
| | n | 143 | 390 | 51 | 1 | | 48 |
| 35-44 | % | 95.6 | 96.6 | 98.8 | 4.4 | 3.3 | 1.1 |
| | CI | (95.5 - 95.8) | (94.9-98.3) | | (3.7 - 5.0) | (1.6-5.1) | |
| | n | 203 | 662 | 51 | 8 | 20 | 50 |
| 45-54 | % | 96.0 | 94.0 | 97.1 | 4.0 | 5.9 | 2.8 |
| | CI | (95.9 - 96.1) | (91.9-96.1) | | (3.4 - 4.7) | (3.8-8.0) | |
| | n | 242 | 994 | 51 | 8 | 56 | 51 |
| 55-64 | % | 89.5 | 90.9 | 92.9 | 10.5 | 9.0 | 7.0 |
| | CI | (89.2 - 89.7) | (88.9-92.9) | | (9.8 - 11.3) | (7.1-11.0) | |
| | n | 210 | 1031 | 51 | 21 | 113 | 51 |
| 65+ | % | 83.5 | 86.3 | 86.2 | 16.5 | 13.6 | 13.7 |
| | CI | (83.2 - 83.8) | (84.1-88.4) | | (15.8 - 17.2) | (11.5-15.8) | |
| | n | 384 | 1385 | 51 | 72 | 207 | 51 |

Note: Figures for State and US (States and DC) are from the CDC (Behavioral Risk Factor Surveillance System) website as of July 06, 2009.

N/A=Value not available or not applicable or not computed

[^] = 2001 MPHDS BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Cardiovascular Disease

Ever told you had angina or coronary heart disease?

2008 Data Unless Otherwise Indicated

| Race | | | | | | | |
|--------------------|----|---------------|---------------------|----------------|---------------|------------------|----------------|
| Race | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| White | % | 93.2 | 93.9 | 95.4 | 6.8 | 6.0 | 4.5 |
| | CI | (93.1 - 93.3) | (93.0-94.8) | | (6.5 - 7.2) | (5.1-6.9) | |
| | n | 730 | 3904 | 51 | 83 | 348 | 51 |
| Black | % | 97.1 | 94.5 | 96.5 | 2.9 | 5.4 | 3.4 |
| | CI | (97.0 - 97.2) | (92.1-96.9) | | (2.3 - 3.5) | (3.0-7.8) | |
| | n | 343 | 497 | 38 | 19 | 37 | 37 |
| Hispanic | % | 98.9 | 98.2 | 96.6 | 1.1 | 1.8 | 3.4 |
| | CI | (98.7 - 99.0) | (95.7-100.0) | | (0.0 - 2.4) | (0.0-4.2) | |
| | n | 18 | 61 | 48 | 3 | 4 | 48 |
| Other | % | 86.6 | 96.4 | 96.6 | 13.4 | 3.5 | 3.3 |
| | CI | (86.0 -87.2) | (92.1-100.0) | | (11.9 - 15.0) | (0.0-7.8) | |
| | n | 11 | 51 | 50 | 2 | 3 | 50 |
| MultiRacial | % | 78.8 | 96.3 | 95.2 | 21.2 | 3.6 | 4.7 |
| | CI | (77.6 - 80.0) | (91.0-100.0) | | (19.0 - 23.5) | (0.0-8.9) | |
| | n | 155 | 54 | 40 | 3 | 3 | 40 |

| Income | | | | | | | |
|----------------------------|----|---------------|-------------|----------------|---------------|------------|----------------|
| Income Category | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| < \$15,000 | % | 73.8 | 90.8 | 92.1 | 26.2 | 9.1 | 7.8 |
| | CI | (72.6 - 75.0) | (87.9-93.7) | | (24.2 - 28.2) | (6.2-12.0) | |
| | n | 22 | 485 | 51 | 7 | 72 | 51 |
| \$15,000 - \$24,999 | % | 90.7 | 91.8 | 93.1 | 9.3 | 8.1 | 6.8 |
| | CI | (90.5 - 91.0) | (89.5-94.1) | | (8.4 - 10.1) | (5.8-10.4) | |
| | n | 156 | 781 | 51 | 25 | 88 | 51 |
| \$25,000 - \$34,999 | % | 93.9 | 94.0 | 94.5 | 6.1 | 5.9 | 5.4 |
| | CI | (93.7 - 94.1) | (91.5-96.5) | | (5.2 - 6.9) | (3.4-8.4) | |
| | n | 173 | 500 | 51 | 17 | 41 | 51 |
| \$35,000 - \$49,999 | % | 93.1 | 96.3 | 95.6 | 6.9 | 3.6 | 4.3 |
| | CI | (92.9 - 93.3) | (94.5-98.1) | | (6.1 - 7.6) | (1.8-5.4) | |
| | n | 180 | 518 | 51 | 12 | 30 | 51 |
| \$50,000 Plus | % | 97.0 | 96.1 | 97.2 | 3.0 | 3.8 | 2.7 |
| | CI | (96.9 - 97.1) | (94.7-97.6) | | (2.5 - 3.5) | (2.3-5.2) | |
| | n | 348 | 1115 | 51 | 17 | 52 | 51 |

| Education | | | | | | | |
|-------------------------|----|---------------|-------------|----------------|--------------|-------------|----------------|
| Education | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Less than H.S. | % | 92.9 | 89.2 | 93.2 | 7.1 | 10.7 | 6.7 |
| | CI | (92.7 - 93.2) | (86.5-92.0) | | (6.1 - 8.0) | (8.0-13.4) | |
| | n | 162 | 609 | 51 | 20 | 94 | 51 |
| H.S. or G.E.D. | % | 95.3 | 94.3 | 95.1 | 4.7 | 5.6 | 4.8 |
| | CI | (95.2 - 95.4) | (92.9-95.6) | | (4.2 - 5.3) | (4.3-7.0) | |
| | n | 394 | 1651 | 51 | 35 | 148 | 51 |
| Some post- H.S. | % | 90.1 | 94.8 | 95.7 | 9.9 | 5.1 | 4.2 |
| | CI | (89.9 - 90.3) | (93.3-96.2) | | (9.3 - 10.5) | (3.7-6.6) | |
| | n | 285 | 1272 | 51 | 30 | 100 | 51 |
| College graduate | % | 95.9 | 95.9 | 96.6 | 4.1 | 4.1 | 3.3 |
| | CI | (95.8 - 96.0) | (94.4-97.3) | | (3.6 - 4.6) | (2.6-5.5) | |
| | n | 398 | 1031 | 51 | 25 | 53 | 51 |

Note: Figures for State and US (States and DC) are from the CDC (Behavioral Risk Factor Surveillance System) website as of July 06, 2009.

N/A=Value not available or not applicable or not computed

^ = 2001 MPH's BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Cardiovascular Disease

Ever told you had a stroke?

2008 Data Unless Otherwise Indicated

| ALL | | | | | | |
|-------------------|---------------|--------------------|----------------|--------------|------------------|----------------|
| SOURCE | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| ALL 2008 | 96.9 | 96.6 | 97.4 | 3.1 | 3.3 | 2.6 |
| CI | (96.8 - 96.9) | (96.1-97.2) | | (2.8 - 3.4) | (2.8-3.9) | |
| n | 1299 | 4751 | 51 | 73 | 257 | 51 |
| SMART 2007 | 97.7 | 96.4 | 97.4 | 2.3 | 3.6 | 2.6 |
| CI | (95.3-100.0) | (95.8-97.0) | | (0.0-4.6) | (3.0-4.2) | |
| n | 277 | 4762 | 51 | 7 | 257 | 51 |
| SMART 2005 | % | 96.8 | 97.4 | % | 0.2 | 2.6 |
| CI | N/A | (96.3-97.3) | | N/A | (2.7-3.7) | |
| n | | 4543 | 51 | | 200 | 51 |
| SMART 2002 | % | N/A | N/A | % | N/A | N/A |
| CI | N/A | N/A | N/A | N/A | N/A | N/A |
| n | | | | | | |
| ALL 2001^ | % | N/A | N/A | % | N/A | N/A |
| CI | N/A | N/A | N/A | N/A | N/A | N/A |
| n | | | | | | |
| Gender | | | | | | |
| Gender | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Male | 97.3 | 97.1 | 97.5 | 2.7 | 2.9 | 2.4 |
| CI | (97.2 - 97.4) | (96.3-97.8) | | (2.3 - 3.1) | (2.1-3.6) | |
| n | 381 | 1593 | 51 | 18 | 90 | 51 |
| Female | 96.5 | 96.2 | 97.2 | 3.5 | 3.7 | 2.7 |
| CI | (96.4 - 96.6) | (95.4-96.9) | | (3.1 - 3.9) | (3.0-4.5) | |
| n | 916 | 3158 | 51 | 55 | 167 | 51 |
| Age | | | | | | |
| Age Group | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| 18-24 | 100.0 | 100.0 | 99.7 | 0.0 | N/A | 0.4 |
| CI | *** | (100.0-100.0) | | *** | | |
| n | 76 | 121 | 51 | 0 | | 34 |
| 25-34 | 98.8 | 99.1 | 99.4 | 1.2 | 0.9 | 0.5 |
| CI | (98.7 - 98.9) | (98.1-100.0) | | (0.5 - 1.9) | (0.0-1.8) | |
| n | 143 | 384 | 51 | 1 | 5 | 49 |
| 35-44 | 99.2 | 98.4 | 99.1 | 0.8 | 1.5 | 0.9 |
| CI | (99.2 - 99.3) | (97.3-99.5) | | (0.1 - 1.4) | (0.4-2.6) | |
| n | 209 | 670 | 51 | 2 | 13 | 51 |
| 45-54 | 97.9 | 97.0 | 98.0 | 2.1 | 2.9 | 1.9 |
| CI | (97.8 - 98.0) | (95.8-98.3) | | (1.4 - 2.8) | (1.7-4.1) | |
| n | 246 | 1024 | 51 | 4 | 29 | 51 |
| 55-64 | 94.8 | 96.1 | 96.6 | 5.2 | 3.8 | 3.3 |
| CI | (94.6 - 95.0) | (94.8-97.4) | | (4.4 - 6.0) | (2.5-5.1) | |
| n | 215 | 1099 | 51 | 15 | 52 | 51 |
| 65+ | 89.4 | 90.3 | 91.5 | 10.6 | 9.6 | 8.4 |
| CI | (89.2 - 89.7) | (88.6-92.0) | | (9.9 - 11.3) | (7.9-11.3) | |
| n | 407 | 1453 | 51 | 50 | 158 | 51 |

Note: Figures for State and US (States and DC) are from the CDC (Behavioral Risk Factor Surveillance System) website as of July 06, 2009.

N/A=Value not available or not applicable or not computed

^ = 2001 MPH's BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Cardiovascular Disease

Ever told you had a stroke?

2008 Data Unless Otherwise Indicated

| Race | | | | | | |
|--------------------|---------------|--------------|----------------|-------------|------------|----------------|
| Race | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| White | 96.2 | 96.5 | 97.3 | 3.8 | 3.4 | 2.6 |
| CI | (96.2 - 96.3) | (96.0-97.1) | | (3.4 - 4.1) | (2.8-4.0) | |
| n | 765 | 4057 | 51 | 48 | 219 | 51 |
| Black | 97.3 | 96.0 | 95.9 | 2.7 | 3.9 | 4.0 |
| CI | (97.2 - 97.4) | (94.2-97.9) | | (2.1 - 3.3) | (2.0-5.7) | |
| n | 341 | 506 | 38 | 22 | 32 | 38 |
| Hispanic | 100.0 | 99.8 | 98.3 | 0.0 | 0.1 | 1.7 |
| CI | *** | (99.5-100.0) | | *** | (0.0-0.4) | |
| n | 158 | 64 | 50 | 0 | 1 | 48 |
| Other | 100.0 | 95.8 | 97.7 | 0.0 | 4.1 | 2.2 |
| CI | *** | (91.1-100.0) | | *** | (0.0-8.8) | |
| n | 20 | 52 | 50 | 1 | 3 | 50 |
| MultiRacial | 98.5 | 98.7 | 96.6 | 1.5 | 1.2 | 3.4 |
| CI | (98.2 - 98.8) | (96.9-100.0) | | (0.0 - 4.1) | (0.0-3.0) | |
| n | 12 | 55 | 42 | 1 | 2 | 41 |

| Income | | | | | | |
|----------------------------|---------------|-------------|----------------|---------------|------------|----------------|
| Income Category | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| < \$15,000 | 81.9 | 92.7 | 92.9 | 18.1 | 7.2 | 7.0 |
| CI | (81.0 - 82.9) | (90.4-95.1) | | (16.0 - 20.2) | (4.8-9.5) | |
| n | 23 | 514 | 51 | 6 | 56 | 51 |
| \$15,000 - \$24,999 | 94.1 | 94.1 | 95.4 | 5.9 | 5.8 | 4.6 |
| CI | (93.9 - 94.3) | (92.2-96.0) | | (5.1 - 6.8) | (3.9-7.7) | |
| n | 164 | 809 | 51 | 16 | 63 | 51 |
| \$25,000 - \$34,999 | 95.7 | 96.9 | 96.7 | 4.3 | 3.0 | 3.2 |
| CI | (95.5 - 95.9) | (95.3-98.4) | | (3.4 - 5.2) | (1.5-4.6) | |
| n | 179 | 524 | 51 | 12 | 23 | 51 |
| \$35,000 - \$49,999 | 95.4 | 98.9 | 97.7 | 4.6 | 1.1 | 2.2 |
| CI | (95.3 - 95.6) | (97.9-99.8) | | (3.8 - 5.3) | (0.1-2.0) | |
| n | 179 | 541 | 51 | 13 | 10 | 51 |
| \$50,000 Plus | 99.4 | 98.3 | 98.8 | 0.6 | 1.6 | 1.1 |
| CI | (99.4 - 99.4) | (97.4-99.2) | | (0.1 - 1.1) | (0.7-2.6) | |
| n | 360 | 1145 | 51 | 4 | 23 | 51 |

| Education | | | | | | |
|-------------------------|---------------|-------------|----------------|-------------|------------|----------------|
| Education | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Less than H.S. | 95.1 | 92.8 | 94.7 | 4.9 | 7.1 | 5.2 |
| CI | (94.8 - 95.3) | (90.7-94.9) | | (4.0 - 5.9) | (5.1-9.2) | |
| n | 167 | 636 | 51 | 16 | 78 | 51 |
| H.S. or G.E.D. | 96.5 | 96.1 | 96.7 | 3.5 | 3.8 | 3.2 |
| CI | (96.4 - 96.6) | (95.0-97.1) | | (3.0 - 4.0) | (2.8-4.9) | |
| n | 405 | 1712 | 51 | 24 | 96 | 51 |
| Some post- H.S. | 95.1 | 97.4 | 97.5 | 4.9 | 2.5 | 2.4 |
| CI | (95.0 - 95.2) | (96.6-98.3) | | (4.3 - 5.5) | (1.7-3.3) | |
| n | 292 | 1326 | 51 | 22 | 53 | 51 |
| College graduate | 98.7 | 98.2 | 98.4 | 1.3 | 1.7 | 1.5 |
| CI | (98.6 98.8) | (97.3-99.2) | | (0.8 - 1.8) | (0.8-2.6) | |
| n | 412 | 1058 | 51 | 11 | 28 | 51 |

N/A=Value not available or not applicable or not computed

^ = 2001 MPHDS BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Cardiovascular Disease

Ever told you had a stroke?

2008 Data Unless Otherwise Indicated

Note: Figures for State and US (States and DC) are from the CDC (Behavioral Risk Factor Surveillance System) website as of July 06, 2009.

N/A=Value not available or not applicable or not computed

^ = 2001 MPHD's BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Colorectal Cancer Screening

Adults aged 50+ who have had a blood stool test within the past two years

2008 Data Unless Otherwise Indicated

| ALL | | | | | | | |
|-----------------------------|----|---------------|--------------------|----------------|---------------|--------------------|----------------|
| SOURCE | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| ALL 2008 | % | 73.8 | 77.7 | 79.0 | 26.2 | 22.2 | 20.9 |
| | CI | (73.6 - 74.1) | (75.9-79.6) | | (25.8 - 26.6) | (20.3-24.1) | |
| | n | 560 | 2378 | 51 | 203 | 742 | 51 |
| SMART 2006 | % | 83.2 | 74.4 | 75.8 | 16.8 | 25.6 | 24.2 |
| | CI | (77.3-89.0) | (72.2-76.6) | | (10.9-22.6) | (23.4-27.8) | |
| | n | 117 | 1761 | 51 | 34 | 665 | 51 |
| SMART 2002 | % | N/A | 68.6 | 70.0 | N/A | 31.4 | 30.0 |
| | CI | | (65.8-71.4) | | | (28.6-34.2) | |
| | n | | 982 | 51 | | 437 | 51 |
| ALL 2001[^] | % | | | | | | |
| | CI | | | | | | |
| | n | | | | | | |
| Gender | | | | | | | |
| Gender | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Male | % | 73.0 | 78.4 | 78.7 | 27.0 | 21.5 | 21.2 |
| | CI | (72.6-73.4) | (75.3-81.5) | | (26.3 - 27.6) | (18.4-24.6) | |
| | n | 151 | 801 | 51 | 55 | 250 | 51 |
| Female | % | 74.4 | 77.2 | 79.4 | 25.6 | 22.8 | 20.5 |
| | CI | (74.1 - 74.7) | (74.9-79.4) | | (25.1 - 26.2) | (20.5-25.0) | |
| | n | 409 | 1577 | 51 | 147 | 492 | 51 |
| Age | | | | | | | |
| Age Group | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| 50-59 | % | 80.1 | 82.2 | 84.2 | 19.9 | 17.8 | 15.7 |
| | CI | (79.8 - 80.5) | (79.1-85.2) | | (19.2 - 20.5) | (14.7-20.8) | |
| | n | 189 | 896 | 51 | 48 | 201 | 51 |
| 60-64 | % | 71.5 | 71.0 | 76.8 | 28.5 | 28.9 | 23.1 |
| | CI | (70.9 - 72.1) | (66.0-76.1) | | (27.5 - 29.4) | (23.8-33.9) | |
| | n | 86 | 372 | 51 | 31 | 146 | 51 |
| 65+ | % | 67.6 | 75.7 | 74.5 | 32.4 | 24.3 | 25.4 |
| | CI | (67.2 - 68.1) | (73.0-78.3) | | (31.7 - 33.0) | (21.6-26.9) | |
| | n | 285 | 1110 | 51 | 124 | 395 | 51 |

Note: Figures for State and US (States and DC) are from the CDC (Behavioral Risk Factor Surveillance System) website as of July 06, 2009.

N/A=Value not available or not applicable or not computed

[^] = 2001 MPHD's BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Colorectal Cancer Screening

Adults aged 50+ who have had a blood stool test within the past two years

2008 Data Unless Otherwise Indicated

| Race | | | | | | | |
|--------------------|----|---------------|-------------|----------------|---------------|-------------|----------------|
| Race | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| White | % | 74.7 | 77.8 | 78.6 | 25.3 | 22.1 | 21.3 |
| | CI | (74.4 - 75.0) | (75.9-79.7) | | (24.8 - 25.8) | (20.2-24.0) | |
| | n | 374 | 2080 | 51 | 142 | 644 | 51 |
| Black | % | 67.2 | 76.1 | 76.4 | 32.8 | 23.8 | 23.5 |
| | CI | (66.6 - 67.8) | (69.4-82.9) | | (31.9 - 33.7) | (17.1-30.5) | |
| | n | 151 | 209 | 30 | 56 | 77 | 30 |
| Hispanic | % | 95.4 | N/A | 86.5 | 4.6 | N/A | 13.4 |
| | CI | (94.6 - 96.2) | | | (1.0 - 8.2) | | |
| | n | 23 | | 27 | 4 | | 27 |
| Other | % | 68.6 | N/A | 85.0 | 31.4 | N/A | 15.0 |
| | CI | (66.5 - 70.6) | | | (28.4 - 34.5) | | |
| | n | 5 | | 25 | 1 | | 25 |
| MultiRacial | % | 100.0 | N/A | 77.7 | 0.0 | N/A | 22.2 |
| | CI | *** | | | *** | | |
| | n | 7 | | 8 | 0 | | 8 |

| Income | | | | | | | |
|----------------------------|----|---------------|-------------|----------------|---------------|-------------|----------------|
| Income Category | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| < \$15,000 | % | 83.8 | 78.7 | 82.2 | 16.2 | 21.3 | 17.7 |
| | CI | (82.3 - 85.3) | (73.0-84.4) | | (12.8 - 19.6) | (15.6-27.0) | |
| | n | 11 | 298 | 51 | 4 | 80 | 51 |
| \$15,000 - \$24,999 | % | 71.8 | 77.9 | 78.0 | 28.2 | 22.0 | 21.9 |
| | CI | (71.1 - 72.5) | (73.9-82.0) | | (27.1 - 29.4) | (17.9-26.0) | |
| | n | 81 | 453 | 51 | 41 | 145 | 51 |
| \$25,000 - \$34,999 | % | 71.0 | 79.3 | 78.5 | 29.0 | 20.6 | 21.4 |
| | CI | (70.2 - 71.7) | (73.7-84.9) | | (27.9 - 30.2) | (15.0-26.2) | |
| | n | 89 | 259 | 51 | 32 | 68 | 51 |
| \$35,000 - \$49,999 | % | 74.4 | 72.5 | 77.5 | 25.6 | 27.4 | 22.4 |
| | CI | (73.7 - 75.0) | (65.8-79.2) | | (24.6 - 26.7) | (20.7-34.1) | |
| | n | 80 | 226 | 51 | 31 | 91 | 51 |
| \$50,000 Plus | % | 76.5 | 77.5 | 79.9 | 23.5 | 22.4 | 20.0 |
| | CI | (76.1 - 76.9) | (73.6-81.4) | | (22.7 - 24.3) | (18.5-26.3) | |
| | n | 133 | 490 | 51 | 45 | 162 | 51 |

| Education | | | | | | | |
|-------------------------|----|---------------|-------------|----------------|---------------|-------------|----------------|
| Education | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Less than H.S. | % | 76.2 | 77.7 | 82.4 | 23.8 | 22.2 | 17.5 |
| | CI | (75.5 - 76.9) | (73.4-82.0) | | (22.5 - 25.0) | (17.9-26.5) | |
| | n | 80 | 404 | 51 | 25 | 124 | 51 |
| H.S. or G.E.D. | % | 72.7 | 79.1 | 79.5 | 27.3 | 20.8 | 20.4 |
| | CI | (72.2 - 73.1) | (76.2-82.0) | | (26.6 - 28.1) | (17.9-23.7) | |
| | n | 181 | 910 | 51 | 68 | 251 | 51 |
| Some post- H.S. | % | 72.9 | 76.6 | 78.6 | 27.1 | 23.3 | 21.3 |
| | CI | (72.5 - 73.5) | (72.6-80.6) | | (26.2 - 27.9) | (19.3-27.3) | |
| | n | 138 | 614 | 51 | 51 | 209 | 51 |
| College graduate | % | 74.3 | 76.6 | 78.3 | 25.7 | 23.3 | 21.6 |
| | CI | (73.9 - 74.7) | (72.4-80.7) | | (25.0 - 26.5) | (19.2-27.5) | |
| | n | 154 | 441 | 51 | 57 | 158 | 51 |

Note: Figures for State and US (States and DC) are from the CDC (Behavioral Risk Factor Surveillance System) website as of July 06, 2009.

N/A=Value not available or not applicable or not computed

^ = 2001 MPH's BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Colorectal Cancer Screening

Adults aged 50+ who have ever had a sigmoidoscopy or colonoscopy

2008 Data Unless Otherwise Indicated

| ALL | | | | | | | |
|-----------------------------|----|---------------|--------------------|----------------|---------------|--------------------|----------------|
| SOURCE | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| ALL 2008 | % | 39.2 | 40.5 | 37.8 | 60.8 | 59.4 | 62.1 |
| | CI | (38.8 - 39.5) | (38.2-42.7) | | (60.5 - 61.1) | (57.2-61.7) | |
| | n | 484 | 1238 | 51 | 296 | 1922 | 51 |
| SMART 2006 | % | 43.0 | 43.8 | 42.9 | 57.0 | 56.2 | 57.1 |
| | CI | (33.2-52.8) | (41.2-46.4) | | (47.2-66.8) | (53.6-58.8) | |
| | n | 64 | 1032 | 51 | 89 | 1431 | 51 |
| SMART 2002 | % | N/A | 53.9 | 51.4 | N/A | 46.1 | 48.6 |
| | CI | | (51.0-56.8) | | | (43.2-49.0) | |
| | n | | 759 | 51 | | 667 | 51 |
| ALL 2001[^] | % | N/A | N/A | N/A | N/A | N/A | N/A |
| | CI | | | | | | |
| | n | | | | | | |
| Gender | | | | | | | |
| Gender | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Male | % | 35.9 | 40.7 | 38.0 | 64.1 | 59.2 | 61.9 |
| | CI | (35.3 - 36.5) | (36.9-44.5) | | (63.7 - 64.6) | (55.4-63.0) | |
| | n | 72 | 417 | 51 | 140 | 636 | 51 |
| Female | % | 41.6 | 40.3 | 38.1 | 58.4 | 59.7 | 61.9 |
| | CI | (41.2 - 42.1) | (37.6-42.9) | | (57.9 - 58.8) | (57.0-62.3) | |
| | n | 223 | 821 | 51 | 344 | 1286 | 51 |
| Age | | | | | | | |
| Age Group | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| 50-59 | % | 47.6 | 47.9 | 48.6 | 52.4 | 52.0 | 51.3 |
| | CI | (47.1 - 48.1) | (44.0-51.7) | | (51.9 - 52.9) | (48.2-55.9) | |
| | n | 118 | 520 | 51 | 122 | 583 | 51 |
| 60-64 | % | 42.2 | 41.7 | 32.7 | 57.8 | 58.2 | 67.2 |
| | CI | (41.4 - 43.0) | (36.2-47.1) | | (57.1 - 58.5) | (52.8-63.7) | |
| | n | 50 | 216 | 51 | 70 | 309 | 51 |
| 65+ | % | 28.0 | 32.0 | 28.9 | 72.0 | 68.0 | 71.0 |
| | CI | (27.3 - 28.6) | (29.1-34.8) | | (71.6 - 72.4) | (65.1-70.8) | |
| | n | 128 | 502 | 51 | 292 | 1030 | 51 |

Note: Figures for State and US (States and DC) are from the CDC (Behavioral Risk Factor Surveillance System) website as of July 06, 2009.

N/A=Value not available or not applicable or not computed

[^] = 2001 MPHD's BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Colorectal Cancer Screening

Adults aged 50+ who have ever had a sigmoidoscopy or colonoscopy

2008 Data Unless Otherwise Indicated

| Race | | | | | | | |
|--------------------|----|---------------|-------------|----------------|---------------|-------------|----------------|
| Race | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| White | % | 37.5 | 39.3 | 36.0 | 62.5 | 60.6 | 63.9 |
| | CI | (37.1 - 38.0) | (37.0-41.6) | | (62.1 - 62.8) | (58.3-63.0) | |
| | n | 185 | 1065 | 51 | 344 | 1700 | 51 |
| Black | % | 44.2 | 42.5 | 41.3 | 55.8 | 57.4 | 58.6 |
| | CI | (43.4 - 45.0) | (34.2-50.7) | | (55.1 - 56.5) | (49.2-65.7) | |
| | n | 88 | 121 | 27 | 123 | 163 | 27 |
| Hispanic | % | 52.6 | N/A | 50.4 | 47.4 | N/A | 49.5 |
| | CI | (50.1 - 55.1) | | | (44.8 - 50.1) | | |
| | n | 17 | | 12 | 10 | | 12 |
| Other | % | 36.2 | N/A | 51.3 | 63.8 | N/A | 48.6 |
| | CI | (33.3 - 39.2) | | | (61.6 - 66.0) | | |
| | n | 2 | | 11 | 4 | | 11 |
| MultiRacial | % | 43.5 | N/A | 42.8 | 56.5 | N/A | 57.2 |
| | CI | (40.3 - 46.8) | | | (53.6 - 59.3) | | |
| | n | 4 | | 4 | 3 | | 4 |

| Income | | | | | | | |
|----------------------------|----|---------------|-------------|----------------|---------------|-------------|----------------|
| Income Category | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| < \$15,000 | % | 53.7 | 48.0 | 47.8 | 46.3 | 51.9 | 52.1 |
| | CI | (51.2 -56.1) | (41.2-54.9) | | (43.7 - 49.0) | (45.0-58.7) | |
| | n | 8 | 172 | 50 | 8 | 211 | 50 |
| \$15,000 - \$24,999 | % | 44.7 | 42.6 | 43.7 | 55.3 | 57.3 | 56.2 |
| | CI | (43.7 - 45.7) | (37.6-47.7) | | (54.4 - 56.2) | (52.2-62.3) | |
| | n | 49 | 259 | 50 | 72 | 345 | 50 |
| \$25,000 - \$34,999 | % | 40.2 | 39.0 | 38.2 | 59.8 | 60.9 | 61.7 |
| | CI | (39.2 - 41.2) | (32.3-45.8) | | (58.9 - 60.6) | (54.1-67.6) | |
| | n | 46 | 128 | 50 | 78 | 202 | 50 |
| \$35,000 - \$49,999 | % | 40.4 | 46.4 | 37.4 | 59.6 | 53.5 | 62.6 |
| | CI | (39.5 - 41.3) | (39.3-53.6) | | (58.8 - 60.4) | (46.3-60.6) | |
| | n | 42 | 130 | 50 | 71 | 193 | 50 |
| \$50,000 Plus | % | 36.4 | 37.8 | 33.3 | 63.6 | 62.1 | 66.6 |
| | CI | (35.7 - 37.1) | (32.9-42.6) | | (63.1 - 64.2) | (57.3-67.0) | |
| | n | 63 | 229 | 51 | 120 | 424 | 51 |

| Education | | | | | | | |
|-------------------------|----|---------------|-------------|----------------|---------------|-------------|----------------|
| Education | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Less than H.S. | % | 48.8 | 38.2 | 47.5 | 51.2 | 61.7 | 52.4 |
| | CI | (47.8 - 49.9) | (33.0-43.3) | | (50.2 - 52.2) | (56.6-66.9) | |
| | n | 52 | 217 | 49 | 55 | 310 | 49 |
| H.S. or G.E.D. | % | 45.2 | 48.0 | 40.8 | 54.8 | 51.9 | 59.1 |
| | CI | (44.5 - 45.8) | (44.3-51.8) | | (54.2 - 55.4) | (48.1-55.6) | |
| | n | 107 | 523 | 51 | 150 | 654 | 51 |
| Some post- H.S. | % | 33.6 | 33.5 | 37.4 | 66.4 | 66.4 | 62.6 |
| | CI | (32.9 - 34.4) | (29.1-37.8) | | (65.8 - 66.9) | (62.1-70.8) | |
| | n | 61 | 280 | 51 | 129 | 558 | 51 |
| College graduate | % | 33.5 | 37.6 | 31.0 | 66.5 | 62.3 | 68.9 |
| | CI | (32.8 - 34.2) | (32.5-42.7) | | (66.0 - 67.0) | (57.3-67.4) | |
| | n | 71 | 213 | 51 | 146 | 396 | 51 |

Note: Figures for State and US (States and DC) are from the CDC (Behavioral Risk Factor Surveillance System) website as of July 06, 2009.

N/A=Value not available or not applicable or not computed

^ = 2001 MPHDS BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Diabetes

Have you ever been told by a doctor that you have diabetes?

2008 Data Unless Otherwise Indicated

| ALL | | | | | | | | | | | | |
|-----------------------------|--------------|-------------|----------------|------------------------|------------|----------------|---------------|-------------|----------------|--|------------|----------------|
| SOURCE | Yes | | | Yes, pregnancy-related | | | No | | | No, prediabetes or borderline diabetes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| ALL 2008 | 8.6 | 10.3 | 8.2 | 2.5 | 0.5 | 0.8 | 88.5 | 87.9 | 90.0 | 0.4 | 1.0 | 1.0 |
| CI | (8.4 - 8.9) | (9.3-11.4) | | (2.2 - 2.8) | (0.2-0.8) | | (88.4 -88.6) | (86.8-89.1) | | (0.1 - 0.7) | (0.7-1.4) | |
| n | 182 | 690 | 51 | 40 | 26 | 51 | 1142 | 4236 | 51 | 9 | 65 | 51 |
| ALL 2005 | 8.3 | 9.1 | 7.3 | 0.5 | 0.6 | 0.8 | 90.6 | 89.4 | 91.2 | 0.4 | 0.9 | 0.8 |
| CI | (8.2 - 8.3) | (8.1-10.1) | | (0.5 - 0.6) | (0.4-0.8) | | (90.5 -90.7) | (88.3-90.5) | | N/A | (0.6-1.2) | |
| n | 87 | 528 | 51 | 5 | 39 | 51 | 760 | 4123 | 51 | 5 | 45 | 51 |
| SMART 2005 | 9.3 | N/A | N/A | 0.3 | N/A | N/A | 89.7 | N/A | N/A | 0.3 | N/A | N/A |
| CI | (7.0-11.7) | | | (0.0-0.7) | | | (87.4-92.1) | | | (0.0-0.7) | | |
| n | 87 | | | 5 | | | 760 | | | 5 | | |
| SMART 2002 | 6.7 | 8.5 | 6.5 | 0.2 | 0.5 | 0.9 | 93.1 | 91.0 | 92.5 | N/A | N/A | N/A |
| CI | (3.3-10.1) | (7.4-9.6) | | (0.0-0.6) | (0.2-0.8) | | (89.7-96.6) | (89.9-92.1) | | | | |
| n | 17 | 283 | 51 | 1 | 19 | 51 | 240 | 2895 | 51 | | | |
| ALL 2001[^] | 6.5 | 7.7 | 6.5 | 1.0 | 0.5 | 0.9 | 92.5 | 91.7 | 92.7 | N/A | N/A | N/A |
| CI | | (6.5-8.9) | | | (0.2-0.8) | | | (90.5-92.9) | | | | |
| n | | 231 | 51 | | 18 | 51 | | 2673 | 51 | | | |
| Gender | | | | | | | | | | | | |
| Gender | Yes | | | Yes, pregnancy-related | | | No | | | No, prediabetes or borderline diabetes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Male | 7.6 | 9.6 | 8.4 | 1.5 | N/A | 0.0 | 90.7 | 89.4 | 90.2 | 0.3 | 0.9 | 0.9 |
| CI | (7.1 - 8.0) | (8.0-11.3) | | (1.0 - 1.9) | | | (90.6 - 90.8) | (87.6-91.1) | | *** | (0.4-1.4) | |
| n | 49 | 241 | 51 | ??? | | 0 | 341 | 1421 | 51 | 2 | 25 | 51 |
| Female | 9.6 | 11.0 | 7.8 | 3.4 | 1.1 | 1.6 | 86.4 | 86.6 | 89.1 | 0.5 | 1.1 | 1.1 |
| CI | (9.2 - 10.0) | (9.7-12.4) | | (3.0 - 3.9) | (0.5-1.6) | | (86.2 - 86.5) | (85.1-88.1) | | *** | (0.6-1.7) | |
| n | 132 | 449 | 51 | 33 | 26 | 51 | 800 | 2815 | 51 | 7 | 40 | 51 |

Note: Figures for State and US (States and DC) are from the CDC (Behavioral Risk Factor Surveillance System) website as of July 06, 2009.

N/A=Value not available or not applicable or not computed

[^] = 2001 MPHDS BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Diabetes

Have you ever been told by a doctor that you have diabetes?

2008 Data Unless Otherwise Indicated

| Age | | | | | | | | | | | | | |
|--------------|----------|---------------|----------------|------------------------|-------------|----------------|------------|---------------|----------------|--|-------------|----------------|------------|
| Age Group | Yes | | | Yes, pregnancy-related | | | No | | | No, prediabetes or borderline diabetes | | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | |
| 18-24 | % | 1.5 | 2.8 | 1.2 | 0.2 | 0.2 | 0.4 | 98.3 | 96.9 | 97.9 | - | N/A | 0.4 |
| | CI | (0.7 - 2.4) | (0.0-6.2) | | *** | (0.0-0.6) | | (98.2 - 98.4) | (93.5-100.0) | | - | | |
| | n | 1 | 3 | 42 | 1 | 1 | 42 | 74 | 117 | 51 | - | | 29 |
| 25-34 | % | 3.3 | 2.6 | 1.9 | 3.9 | 1.6 | 1.5 | 92.8 | 95.2 | 96.0 | | 0.5 | 0.3 |
| | CI | (2.6 - 4.0) | (0.9-4.3) | | (3.3 - 4.6) | (0.1-3.1) | | (92.6 - 92.9) | (92.8-97.6) | | | (0.0-1.4) | |
| | n | 6 | 11 | 51 | 8 | 7 | 51 | 129 | 372 | 51 | | 1 | 48 |
| 35-44 | % | 3.4 | 6.6 | 4.3 | 3.7 | 0.6 | 1.4 | 92.9 | 92.1 | 93.2 | | 0.6 | 0.6 |
| | CI | (2.7 - 4.0) | (4.4-8.7) | | (3.1 - 4.4) | (0.1-1.1) | | (92.7 - 93.1) | (89.8-94.4) | | | (0.0-1.3) | |
| | n | 8 | 52 | 51 | 10 | 8 | 51 | 193 | 617 | 51 | | 4 | 50 |
| 45-54 | % | 10.3 | 9.4 | 8.6 | 2.5 | 0.3 | 0.7 | 86.8 | 88.5 | 89.3 | 0.4 | 1.7 | 1.0 |
| | CI | (9.7 - 11.0) | (7.0-11.7) | | (1.9 - 3.2) | (0.0-0.6) | | (86.5 - 87.0) | (86.0-91.1) | | *** | (0.6-2.7) | |
| | n | 29 | 99 | 51 | 6 | 4 | 51 | 215 | 937 | 51 | 1 | 14 | 51 |
| 55-64 | % | 17.3 | 17.8 | 13.9 | 2.2 | 0.0 | 0.3 | 79.3 | 80.5 | 83.3 | 1.2 | 1.4 | 1.5 |
| | CI | (16.6 - 18.0) | (15.0-20.7) | | (1.4 - 3.0) | (0.0-0.1) | | (78.9 - 79.7) | (77.6-83.5) | | (0.4 - 2.0) | (0.6-2.2) | |
| | n | 49 | 214 | 51 | 5 | 1 | 51 | 175 | 920 | 51 | 2 | 19 | 51 |
| 65+ | % | 17.8 | 20.5 | 19.1 | 1.2 | 0.4 | 0.3 | 79.9 | 77.4 | 78.6 | 1.0 | 1.6 | 1.8 |
| | CI | (17.1 - 18.5) | (17.9-23.0) | | (0.5 - 2.0) | (0.0-0.8) | | (79.6 - 80.3) | (74.8-80.0) | | (0.3 - 1.8) | (0.9-2.3) | |
| | n | 87 | 311 | 51 | 9 | 5 | 50 | 355 | 1273 | 51 | 6 | 27 | 51 |

| Race | | | | | | | | | | | | | |
|--------------------|----------|---------------|----------------|------------------------|-------------|----------------|------------|---------------|----------------|--|-------------|----------------|------------|
| Race | Yes | | | Yes, pregnancy-related | | | No | | | No, prediabetes or borderline diabetes | | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | |
| White | % | 8.5 | 10.6 | 7.5 | 2.1 | 0.4 | 0.8 | 88.9 | 87.7 | 90.6 | 0.6 | 1.1 | 1.0 |
| | CI | (8.1 - 8.8) | (9.5-11.8) | | (1.7 - 2.5) | (0.2-0.7) | | (88.7 - 89.0) | (86.4-88.9) | | (0.2 - 0.9) | (0.7-1.5) | |
| | n | 90 | 576 | 51 | 17 | 18 | 51 | 700 | 3635 | 51 | 7 | 56 | 51 |
| Black | % | 11.5 | 12.2 | 13.1 | 3.6 | 1.1 | 0.8 | 84.8 | 85.8 | 85.1 | 0.1 | 0.8 | 1.2 |
| | CI | (11.0 - 12.1) | (8.7-15.7) | | (3.0 - 4.2) | (0.0-2.2) | | (84.6 - 85.0) | (82.1-89.6) | | *** | (0.0-1.7) | |
| | n | 79 | 98 | 38 | 12 | 6 | 34 | 271 | 429 | 38 | 1 | 5 | 35 |
| Hispanic | % | 3.4 | 1.2 | 7.4 | 2.5 | | 1.4 | 93.9 | 93.3 | 89.8 | 0.3 | 0.3 | 1.0 |
| | CI | (2.2 - 4.6) | (0.0-2.9) | | (1.3 - 3.7) | N/A | | (93.6 - 94.2) | (96.5-100.0) | | *** | (0.0-0.9) | |
| | n | 11 | 3 | 45 | 7 | | 42 | 138 | 60 | 45 | 1 | 2 | 43 |
| Other | % | - | 7.2 | 8.1 | 3.0 | 1.4 | 1.4 | 97.0 | 89.6 | 89.4 | - | 1.7 | 0.9 |
| | CI | - | (1.0-13.3) | | (1.3 - 4.6) | (0.0-4.2) | | (96.8 - 97.3) | (82.0-97.2) | | - | (0.0-5.0) | |
| | n | | 8 | 49 | 2 | 1 | 39 | 19 | 45 | 49 | | 1 | 44 |
| MultiRacial | % | 4.8 | 2.1 | 9.1 | - | | 1.0 | 95.2 | 96.6 | 88.6 | - | 1.2 | 1.6 |
| | CI | (2.3 - 7.3) | (0.0-4.5) | | - | N/A | | (94.6 - 95.7) | (93.1-100.0) | | - | (0.0-3.6) | |
| | n | 2 | 4 | 38 | | | 32 | 11 | 52 | 35 | | 1 | 34 |

Note: Figures for State and US (States and DC) are from the CDC (Behavioral Risk Factor Surveillance System) website as of July 06, 2009.

N/A=Value not available or not applicable or not computed

^ = 2001 MPHDS BRFSS percentages

* = US values are median percentages of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Diabetes

Have you ever been told by a doctor that you have diabetes?

2008 Data Unless Otherwise Indicated

| Income | | | | | | | | | | | | | |
|----------------------------|----|---------------|-------------|----------------|------------------------|------------|----------------|----------------|-------------|----------------|--|------------|----------------|
| Income Category | | Yes | | | Yes, pregnancy-related | | | No | | | No, prediabetes or borderline diabetes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| < \$15,000 | % | 35.3 | 18.2 | 15.2 | 1.4 | 0.8 | 0.7 | 62.3 | 78.8 | 82.1 | 1.0 | 2.0 | 1.4 |
| | CI | (33.5 - 37.2) | (14.0-22.3) | | *** | (0.0-1.5) | | (60.9 - 63.7) | (74.5-83.2) | | *** | (0.9-3.2) | |
| | n | 10 | 133 | 51 | 1 | 5 | 49 | 17 | 413 | 51 | 1 | 20 | 51 |
| \$15,000 - \$24,999 | % | 8.9 | 13.0 | 12.2 | 3.2 | 1.0 | 0.8 | 86.8 | 85.1 | 85.1 | 1.1 | 0.7 | 1.3 |
| | CI | (8.0 - 9.8) | (10.2-15.7) | | (2.3 - 4.1) | (0.0-2.4) | | (86.5 - 87.2) | (82.0-88.2) | | (0.2 - 2.0) | (0.1-1.3) | |
| | n | 27 | 142 | 51 | 5 | 4 | 51 | 148 | 715 | 51 | 1 | 9 | 51 |
| \$25,000 - \$34,999 | % | 11.9 | 9.4 | 10.1 | 1.6 | 0.1 | 0.7 | 86.3 | 90.1 | 87.6 | 0.2 | 0.2 | 1.0 |
| | CI | (11.0 - 12.7) | (6.1-12.7) | | (0.7 - 2.4) | (0.0-0.5) | | (86.0 - 86.7) | (86.8-93.5) | | *** | (0.0-0.4) | |
| | n | 34 | 65 | 51 | 4 | 1 | 50 | 151 | 479 | 51 | 1 | 3 | 51 |
| \$35,000 - \$49,999 | % | 8.8 | 10.6 | 8.6 | 3.2 | 0.3 | 0.8 | 87.2 | 88.0 | 89.2 | 0.8 | 0.9 | 1.1 |
| | CI | (8.0 - 9.5) | (7.5-13.7) | | (2.5 - 4.0) | (0.0-0.8) | | (86.9 - 87.4) | (84.6-91.3) | | (0.1 - 1.6) | (0.0-1.9) | |
| | n | 28 | 75 | 51 | 8 | 2 | 51 | 153 | 468 | 51 | 3 | 6 | 51 |
| \$50,000 Plus | % | 6.6 | 6.4 | 5.4 | 3.0 | 0.5 | 0.8 | 90.1 | 91.8 | 92.9 | 0.3 | 1.1 | 0.6 |
| | CI | (6.1 - 7.1) | (4.6-8.2) | | (2.5 - 3.5) | (0.0-1.0) | | (90.00 - 90.3) | (89.8-93.8) | | *** | (0.3-2.0) | |
| | n | 32 | 94 | 51 | 14 | 5 | 51 | 316 | 1056 | 51 | 3 | 13 | 51 |

| Education | | | | | | | | | | | | | |
|-------------------------|----|---------------|-------------|----------------|------------------------|------------|----------------|---------------|-------------|----------------|--|------------|----------------|
| Education | | Yes | | | Yes, pregnancy-related | | | No | | | No, prediabetes or borderline diabetes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Less than H.S. | % | 10.9 | 17.9 | 13.3 | 1.2 | 0.6 | 0.6 | 87.3 | 79.8 | 84.5 | 0.6 | 1.6 | 1.3 |
| | CI | (10.0 - 11.8) | (14.4-21.3) | | (0.3 - 2.2) | (0.0-1.8) | | (87.0 - 87.7) | (76.0-83.5) | | *** | (0.5-2.6) | |
| | n | 27 | 167 | 51 | 5 | 2 | 49 | 149 | 535 | 51 | 1 | 15 | 51 |
| H.S. or G.E.D. | % | 8.2 | 9.5 | 9.5 | 2.1 | 0.6 | 0.7 | 89.6 | 88.6 | 88.6 | 0.1 | 1.2 | 1.1 |
| | CI | (7.7 - 8.8) | (7.8-11.2) | | (1.6 - 2.6) | (0.0-1.1) | | (89.4 - 89.8) | (86.7-90.5) | | *** | (0.5-1.9) | |
| | n | 52 | 247 | 51 | 12 | 9 | 51 | 364 | 1532 | 51 | 1 | 24 | 51 |
| Some post- H.S. | % | 10.5 | 10.5 | 8.8 | 3.7 | 0.1 | 0.9 | 85.0 | 88.4 | 89.3 | 0.8 | 0.8 | 1.0 |
| | CI | (10.0 - 11.1) | (8.4-12.6) | | (3.2- 4.3) | (0.0-0.3) | | (84.7 - 85.2) | (86.3-90.6) | | (0.2 - 1.4) | (0.3-1.3) | |
| | n | 55 | 172 | 51 | 11 | 5 | 51 | 246 | 1184 | 51 | 3 | 17 | 51 |
| College graduate | % | 7.4 | 7.8 | 5.7 | 2.5 | 0.9 | 0.9 | 89.7 | 90.4 | 92.3 | 0.4 | 0.7 | 0.7 |
| | CI | (6.9 - 7.9) | (5.8-9.8) | | (2.0 - 3.0) | (0.3-1.6) | | (89.5 - 89.9) | (88.2-92.6) | | *** | (0.0-1.4) | |
| | n | 46 | 99 | 51 | 12 | 10 | 51 | 362 | 969 | 51 | 4 | 8 | 51 |

Note: Figures for State and US (States and DC) are from the CDC (Behavioral Risk Factor Surveillance System) website as of July 06, 2009.

N/A=Value not available or not applicable or not computed

^ = 2001 MPHDS BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Disability

Adults who are limited in any activities because of physical, mental, or emotional problems

2008 Data Unless Otherwise Indicated

| ALL | | | | | | | |
|-------------------|--------------|--------------------------------------|------------------------------------|-----------------------|-------------------------------------|------------------------------------|-----------------------|
| SOURCE | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| ALL 2008 | % CI n | 82.9 (82.8 - 83.0) 1067 | 77.2 (75.4-78.9) 3609 | 20.5 51 | 17.1 (16.8 - 17.4) 302 | 22.7 (21.0-24.5) 1391 | 79.4 51 |
| ALL 2005 | % CI n | 82.3 (82.2 - 82.4) 675 | 79.9 (78.4-81.4) 3607 | 81.4 51 | 17.6 (17.5 - 17.8) 177 | 20.1 (18.6-21.6) 1101 | 18.6 51 |
| SMART 2005 | % CI n | 82.7 (79.8 - 85.7) 675 | 79.9 (78.4-81.4) 3607 | 81.4 51 | 17.1 (14.2 - 20.1) 177 | 20.1 (18.6-21.6) 1101 | 18.6 51 |
| SMART 2002 | % CI n | N/A | N/A | N/A | N/A | N/A | N/A |
| ALL 2001^ | % CI n | N/A | 83.6 (82.0-85.2) 2387 | 83.4 51 | N/A | 16.4 (14.8-18.0) 503 | 16.6 51 |
| Gender | | | | | | | |
| Gender | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Male | % CI n | 85.7 (85.5 - 85.9) 327 | 79.6 (76.7-82.5) 1251 | 81.2 51 | 14.3 (13.9 - 14.7) 72 | 20.3 (17.5-23.2) 428 | 18.7 51 |
| Female | % CI n | 80.4 (80.2 - 80.6) 738 | 74.9 (73.0-76.9) 2358 | 77.8 51 | 19.6 (19.3 - 20.0) 230 | 25.0 (23.0-27.0) 963 | 22.1 51 |
| Age | | | | | | | |
| Age Group | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| 18-24 | % CI n | 96.8 (96.7 - 97.0) 73 | 91.3 (84.9-97.6) 110 | 89.3 50 | 3.2 (2.3 - 4.0) 3 | 8.6 (2.3-15.0) 10 | 10.6 50 |
| 25-34 | % CI n | 87.8 (87.5 - 88.0) 130 | 86.8 (81.2-92.4) 344 | 87.3 51 | 12.2 (11.6 - 12.9) 14 | 13.1 (7.5-18.7) 46 | 12.6 51 |
| 35-44 | % CI n | 89.6 (89.4 - 89.8) 188 | 80.3 (76.4-84.3) 534 | 85.0 51 | 10.4 (9.8 - 11.0) 22 | 19.6 (15.6-23.5) 149 | 14.9 51 |
| 45-54 | % CI n | 78.9 (78.6 - 79.2) 199 | 75.2 (72.0-78.5) 761 | 77.4 51 | 21.1 (20.5 - 21.7) 51 | 24.7 (21.5-28.0) 289 | 22.5 51 |
| 55-64 | % CI n | 73.5 (73.1 - 73.9) 159 | 68.8 (65.3-72.2) 760 | 70.7 51 | 26.5 (25.9 - 27.2) 71 | 31.1 (27.7-34.6) 388 | 29.2 51 |
| 65+ | % CI n | 70.5 (70.0 - 71.0) 316 | 67.8 (64.9-70.6) 1100 | 67.3 51 | 29.5 (28.8 - 30.1) 139 | 32.1 (29.3-35.0) 509 | 32.6 51 |

Note: Figures for State and US (States and DC) are from the CDC (Behavioral Risk Factor Surveillance System) website as of July 06, 2009.

N/A=Value not available or not applicable or not computed

^ = 2001 MPHDS BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Disability

Adults who are limited in any activities because of physical, mental, or emotional problems
2008 Data Unless Otherwise Indicated

| Race | | | | | | | |
|--------------------|----|---------------|-------------|----------------|---------------|-------------|----------------|
| Race | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| White | % | 79.8 | 75.0 | 78.5 | 20.2 | 24.9 | 21.4 |
| | CI | (79.7 - 80.0) | (73.1-76.9) | | (19.9 - 20.5) | (23.0-26.9) | |
| | n | 598 | 3050 | 51 | 211 | 1221 | 51 |
| Black | % | 85.7 | 83.6 | 80.2 | 14.3 | 16.3 | 19.7 |
| | CI | (85.5 - 85.9) | (79.3-87.9) | | (13.8 - 14.9) | (12.0-20.6) | |
| | n | 287 | 411 | 35 | 76 | 125 | 35 |
| Hispanic | % | 96.4 | 92.7 | 87.1 | 3.6 | 7.2 | 12.9 |
| | CI | (96.2 - 96.7) | (87.1-98.3) | | (2.4 - 4.8) | (1.6-12.8) | |
| | n | 149 | 49 | 40 | 9 | 16 | 40 |
| Other | % | 97.1 | N/A | 84.4 | 2.9 | N/A | 15.5 |
| | CI | (96.8 - 97.3) | | | (1.3 - 4.6) | | |
| | n | 19 | | 41 | 2 | | 41 |
| MultiRacial | % | 86.4 | 91.1 | 68.8 | 13.6 | 8.8 | 31.1 |
| | CI | (85.5 - 87.4) | (83.9-98.3) | | (11.2 - 16.0) | (1.6-16.0) | |
| | n | 10 | 47 | 9 | 3 | 10 | 9 |

| Income | | | | | | | |
|----------------------------|----|---------------|-------------|----------------|---------------|-------------|----------------|
| Income Category | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| < \$15,000 | % | 60.0 | 49.5 | 58.8 | 40.0 | 50.4 | 41.1 |
| | CI | (58.6 - 61.5) | (42.8-56.2) | | (38.2 - 41.8) | (43.7-57.1) | |
| | n | 19 | 264 | 50 | 10 | 304 | 50 |
| \$15,000 - \$24,999 | % | 57.3 | 68.3 | 70.4 | 42.7 | 31.6 | 29.5 |
| | CI | (56.7 - 57.9) | (62.7-73.9) | | (42.0 - 43.4) | (26.0-37.2) | |
| | n | 101 | 570 | 50 | 80 | 299 | 50 |
| \$25,000 - \$34,999 | % | 82.0 | 79.4 | 77.3 | 18.0 | 20.5 | 22.7 |
| | CI | (81.7 - 82.4) | (75.1-83.8) | | (17.2 - 18.8) | (16.1-24.9) | |
| | n | 148 | 411 | 51 | 43 | 135 | 51 |
| \$35,000 - \$49,999 | % | 84.1 | 83.0 | 79.6 | 15.9 | 16.9 | 20.3 |
| | CI | (83.8 - 84.4) | (78.3-87.6) | | (15.2 - 16.6) | (12.3-21.6) | |
| | n | 154 | 436 | 51 | 38 | 112 | 51 |
| \$50,000 Plus | % | 90.4 | 89.2 | 85.4 | 9.6 | 10.7 | 14.6 |
| | CI | (90.3 - 90.6) | (87.0-91.3) | | (9.1 - 10.0) | (8.6-12.9) | |
| | n | 314 | 1003 | 51 | 49 | 165 | 51 |

| Education | | | | | | | |
|-------------------------|----|---------------|-------------|----------------|---------------|-------------|----------------|
| Education | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Less than H.S. | % | 65.6 | 62.3 | 73.9 | 34.4 | 37.7 | 26.0 |
| | CI | (65.0 - 66.1) | (56.8-67.7) | | (33.7 - 35.2) | (32.2-43.1) | |
| | n | 119 | 400 | 51 | 64 | 311 | 51 |
| H.S. or G.E.D. | % | 79.4 | 76.9 | 77.8 | 20.6 | 23.0 | 22.1 |
| | CI | (79.1 - 79.6) | (73.8-80.1) | | (20.1 - 21.1) | (19.8-26.1) | |
| | n | 316 | 1307 | 51 | 111 | 500 | 51 |
| Some post- H.S. | % | 83.9 | 76.3 | 77.8 | 16.1 | 23.6 | 22.1 |
| | CI | (83.7 - 84.2) | (73.1-79.5) | | (15.5 - 16.6) | (20.4-26.8) | |
| | n | 246 | 997 | 51 | 67 | 380 | 51 |
| College graduate | % | 89.5 | 85.9 | 83.7 | 10.5 | 14.0 | 16.2 |
| | CI | (89.4 - 89.7) | (83.0-88.8) | | (10.0 - 11.0) | (11.1-17.0) | |
| | n | 365 | 892 | 51 | 58 | 192 | 51 |

N/A=Value not available or not applicable or not computed

^ = 2001 MPHDS BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Disability

Adults who are limited in any activities because of physical, mental, or emotional problems
2008 Data Unless Otherwise Indicated

Note: Figures for State and US (States and DC) are from the CDC (Behavioral Risk Factor Surveillance System) website as of July 06, 2009.

N/A=Value not available or not applicable or not computed

^ = 2001 MPHD's BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Disability

Adults with health problem(s) that requires the use of special equipment

2008 Data Unless Otherwise Indicated

| ALL | | | | | | | |
|-------------------|--------------|--------------------------------------|------------------------------------|-----------------------|------------------------------------|-----------------------------------|-----------------------|
| SOURCE | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| ALL 2008 | % CI n | 91.4 (91.3 - 91.5) 1202 | 90.5 (89.4-91.6) 4385 | 92.8 51 | 8.6 (8.3 - 8.9) 171 | 9.4 (8.3-10.5) 629 | 7.1 51 |
| ALL 2005 | % CI n | 93.6 (93.5 - 93.7) 788 | 92.5 (91.6-93.4) 4294 | 93.8 51 | 6.3 (6.2 - 6.4) 64 | 7.5 (6.6-8.4) 414 | 6.2 51 |
| SMART 2005 | % CI n | 94.0 (92.2-95.7) 788 | 92.5 (91.6-93.4) 4294 | 93.8 51 | 6.0 (4.2-7.7) 64 | 7.5 (6.6-8.4) 414 | 6.2 51 |
| SMART 2002 | % CI n | N/A | N/A | N/A | N/A | N/A | N/A |
| ALL 2001^ | % CI n | N/A | 94.4 (93.5-95.3) 2721 | 94.6 51 | N/A | 5.6 (4.7-6.5) 174 | 5.4 51 |
| Gender | | | | | | | |
| Gender | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Male | % CI n | 91.4 (91.3 - 91.5) 353 | 91.4 (89.7-93.2) 1496 | 93.2 51 | 8.6 (8.2 - 9.0) 46 | 8.5 (6.7-10.2) 190 | 6.7 51 |
| Female | % CI n | 91.4 (91.3 - 91.5) 847 | 89.7 (88.4-91.0) 2889 | 92.2 51 | 8.6 (8.2 - 9.0) 125 | 10.2 (8.9-11.5) 439 | 7.7 51 |
| Age | | | | | | | |
| Age Group | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| 18-24 | % CI n | 99.7 (99.6 - 99.7) 74 | 95.1 (89.4-100.0) 118 | 98.5 51 | 0.3 *** 2 | 4.8 (0.0-10.5) 3 | 1.4 49 |
| 25-34 | % CI n | 95.0 (94.8 - 95.1) 138 | 97.7 (96.1-99.4) 382 | 97.7 51 | 5.0 (4.5 - 5.7) 6 | 2.2 (0.5-3.8) 9 | 2.2 51 |
| 35-44 | % CI n | 95.5 (95.3 - 95.6) 201 | 93.3 (91.0-95.6) 638 | 96.1 51 | 4.5 (3.9 - 5.2) 10 | 6.6 (4.3-8.9) 45 | 3.8 51 |
| 45-54 | % CI n | 90.5 (90.3 - 90.7) 228 | 91.4 (89.2-93.5) 950 | 93.1 51 | 9.5 (8.8 - 10.2) 23 | 8.6 (6.4-10.7) 104 | 6.8 51 |
| 55-64 | % CI n | 88.7 (88.4 - 88.9) 199 | 86.2 (83.2-89.1) 994 | 89.5 51 | 11.3 (10.6 - 12.1) 32 | 13.7 (10.8-16.7) 155 | 10.4 51 |
| 65+ | % CI n | 78.4 (78.1 - 78.8) 359 | 80.8 (78.5-83.2) 1303 | 81.2 51 | 21.6 (20.9 - 22.3) 97 | 19.1 (16.7-21.4) 313 | 18.7 51 |

Note: Figures for State and US (States and DC) are from the CDC (Behavioral Risk Factor Surveillance System) website as of July 06, 2009.

N/A=Value not available or not applicable or not computed

^ = 2001 MPHD's BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Disability

Adults with health problem(s) that requires the use of special equipment

2008 Data Unless Otherwise Indicated

| Race | | | | | | |
|--------------------|---------------|--------------|----------------|---------------|-------------|----------------|
| Race | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| White | 90.7 | 89.8 | 92.7 | 9.3 | 10.2 | 7.2 |
| % | (90.6 - 90.8) | (88.5-91.0) | | (89.5 - 96.5) | (8.9-11.4) | |
| CI | 708 | 3744 | 51 | 106 | 540 | 51 |
| n | | | | | | |
| Black | 91.6 | 91.9 | 90.6 | 8.4 | 8.0 | 9.3 |
| % | (91.4 - 91.7) | (89.0-94.8) | | (7.9 - 9.0) | (5.1-10.9) | |
| CI | 51 | 464 | 37 | 311 | 72 | 37 |
| n | | | | | | |
| Hispanic | 94.8 | 97.9 | 95.6 | 5.2 | 2.0 | 4.3 |
| % | (94.5 - 95.1) | (95.7-100.0) | | (4.0 - 6.4) | (0.0-4.2) | |
| CI | 148 | 59 | 49 | 10 | 6 | 49 |
| n | | | | | | |
| Other | 95.4 | 92.8 | 94.1 | 4.6 | 7.1 | 5.9 |
| % | (95.1 - 95.8) | (85.7-99.9) | | (3.0 - 6.2) | (0.0-14.2) | |
| CI | 19 | 50 | 48 | 2 | 5 | 48 |
| n | | | | | | |
| MultiRacial | 96.7 | 96.7 | 89.3 | 3.3 | 3.2 | 10.6 |
| % | (96.2 - 97.2) | (93.6-99.9) | | (0.8 - 5.8) | (0.0-6.3) | |
| CI | 12 | 52 | 29 | 1 | 5 | 29 |
| n | | | | | | |

| Income | | | | | | |
|----------------------------|---------------|-------------|----------------|---------------|-------------|----------------|
| Income Category | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| < \$15,000 | 70.8 | 80.4 | 80.9 | 29.2 | 19.5 | 19.0 |
| % | (69.6 - 72.1) | (76.1-84.7) | | (27.2 - 31.1) | (15.2-23.8) | |
| CI | 21 | 429 | 51 | 8 | 141 | 51 |
| n | | | | | | |
| \$15,000 - \$24,999 | 77.4 | 85.6 | 87.7 | 22.6 | 14.3 | 12.3 |
| % | (77.0 - 77.8) | (82.1-89.1) | | (21.8 - 23.4) | (10.8-17.9) | |
| CI | 131 | 727 | 51 | 50 | 145 | 51 |
| n | | | | | | |
| \$25,000 - \$34,999 | 90.7 | 91.5 | 91.9 | 9.3 | 8.4 | 8.0 |
| % | (90.4 - 90.9) | (87.8-95.3) | | (8.5 - 10.2) | (4.6-12.1) | |
| CI | 164 | 499 | 51 | 26 | 49 | 51 |
| n | | | | | | |
| \$35,000 - \$49,999 | 94.4 | 94.1 | 93.6 | 5.6 | 5.8 | 6.3 |
| % | (94.3 - 94.6) | (91.4-96.7) | | (4.8 - 6.3) | (3.2-8.5) | |
| CI | 175 | 510 | 51 | 17 | 41 | 51 |
| n | | | | | | |
| \$50,000 Plus | 96.3 | 96.5 | 96.4 | 3.7 | 3.4 | 3.5 |
| % | (96.2 - 96.4) | (95.0-97.9) | | (3.2 - 4.2) | (2.0-4.9) | |
| CI | 347 | 1123 | 51 | 18 | 45 | 51 |
| n | | | | | | |

| Education | | | | | | |
|-------------------------|---------------|-------------|----------------|---------------|-------------|----------------|
| Education | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Less than H.S. | 87.3 | 83.0 | 87.0 | 12.7 | 16.9 | 12.9 |
| % | (87.0 - 87.7) | (79.5-86.6) | | (11.8 - 13.6) | (13.4-20.4) | |
| CI | 151 | 552 | 51 | 32 | 163 | 51 |
| n | | | | | | |
| H.S. or G.E.D. | 89.1 | 90.6 | 91.8 | 10.9 | 9.3 | 8.1 |
| % | (88.9 - 89.2) | (88.8-92.4) | | (10.4 - 11.5) | (7.5-11.1) | |
| CI | 359 | 1594 | 51 | 69 | 218 | 51 |
| n | | | | | | |
| Some post- H.S. | 92.0 | 89.7 | 92.4 | 8.0 | 10.2 | 7.5 |
| % | (91.9 - 92.2) | (87.4-92.0) | | (7.4 - 8.5) | (7.9-12.6) | |
| CI | 287 | 1213 | 51 | 28 | 167 | 51 |
| n | | | | | | |
| College graduate | 93.5 | 95.0 | 95.0 | 6.5 | 4.9 | 4.9 |
| % | (93.4 - 93.7) | (93.5-96.6) | | (6.0 - 6.9) | (3.3-6.4) | |
| CI | 383 | 1010 | 51 | 41 | 76 | 51 |
| n | | | | | | |

N/A=Value not available or not applicable or not computed

^ = 2001 MPHD's BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Disability

Adults with health problem(s) that requires the use of special equipment
2008 Data Unless Otherwise Indicated

Note: Figures for State and US (States and DC) are from the CDC (Behavioral Risk Factor Surveillance System) website as of July 06, 2009.

N/A=Value not available or not applicable or not computed

^ = 2001 MPHD's BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Exercise

During the past month, did you participate in any physical activities?

2008 Data Unless Otherwise Indicated

| ALL | | | | | | | |
|-----------------------------|----|---------------|-------------|----------------|---------------|-------------|----------------|
| SOURCE | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| ALL 2008 | % | 24.1 | 28.9 | 24.6 | 75.9 | 71.0 | 75.3 |
| | CI | (23.8 - 24.3) | (26.8-30.9) | | (75.8 - 76.1) | (69.0-73.1) | |
| | n | 395 | 1631 | 51 | 976 | 3383 | 51 |
| ALL 2005 | % | 28.5 | 33.1 | 23.8 | 71.3 | 66.9 | 76.2 |
| | CI | (28.4 - 28.7) | (31.1-35.1) | 51.0 | (71.1 - 71.4) | (64.9-68.9) | 51.0 |
| | n | 256 | 1686 | | 601 | 3059 | |
| SMART 2005 | % | 28.0 | 33.1 | 23.8 | 72.0 | 66.9 | 76.2 |
| | CI | (24.4-31.5) | (31.1-35.1) | | (68.4-75.5) | (64.9-68.9) | |
| | n | 256 | 1686 | 51 | 601 | 3059 | 51 |
| SMART 2002 | % | 27.6 | 33.6 | 24.1 | 72.4 | 66.4 | 75.9 |
| | CI | (21.4-33.8) | (31.7-35.5) | | (66.2-78.6) | (64.5-68.3) | |
| | n | 71 | 1104 | 51 | 187 | 2099 | 51 |
| ALL 2001[^] | % | 24.4 | 35.1 | 25.4 | 75.6 | 64.9 | 74.6 |
| | CI | | (33.1-37.1) | | | (62.9-66.9) | |
| | n | | 1073 | 51 | | 1849 | 51 |
| Gender | | | | | | | |
| Gender | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Male | % | 20.7 | 26.1 | 23.0 | 79.3 | 73.8 | 76.9 |
| | CI | (20.3 - 21.1) | (22.6-29.6) | | (79.1 - 79.5) | (70.3-77.3) | |
| | n | 93 | 495 | 51 | 305 | 1189 | 51 |
| Female | % | 27.1 | 31.4 | 26.5 | 72.9 | 68.5 | 73.4 |
| | CI | (26.8 - 27.4) | (29.2-33.6) | | (72.7 - 73.1) | (66.3-70.7) | |
| | n | 301 | 1136 | 51 | 670 | 2194 | 51 |
| Age | | | | | | | |
| Age Group | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| 18-24 | % | 14.5 | 12.4 | 18.8 | 85.5 | 87.5 | 81.1 |
| | CI | (13.7 - 15.3) | (6.0-18.8) | | (85.2 - 85.8) | (81.1-94.0) | |
| | n | 15 | 19 | 49 | 61 | 102 | 49 |
| 25-34 | % | 20.8 | 18.3 | 20.8 | 79.2 | 81.6 | 79.1 |
| | CI | (20.1 - 21.4) | (13.5-23.2) | | (78.9 - 79.6) | (76.7-86.4) | |
| | n | 36 | 78 | 51 | 108 | 311 | 51 |
| 35-44 | % | 16.8 | 31.3 | 22.9 | 83.2 | 68.6 | 77.0 |
| | CI | (16.2 - 17.4) | (25.7-36.9) | | (83.0 - 83.5) | (63.0-74.2) | |
| | n | 43 | 207 | 51 | 168 | 474 | 51 |
| 45-54 | % | 28.2 | 27.0 | 24.7 | 71.8 | 72.9 | 75.2 |
| | CI | (27.6 - 28.8) | (23.7-30.4) | | (71.5 - 72.2) | (69.6-76.2) | |
| | n | 70 | 320 | 51 | 181 | 733 | 51 |
| 55-64 | % | 28.3 | 35.5 | 26.9 | 71.7 | 64.4 | 73.0 |
| | CI | (27.7 - 29.0) | (31.8-39.1) | | (71.3 - 72.1) | (60.8-68.1) | |
| | n | 67 | 406 | 51 | 163 | 750 | 51 |
| 65+ | % | 63.4 | 36.8 | 32.8 | 36.6 | 63.1 | 67.1 |
| | CI | (62.9 - 63.8) | (33.9-39.7) | | (36.1 - 37.2) | (60.2-66.0) | |
| | n | 163 | 601 | 51 | 292 | 1013 | 51 |

Note: Figures for State and US (States and DC) are from the CDC (Behavioral Risk Factor Surveillance System) website as of July 06, 2009.

N/A=Value not available or not applicable or not computed

[^] = 2001 MPHDS BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Exercise

During the past month, did you participate in any physical activities?

2008 Data Unless Otherwise Indicated

| Race | | | | | | | |
|--------------------|--------------|-------------------------------------|------------------------------------|-----------------------|-------------------------------------|------------------------------------|-----------------------|
| Race | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| White | % CI n | 24.3 (24.0 - 24.7) 239 | 28.0 (26.1-30.0) 1348 | 22.6 51 | 75.7 (75.5 - 75.8) 573 | 71.9 (69.9-73.8) 2936 | 77.3 51 |
| Black | % CI n | 21.8 (21.3 - 22.3) 94 | 32.8 (26.8-38.8) 226 | 31.5 32 | 78.2 (77.9 - 78.5) 269 | 67.1 (61.2-73.1) 311 | 68.4 32 |
| Hispanic | % CI n | 31.6 (30.6 - 32.6) 53 | N/A | 31.6 31 | 68.4 (67.7 - 69.1) 105 | N/A | 68.3 31 |
| Other | % CI n | 22.9 (21.4 - 24.3) 6 | N/A | 25.7 28 | 77.1 (76.3 - 77.9) 15 | N/A | 74.3 28 |
| MultiRacial | % CI n | 22.4 (20.2 - 24.7) 3 | 10.2 (1.0-19.5) 11 | 18.8 12 | 77.6 (76.4 - 78.8) 10 | 89.7 (80.4-99.0) 46 | 81.1 12 |

| Income | | | | | | | |
|----------------------------|--------------|------------------------------------|-----------------------------------|-----------------------|-------------------------------------|-----------------------------------|-----------------------|
| Income Category | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| < \$15,000 | % CI n | 56.6 (55.0 - 58.1) 15 | 46.3 (39.6-52.9) 270 | 40.9 49 | 43.4 (41.6 - 45.2) 13 | 53.6 (47.0-60.3) 301 | 59.0 49 |
| \$15,000 - \$24,999 | % CI n | 40.2 (39.5 - 40.9) 77 | 36.6 (31.6-41.6) 347 | 35.9 50 | 59.8 (59.2 - 60.4) 103 | 63.3 (58.3-68.3) 524 | 64.0 50 |
| \$25,000 - \$34,999 | % CI n | 26.8 (26.1 - 27.6) 60 | 27.1 (21.6-32.5) 163 | 31.3 51 | 73.2 (72.7 - 73.6) 131 | 72.8 (67.4-78.3) 385 | 68.6 51 |
| \$35,000 - \$49,999 | % CI n | 24.7 (24.0 - 25.3) 53 | 28.8 (20.6-37.0) 157 | 25.4 51 | 75.3 (75.0 - 75.7) 139 | 71.1 (62.9-79.3) 394 | 74.5 51 |
| \$50,000 Plus | % CI n | 16.6 (16.1 - 17.1) 63 | 14.1 (11.6-16.6) 190 | 16.7 51 | 83.4 (83.2 - 83.6) 302 | 85.8 (83.3-88.3) 976 | 83.2 51 |

| Education | | | | | | | |
|-------------------------|--------------|-------------------------------------|-----------------------------------|-----------------------|-------------------------------------|------------------------------------|-----------------------|
| Education | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Less than H.S. | % CI n | 32.7 (31.9 - 33.5) 79 | 50.4 (44.3-56.5) 397 | 41.7 49 | 67.3 (66.8 - 67.9) 102 | 49.5 (43.4-55.6) 322 | 58.2 49 |
| H.S. or G.E.D. | % CI n | 31.8 (31.3 - 32.2) 158 | 34.1 (30.1-38.0) 679 | 32.2 51 | 68.2 (67.9 - 68.6) 271 | 65.9 (61.9-69.8) 1131 | 67.7 51 |
| Some post- H.S. | % CI n | 23.5 (23.0 - 24.0) 84 | 22.8 (19.6-26.0) 343 | 23.6 51 | 76.5 (76.2 - 76.8) 230 | 77.1 (73.9-80.3) 1037 | 76.3 51 |
| College graduate | % CI n | 14.9 (14.4 - 15.4) 69 | 17.3 (14.0-20.7) 198 | 14.7 51 | 85.1 (84.9 - 85.3) 355 | 82.6 (79.2-85.9) 885 | 85.2 51 |

N/A=Value not available or not applicable or not computed

^ = 2001 MPHD's BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Exercise

During the past month, did you participate in any physical activities?
2008 Data Unless Otherwise Indicated

Note: Figures for State and US (States and DC) are from the CDC (Behavioral Risk Factor Surveillance System) website as of July 06, 2009.

N/A=Value not available or not applicable or not computed

^ = 2001 MPHD's BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Health Care Access

Do you have any kind of health care coverage?

2008 Data Unless Otherwise Indicated

| ALL | | | | | | | |
|-----------------------------|----|---------------|-------------|----------------|---------------|-------------|----------------|
| SOURCE | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| ALL 2008 | % | 13.1 | 16.5 | 14.5 | 86.9 | 83.4 | 85.4 |
| | CI | (12.8 - 13.4) | (14.4-18.6) | | (86.8 - 87.0) | (81.3-85.5) | |
| | n | 181 | 626 | 51 | 1186 | 4394 | 51 |
| ALL 2005 | % | 11.2 | 14.0 | 14.5 | 88.8 | 86.0 | 85.5 |
| | CI | (11.1 - 11.3) | (12.2-15.8) | | (88.7 - 88.9) | (84.2-87.8) | |
| | n | 74 | 536 | 51 | 785 | 4208 | 51 |
| SMART 2005 | % | 10.3 | 14.0 | 14.5 | 89.5 | 86.0 | 85.5 |
| | CI | (7.6-13.1) | (12.2-15.8) | | (86.8-92.3) | (84.2-87.8) | |
| | n | 74 | 536 | 51 | 785 | 4208 | 51 |
| SMART 2002 | % | 13.8 | 12.9 | 14.1 | 86.2 | 87.1 | 85.9 |
| | CI | (9.0-18.7) | (11.3-14.5) | | (81.3-91.0) | (85.5-88.7) | |
| | n | 36 | 352 | 51 | 221 | 2850 | 51 |
| ALL 2001[^] | % | 10.7 | 10.7 | 12.9 | 89.3 | 89.3 | 87.1 |
| | CI | | (9.3-12.1) | | | (87.9-90.7) | |
| | n | | 283 | 51 | | 2636 | 51 |
| Gender | | | | | | | |
| Gender | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Male | % | 13.1 | 19.3 | 15.2 | 86.9 | 80.7 | 84.7 |
| | CI | (12.7 - 13.5) | (15.4-23.1) | | (86.7 - 87.0) | (76.8-84.5) | |
| | n | 47 | 210 | 51 | 349 | 1477 | 51 |
| Female | % | 13.1 | 14.0 | 12.3 | 86.9 | 85.9 | 87.6 |
| | CI | (12.7 - 13.4) | (12.2-15.8) | | (86.8 - 87.1) | (84.1-87.7) | |
| | n | 134 | 416 | 51 | 835 | 2917 | 51 |
| Age | | | | | | | |
| Age Group | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| 18-24 | % | 25.1 | N/A | 27.6 | 74.9 | N/A | 72.3 |
| | CI | (24.4 - 25.9) | | | (74.5 - 75.3) | | |
| | n | 25 | | 48 | 49 | | 48 |
| 25-34 | % | 19.7 | 22.8 | 20.6 | 80.3 | 77.1 | 79.3 |
| | CI | (19.1 - 20.3) | (15.9-29.8) | | (80.0 - 80.6) | (70.1-84.0) | |
| | n | 49 | 67 | 51 | 94 | 324 | 51 |
| 35-44 | % | 10.1 | 20.5 | 13.9 | 89.9 | 79.4 | 86.0 |
| | CI | (9.5 - 10.7) | (15.2-25.9) | | (89.7 - 90.1) | (74.0-84.8) | |
| | n | 34 | 119 | 51 | 177 | 563 | 51 |
| 45-54 | % | 14.0 | 17.1 | 11.7 | 86.0 | 82.8 | 88.2 |
| | CI | (13.3 - 14.6) | (14.4-19.8) | | (85.8 - 86.3) | (80.1-85.5) | |
| | n | 37 | 202 | 51 | 213 | 849 | 51 |
| 55-64 | % | 9.8 | 14.0 | 9.9 | 90.2 | 85.9 | 90.1 |
| | CI | (9.1 - 10.6) | (11.4-16.7) | | (90.0 - 90.4) | (83.2-88.5) | |
| | n | 23 | 170 | 51 | 208 | 988 | 51 |
| 65+ | % | 1.7 | 2.1 | 1.8 | 98.3 | 97.8 | 98.1 |
| | CI | *** | (1.3-2.9) | | (98.2 - 98.4) | (97.0-98.6) | |
| | n | 13 | 39 | 51 | 442 | 1578 | 51 |

Note: Figures for State and US (States and DC) are from the CDC (Behavioral Risk Factor Surveillance System) website as of July 06, 2009.

N/A=Value not available or not applicable or not computed

[^] = 2001 MPH's BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Health Care Access

Do you have any kind of health care coverage?

2008 Data Unless Otherwise Indicated

| Race | | | | | | | |
|--------------------|--------------|------------------------------------|-----------------------------------|-----------------------|-------------------------------------|------------------------------------|-----------------------|
| Race | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| White | % CI n | 9.0 (8.6 - 9.3) 47 | 15.0 (13.1-16.9) 501 | 10.4 51 | 91.0 (90.9 - 91.1) 764 | 84.9 (83.0-86.8) 3789 | 89.5 51 |
| Black | % CI n | 11.7 (11.2 - 12.3) 37 | 19.2 (12.8-25.7) 88 | 19.8 34 | 88.3 (88.1 - 88.5) 325 | 80.7 (74.2-87.1) 449 | 80.1 34 |
| Hispanic | % CI n | 56.4 (55.6 - 57.2) 87 | N/A | 34.2 31 | 43.6 (42.7 - 44.6) 68 | N/A | 65.8 31 |
| Other | % CI n | 33.6 (32.3 - 35.0) 7 | N/A | 16.5 36 | 66.4 (65.4 - 67.3) 14 | N/A | 83.4 36 |
| MultiRacial | % CI n | 4.9 (2.4 - 7.4) 1 | N/A | 13.0 19 | 95.1 (94.6 - 95.7) 12 | N/A | 87.0 19 |

| Income | | | | | | | |
|----------------------------|--------------|------------------------------------|-----------------------------------|-----------------------|-------------------------------------|------------------------------------|-----------------------|
| Income Category | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| < \$15,000 | % CI n | 32.4 (30.5 - 34.3) 9 | 31.0 (23.8-38.3) 128 | 30.9 48 | 67.6 (66.3 - 69.0) 20 | 68.9 (61.6-76.1) 442 | 69.0 48 |
| \$15,000 - \$24,999 | % CI n | 32.2 (31.5 - 33.0) 39 | 30.0 (23.9-36.2) 175 | 29.9 50 | 67.8 (67.3 - 68.3) 142 | 69.9 (63.7-76.0) 697 | 70.0 50 |
| \$25,000 - \$34,999 | % CI n | 14.8 (14.0 - 15.6) 30 | 25.5 (18.6-32.3) 84 | 20.6 51 | 85.2 (84.8 - 85.5) 159 | 74.5 (67.6-81.3) 463 | 79.3 51 |
| \$35,000 - \$49,999 | % CI n | 9.8 (9.1 - 10.5) 18 | 12.3 (3.3-21.3) 43 | 12.6 50 | 90.2 (90.0 - 90.4) 173 | 87.6 (78.6-96.6) 508 | 87.3 50 |
| \$50,000 Plus | % CI n | 5.5 (5.0 - 6.0) 11 | 5.5 (3.2-7.8) 51 | 4.4 51 | 94.5 (94.4 - 94.6) 354 | 94.4 (92.1-96.7) 1117 | 95.6 51 |

| Education | | | | | | | |
|-------------------------|--------------|------------------------------------|-----------------------------------|-----------------------|-------------------------------------|------------------------------------|-----------------------|
| Education | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Less than H.S. | % CI n | 33.3 (32.5 - 34.1) 57 | 32.4 (25.4-39.4) 121 | 28.9 50 | 66.7 (66.1 - 67.3) 125 | 67.5 (60.5-74.5) 600 | 71.0 50 |
| H.S. or G.E.D. | % CI n | 17.2 (16.7 - 17.7) 70 | 20.1 (15.9-24.4) 277 | 18.7 51 | 82.8 (82.6 - 83.1) 356 | 79.8 (75.6-84.0) 1535 | 81.2 51 |
| Some post- H.S. | % CI n | 10.4 (9.8 - 11.0) 28 | 13.3 (10.4-16.1) 155 | 13.3 51 | 89.6 (89.4 - 89.8) 286 | 86.6 (83.8-89.5) 1224 | 86.6 51 |
| College graduate | % CI n | 5.6 (5.1 - 6.1) 23 | 7.3 (4.6-10.0) 71 | 5.5 51 | 94.4 (94.3 - 94.6) 400 | 92.7 (90.0-95.4) 1014 | 94.4 51 |

Note: Figures for State and US (States and DC) are from the CDC (Behavioral Risk Factor Surveillance System) website as of July 06, 2009.

N/A=Value not available or not applicable or not computed

^ = 2001 MPHDS BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Health Care Access

Adults aged 18-64 who have any kind of health care coverage
2008 Data Unless Otherwise Indicated

| ALL | | | | | | | |
|-------------------|----|---------------|-------------|---------------|---------------|-------------|----------------|
| SOURCE | | No | | | Yes | | |
| | | Davidson | Tennessee | United States | Davidson | Tennessee | United States* |
| ALL 2008 | % | 15.1 | 19.5 | 17.0 | 84.9 | 80.4 | 82.9 |
| | CI | (14.8 - 15.4) | (17.0-22.0) | | (84.7 - 85.0) | (77.9-82.9) | |
| | n | 168 | 578 | 51 | 741 | 2783 | 51 |
| ALL 2005 | % | 13.1 | 16.1 | 17.1 | 86.9 | 83.9 | 82.9 |
| | CI | (13.0 - 13.2) | (14.0-18.2) | | (86.8 - 87.0) | (81.8-86.0) | |
| | n | 74 | 494 | 51 | 598 | 3045 | 51 |
| SMART 2005 | % | N/A | 16.1 | 17.1 | N/A | 83.9 | 82.9 |
| | CI | | (14.0-18.2) | | | (81.8-86.0) | |
| | n | | 494 | 51 | | 3045 | 51 |
| SMART 2002 | % | N/A | N/A | N/A | N/a | N/A | N/A |
| | CI | | | | | | |
| | n | | | | | | |
| ALL 2001^ | % | N/A | N/A | N/A | N/A | N/A | N/A |
| | CI | | | | | | |
| | n | | | | | | |

| Gender | | | | | | | |
|---------------|----|---------------|-------------|---------------|---------------|-------------|----------------|
| Gender | | No | | | Yes | | |
| | | Davidson | Tennessee | United States | Davidson | Tennessee | United States* |
| Male | % | 14.8 | 22.3 | 17.7 | 85.2 | 77.6 | 82.2 |
| | CI | (14.3 - 15.2) | (17.8-26.7) | | (85.0 - 85.3) | (73.2-82.1) | |
| | n | 45 | 193 | 51 | 235 | 956 | 51 |
| Female | % | 15.4 | 16.8 | 14.9 | 84.6 | 83.1 | 85.0 |
| | CI | (15.0 - 15.8) | (14.6-19.0) | | (84.4 - 84.8) | (80.9-85.3) | |
| | n | 123 | 385 | 51 | 505 | 1827 | 51 |

| Age | | | | | | | |
|--------------|----|---------------|-------------|---------------|---------------|-------------|----------------|
| Age Group | | No | | | Yes | | |
| | | Davidson | Tennessee | United States | Davidson | Tennessee | United States* |
| 18-24 | % | 25.1 | N/A | 27.6 | 74.9 | N/A | 72.3 |
| | CI | (24.4 - 25.9) | | | (74.5 - 75.3) | | |
| | n | 25 | | 48 | 49 | | 48 |
| 25-34 | % | 19.7 | 22.8 | 20.6 | 80.3 | 77.1 | 79.3 |
| | CI | (19.1 - 20.3) | (15.9-29.8) | | (80.0 - 80.6) | (70.1-84.0) | |
| | n | 49 | 67 | 51 | 94 | 324 | 51 |
| 35-44 | % | 10.1 | 20.5 | 13.9 | 89.9 | 79.4 | 86.0 |
| | CI | (9.5 - 10.7) | (15.2-25.9) | | (89.7 - 90.1) | (74.0-84.8) | |
| | n | 34 | 119 | 51 | 177 | 563 | 51 |
| 45-54 | % | 14.0 | 17.0 | 11.9 | 86.0 | 82.9 | 88.0 |
| | CI | (13.3 -14.6) | (14.3-19.7) | | (85.8 - 86.3) | (80.2-85.6) | |
| | n | 37 | 200 | 51 | 213 | 844 | 51 |
| 55-64 | % | 9.8 | 13.9 | 9.9 | 90.2 | 86.0 | 90.0 |
| | CI | (9.1 - 10.6) | (11.3-16.6) | | (90.0 - 10.6) | (83.3-88.6) | |
| | n | 23 | 163 | 51 | 208 | 960 | 51 |

Note: Figures for State and US (States and DC) are from the CDC (Behavioral Risk Factor Surveillance System) website as of July 06, 2009.

N/A=Value not available or not applicable or not computed

^ = 2001 MPHDS BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Health Care Access

Adults aged 18-64 who have any kind of health care coverage
2008 Data Unless Otherwise Indicated

| Race | | | | | | | |
|--------------------|----|---------------|-------------|---------------|----------------|-------------|----------------|
| Race | | No | | | Yes | | |
| | | Davidson | Tennessee | United States | Davidson | Tennessee | United States* |
| White | % | 10.7 | 18.0 | 12.9 | 89.3 | 81.9 | 87.0 |
| | CI | (10.3 - 11.0) | (15.7-20.3) | | (89.2 - 89.5) | (79.6-84.2) | |
| | n | 42 | 464 | 51 | 447 | 2348 | 51 |
| Black | % | 12.9 | 21.1 | 21.7 | 87.1 | 78.9 | 78.3 |
| | CI | (12.3 - 13.5) | (13.8-28.3) | | (86.9 - 87.4) | (71.6-86.1) | |
| | n | 34 | 80 | 32 | 220 | 328 | 32 |
| Hispanic | % | 57.5 | N/A | 39.4 | 42.5 | N/A | 60.5 |
| | CI | (56.7 - 58.4) | | | (41.5 - 43.4) | | |
| | n | 84 | | 29 | 56 | | 29 |
| Other | % | 36.3 | N/A | 17.0 | 63.7 | N/A | 82.9 |
| | CI | (35.0 - 37.7) | | | (62.6 - 64.71) | | |
| | n | 7 | | 28 | 9 | | 28 |
| MultiRacial | % | 5.4 | N/A | 11.3 | 94.6 | N/A | 88.6 |
| | CI | (2.8 - 8.1) | | | (93.9 - 95.2) | | |
| | n | 1 | | 12 | 8 | | 12 |

| Income | | | | | | | |
|----------------------------|----|---------------|-------------|---------------|---------------|-------------|----------------|
| Income Category | | No | | | Yes | | |
| | | Davidson | Tennessee | United States | Davidson | Tennessee | United States* |
| < \$15,000 | % | 40.8 | 38.4 | 40.2 | 59.2 | 61.5 | 59.7 |
| | CI | (38.8 - 42.8) | (30.0-46.9) | | (57.5 - 60.8) | (53.0-69.9) | |
| | n | 9 | 123 | 42 | 9 | 246 | 42 |
| \$15,000 - \$24,999 | % | 42.3 | 38.2 | 40.3 | 57.7 | 61.7 | 59.7 |
| | CI | (41.6 - 43.1) | (30.7-45.7) | | (57.0 - 58.3) | (54.2-69.2) | |
| | n | 38 | 161 | 50 | 55 | 360 | 50 |
| \$25,000 - \$34,999 | % | 17.7 | 30.0 | 26.5 | 82.3 | 69.9 | 73.4 |
| | CI | (16.8 - 18.6) | (22.0-37.9) | | (81.9 - 82.7) | (62.0-77.9) | |
| | n | 28 | 80 | 48 | 92 | 300 | 48 |
| \$35,000 - \$49,999 | % | 11.0 | N/A | 15.1 | 89.0 | N/A | 84.8 |
| | CI | (10.2 - 11.8) | | | (88.7 - 89.3) | | |
| | n | 15 | | 49 | 120 | | 49 |
| \$50,000 Plus | % | 5.9 | 5.9 | 4.8 | 94.1 | 94.0 | 95.2 |
| | CI | (5.4 - 6.5) | (3.4-8.5) | | (93.9 - 94.2) | (91.4-96.5) | |
| | n | 11 | 48 | 51 | 291 | 915 | 51 |

| Education | | | | | | | |
|-------------------------|----|---------------|-------------|---------------|---------------|-------------|----------------|
| Education | | No | | | Yes | | |
| | | Davidson | Tennessee | United States | Davidson | Tennessee | United States* |
| Less than H.S. | % | 40.9 | 46.4 | 40.3 | 59.1 | 53.6 | 59.6 |
| | CI | (40.1 - 41.7) | (37.7-55.1) | | (58.4 - 59.8) | (44.9-62.3) | |
| | n | 53 | 109 | 42 | 64 | 235 | 42 |
| H.S. or G.E.D. | % | 20.7 | 24.0 | 23.1 | 79.3 | 75.9 | 76.9 |
| | CI | (20.1 - 21.2) | (19.0-29.0) | | (79.1 - 79.6) | (70.9-80.9) | |
| | n | 69 | 257 | 51 | 193 | 941 | 51 |
| Some post- H.S. | % | 12.0 | 15.0 | 15.5 | 88.0 | 84.9 | 84.4 |
| | CI | (11.4 - 12.6) | (11.7-18.4) | | (87.8 - 88.2) | (81.5-88.2) | |
| | n | 26 | 148 | 51 | 186 | 859 | 51 |
| College graduate | % | 6.0 | 7.9 | 6.3 | 94.0 | 92.0 | 93.6 |
| | CI | (5.5 - 6.5) | (4.8-11.0) | | (93.9 - 94.1) | (88.9-95.1) | |
| | n | 18 | 62 | 51 | 286 | 741 | 51 |

Note: Figures for State and US (States and DC) are from the CDC (Behavioral Risk Factor Surveillance System) website as of July 06, 2009.

N/A=Value not available or not applicable or not computed

^ = 2001 MPHDS BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Health Status
How is your General Health?
2008 Data Unless Otherwise Indicated

| ALL | | | | | | | | | | | | | | | | |
|-----------------------------|------------------|-------------------------------------|-----------------------------------|-------------------|-------------------------------------|-------------------------------------|-------------------|-------------------------------------|-------------------------------------|-------------------|-------------------------------------|-----------------------------------|-------------------|---------------------------------|--------------------------------|------------------|
| SOURCE | | Excellent | | | Very Good | | | Good | | | Fair | | | Poor | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| ALL 2008 | % C I n | 23.2 (23.0 - 23.4) 257 | 16.4 (14.8-18.1) 687 | 20.1 51 | 31.4 (31.2 - 31.7) 396 | 32.1 (30.0-34.2) 1,452 | 34.9 51 | 29.8 (29.5 - 30.0) 438 | 30.8 (28.7-32.9) 1,550 | 30.0 51 | 11.4 (11.1 - 11.7) 203 | 12.7 (11.3-14.0) 793 | 10.6 51 | 4.2 (3.9 - 4.5) 78 | 7.8 (6.8-8.8) 531 | 3.8 51 |
| ALL 2005 | % C I n | 22.1 (22.0 - 22.3) 160 | 19.0 (17.2-20.8) 777 | 20.4 51 | 31.7 (31.6 - 31.8) 277 | 30.7 (28.8-32.6) 1,416 | 33.9 51 | 30.4 (30.3 - 30.5) 263 | 30.9 (28.9-32.9) 1,421 | 30.2 51 | 11.6 (11.5 - 11.7) 113 | 12.4 (11.1-13.7) 688 | 10.8 51 | 4.1 (4.1 - 4.2) 46 | 7.1 (6.3-7.9) 440 | 4.0 51 |
| SMART 2005 | % C I n | 21.5 (17.9-25.0) 160 | 19.0 (17.2-20.8) 777 | 20.4 51 | 32.2 (28.3-36.2) 277 | 30.7 (28.8-32.6) 1,416 | 33.9 51 | 30.6 (26.9-34.4) 263 | 30.9 (28.9-32.9) 1,421 | 30.2 51 | 11.5 (9.1-13.8) 113 | 12.4 (11.1-13.7) 688 | 10.8 51 | 4.0 (2.7-5.4) 46 | 0.1 (6.3-7.9) 440 | 4.0 51 |
| SMART 2002 | % C I n | 23.2 (17.1-29.4) 60 | 18.3 (16.7-19.9) 570 | 21.8 51 | 31.5 (24.9-38.1) 81 | 29.1 (27.3-30.9) 952 | 34.1 51 | 29.6 (22.9-36.3) 76 | 32.0 (30.1-33.9) 975 | 29.8 51 | 12.1 (7.6-16.6) 31 | 12.7 (11.4-14.0) 426 | 10.4 51 | 3.6 (1.0-6.2) 9 | 8.0 (6.9-9.1) 279 | 3.9 51 |
| ALL 2001[^] | % C I n | 22.1 (16.7-19.9) 543 | 18.3 (16.7-19.9) 570 | 22.2 51 | 33.3 (30.3-34.3) 916 | 32.3 51 | 34.6 51 | 29.9 (27.4-31.4) 859 | 29.4 51 | 28.9 51 | 10.2 (11.4-14.4) 385 | 12.9 51 | 10.3 51 | 4.4 (6.0-8.0) 217 | 7.0 51 | 3.6 51 |
| Gender | | | | | | | | | | | | | | | | |
| Gender | | Excellent | | | Very Good | | | Good | | | Fair | | | Poor | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Male | % C I n | 25.8 (25.4 - 26.1) 87 | 18.1 (15.3-20.9) 254 | 20.5 51 | 29.8 (29.5 - 30.2) 114 | 32.7 (29.1-36.4) 491 | 34.7 51 | 29.0 (28.7 - 29.4) 123 | 29.8 (26.1-33.4) 509 | 30.5 51 | 11.2 (10.8 - 11.6) 51 | 11.8 (9.5-14.1) 249 | 10.2 51 | 4.2 (3.8 - 4.6) 24 | 7.3 (5.8-8.9) 183 | 3.7 51 |
| Female | % C I n | 20.8 (20.4 - 21.1) 169 | 14.9 (13.1-16.6) 433 | 19.9 51 | 32.9 (32.6 - 33.2) 281 | 31.5 (29.2-33.7) 961 | 35.1 51 | 30.5 (30.1 - 30.8) 315 | 31.8 (29.5-34.1) 1,041 | 29.7 51 | 11.6 (11.2 - 12.0) 152 | 13.5 (11.9-15.0) 544 | 11.5 51 | 4.2 (3.8 - 4.6) 54 | 8.2 (7.0-9.4) 348 | 3.8 51 |

Note: Figures for State and US (States and DC) are from the CDC (Behavioral Risk Factor Surveillance System) website as of July 06, 2009.

N/A=Value not available or not applicable or not computed

[^] = 2001 MPHDS BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Health Status
How is your General Health?
2008 Data Unless Otherwise Indicated

| Age Group | | Age | | | | | | | | | | | | | | |
|--------------|----|---------------|-------------|----------------|---------------|-------------|----------------|---------------|-------------|----------------|---------------|-------------|----------------|--------------|-------------|----------------|
| | | Excellent | | | Very Good | | | Good | | | Fair | | | Poor | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| 18-24 | % | 29.9 | 25.4 | 25.1 | 36.7 | N/A | 35.7 | 29.7 | N/A | 29.7 | 3.7 | 4.3 | 6.6 | | 0.1 | 1.0 |
| | CI | (29.2 - 30.6) | (16.0-34.8) | | (36.0 - 37.4) | | | (29.0 - 30.4) | | | (2.9 - 4.5) | (0.0-10.7) | | | (0.0-0.3) | |
| | n | 20 | 30 | 51 | 26 | | 46 | 28 | | 46 | 2 | 4 | 51 | | 1 | 47 |
| 25-34 | % | 27.9 | 23.0 | 24.8 | 36.3 | 39.5 | 38.1 | 25.7 | 28.9 | 28.9 | 8.3 | 7.3 | 7.3 | 1.8 | 1.0 | 1.4 |
| | CI | (27.3 - 28.5) | (17.7-28.4) | | (35.8 - 36.9) | (32.7-46.3) | | (25.1 - 26.3) | (22.8-35.1) | | (7.7 - 9.0) | (2.3-12.4) | | (1.1 - 2.5) | (0.0-1.9) | |
| | n | 35 | 94 | 51 | 59 | 146 | 51 | 39 | 122 | 51 | 9 | 23 | 51 | 2 | 6 | 51 |
| 35-44 | % | 29.5 | 16.6 | 23.7 | 33.6 | 35.7 | 37.2 | 27.5 | 31.6 | 28.3 | 7.3 | 8.8 | 8.0 | 2.2 | 7.0 | 2.1 |
| | CI | (28.9 - 30.0) | (12.9-20.3) | | (33.1 - 34.2) | (30.5-41.0) | | (26.9 - 28.0) | (26.1-37.1) | | (6.7 - 7.9) | (6.4-11.2) | | (1.5 - 2.8) | (4.5-9.4) | |
| | n | 56 | 118 | 51 | 78 | 235 | 51 | 55 | 202 | 51 | 17 | 81 | 51 | 4 | 47 | 51 |
| 45-54 | % | 21.6 | 17.1 | 19.6 | 30.9 | 29.5 | 34.5 | 28.8 | 29.9 | 29.1 | 13.3 | 14.0 | 10.3 | 5.5 | 9.3 | 4.2 |
| | CI | (21.0 - 22.2) | (14.0-20.2) | | (30.3 - 31.4) | (26.0-33.0) | | (28.2 - 29.3) | (26.4-33.4) | | (12.7 - 13.9) | (11.2-16.7) | | (4.9 - 6.2) | (7.1-11.5) | |
| | n | 54 | 163 | 51 | 77 | 310 | 51 | 72 | 324 | 51 | 36 | 143 | 51 | 11 | 114 | 51 |
| 55-64 | % | 16.7 | 13.1 | 17.3 | 29.8 | 27.6 | 31.5 | 33.2 | 30.4 | 30.3 | 14.1 | 17.2 | 13.8 | 6.2 | 11.5 | 5.6 |
| | CI | (16.0 - 17.5) | (10.6-15.7) | | (29.1 - 30.4) | (24.3-30.9) | | (32.6 - 33.9) | (26.8-33.9) | | (13.3 - 14.8) | (14.3-20.1) | | (5.4 - 7.0) | (9.3-13.7) | |
| | n | 37 | 148 | 51 | 62 | 319 | 51 | 80 | 337 | 51 | 36 | 200 | 51 | 16 | 152 | 51 |
| 65+ | % | 11.3 | 8.9 | 11.4 | 20.6 | 24.5 | 26.7 | 36.2 | 32.0 | 34.1 | 22.1 | 21.1 | 18.0 | 9.7 | 13.2 | 7.4 |
| | CI | (10.6 - 12.1) | (7.1-10.7) | | (20.0 - 21.3) | (21.9-27.1) | | (35.6 - 36.8) | (29.2-34.8) | | (21.5 - 22.8) | (18.6-23.6) | | (9.0 - 10.5) | (11.1-15.4) | |
| | n | 53 | 134 | 51 | 94 | 398 | 51 | 163 | 523 | 51 | 102 | 342 | 51 | 45 | 211 | 51 |

| Race | | Race | | | | | | | | | | | | | | |
|--------------------|----|---------------|-------------|----------------|---------------|-------------|----------------|----------------|-------------|----------------|---------------|-------------|----------------|--------------|------------|----------------|
| | | Excellent | | | Very Good | | | Good | | | Fair | | | Poor | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| White | % | 24.5 | 16.7 | 21.4 | 32.8 | 32.2 | 36.8 | 27.3 | 29.4 | 28.5 | 10.9 | 13.2 | 9.2 | 4.5 | 8.2 | 3.4 |
| | CI | (24.2 - 24.8) | (15.0-18.5) | | (32.5 - 33.1) | (30.1-34.3) | | (27.00 - 27.6) | (27.5-31.4) | | (10.5 - 11.2) | (11.7-14.8) | | (4.2 - 4.9) | (7.1-9.2) | |
| | n | 163 | 594 | 51 | 245 | 1,273 | 51 | 238 | 1,294 | 51 | 117 | 669 | 51 | 50 | 453 | 51 |
| Black | % | 20.2 | 15.0 | 15.8 | 27.7 | 27.0 | 25.8 | 33.6 | 39.4 | 35.8 | 15.1 | 10.8 | 15.2 | 3.4 | 7.5 | 5.3 |
| | CI | (19.7 - 20.7) | (9.8-20.3) | | (27.2 - 28.2) | (20.2-33.8) | | (33.1 - 34.1) | (32.3-46.5) | | (14.6 - 15.7) | (7.7-13.9) | | (2.8 - 4.0) | (4.8-10.2) | |
| | n | 51 | 61 | 32 | 84 | 117 | 33 | 137 | 197 | 33 | 67 | 100 | 37 | 23 | 61 | 38 |
| Hispanic | % | 21.6 | N/A | 16.3 | 40.2 | N/A | 23.2 | 28.3 | N/A | 37.3 | 8.9 | 4.1 | 14.7 | 0.9 | 4.0 | 4.0 |
| | CI | (20.5 - 22.7) | | | (39.3 - 41.2) | | | (27.3 - 29.4) | | | (7.7 - 10.1) | (0.0-8.1) | | *** | (0.4-7.6) | |
| | n | 35 | | 34 | 58 | | 30 | 46 | | 28 | 17 | 7 | 47 | 2 | 10 | 48 |
| Other | % | 19.0 | N/A | 19.3 | 24.8 | N/A | 28.4 | 45.6 | N/A | 31.5 | | 5.7 | 8.5 | 10.6 | 6.9 | 4.3 |
| | CI | (17.5 - 20.5) | | | (23.4 - 26.2) | | | (44.4 - 46.8) | | | | (0.0-12.7) | | (9.0 - 12.2) | (0.0-14.6) | |
| | n | 5 | | 31 | 5 | | 23 | 9 | | 26 | | 5 | 48 | 2 | 4 | 50 |
| MultiRacial | % | 32.6 | N/A | 10.8 | 12.2 | N/A | 28.1 | 48.6 | 12.6 | 24.1 | 5.1 | | 13.1 | 1.5 | 2.9 | 6.7 |
| | CI | (30.5 - 34.7) | | | (9.7 - 14.6) | | | (46.7 - 50.4) | (3.5-21.6) | | (2.6 - 7.7) | | | *** | (0.0-7.2) | |
| | n | 2 | | 18 | 2 | | 9 | 7 | 13 | 10 | 1 | | 26 | 1 | 3 | 39 |

Note: Figures for State and US (States and DC) are from the CDC (Behavioral Risk Factor Surveillance System) website as of July 06, 2009.

N/A=Value not available or not applicable or not computed

^ = 2001 MPHDS BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Health Status
How is your General Health?
2008 Data Unless Otherwise Indicated

| Income Category | | Income | | | | | | | | | | | | | | |
|----------------------------|----|---------------|-------------|----------------|---------------|-------------|----------------|---------------|-------------|----------------|---------------|-------------|----------------|---------------|-------------|----------------|
| | | Excellent | | | Very Good | | | Good | | | Fair | | | Poor | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| < \$15,000 | % | 6.3 | 4.1 | 10.1 | 9.8 | 15.4 | 18.4 | 25.3 | 28.6 | 30.8 | 31.5 | 24.4 | 24.5 | 27.2 | 27.2 | 15.4 |
| | CI | (4.0 - 8.5) | (1.6-6.6) | | (7.6 - 12.0) | (9.3-21.4) | | (23.3 - 27.3) | (22.3-34.9) | | (29.6 - 33.4) | (19.3-29.6) | | (25.3 - 29.2) | (21.9-32.6) | |
| | n | 2 | 22 | 51 | 4 | 63 | 47 | 8 | 152 | 50 | 9 | 168 | 51 | 6 | 165 | 51 |
| \$15,000 - \$24,999 | % | 14.5 | 12.1 | 12.4 | 19.3 | 21.4 | 23.3 | 25.7 | 34.0 | 36.5 | 29.7 | 22.2 | 19.3 | 10.8 | 10.0 | 7.2 |
| | CI | (13.7 - 15.3) | (8.4-15.7) | | (18.5 - 20.1) | (16.9-25.9) | | (24.9 - 26.5) | (28.7-39.4) | | (29.0 - 30.5) | (17.0-27.4) | | (9.9 - 11.6) | (7.4-12.6) | |
| | n | 23 | 81 | 51 | 35 | 180 | 51 | 52 | 297 | 51 | 49 | 196 | 50 | 22 | 116 | 51 |
| \$25,000 - \$34,999 | % | 22.7 | 10.2 | 15.0 | 20.7 | 32.1 | 31.2 | 35.9 | 39.6 | 35.4 | 11.5 | 11.8 | 13.3 | 9.2 | 6.1 | 4.4 |
| | CI | (21.9 - 23.5) | (6.8-13.6) | | (19.9 - 21.5) | (26.2-38.0) | | (35.1 - 36.6) | (32.8-46.4) | | (10.7 - 12.4) | (8.4-15.2) | | (8.4 - 10.1) | (3.6-8.5) | |
| | n | 31 | 60 | 51 | 40 | 175 | 51 | 69 | 198 | 51 | 32 | 72 | 51 | 18 | 42 | 51 |
| \$35,000 - \$49,999 | % | 23.6 | 14.6 | 17.9 | 25.3 | 37.4 | 35.3 | 38.7 | 34.1 | 32.7 | 10.9 | 11.4 | 10.2 | 1.5 | 2.2 | 2.8 |
| | CI | (22.9 - 24.3) | (10.3-18.8) | | (24.6 - 26.0) | (30.5-44.4) | | (38.1 - 39.3) | (25.8-42.5) | | (10.2 - 11.6) | (7.2-15.5) | | (0.8 - 2.3) | (1.1-3.3) | |
| | n | 42 | 81 | 51 | 47 | 211 | 51 | 72 | 170 | 50 | 25 | 67 | 51 | 6 | 22 | 51 |
| \$50,000 Plus | % | 29.6 | 25.2 | 26.7 | 42.2 | 43.3 | 41.4 | 24.0 | 23.6 | 24.8 | 3.5 | 5.6 | 5.1 | 0.7 | 2.0 | 1.1 |
| | CI | (29.2 - 30.0) | (21.6-28.8) | | (41.8 - 42.6) | (39.1-47.4) | | (23.6 - 24.5) | (20.4-26.9) | | (3.0 - 4.0) | (3.7-7.6) | | (0.2 - 1.2) | (1.0-3.0) | |
| | n | 93 | 277 | 51 | 157 | 475 | 51 | 93 | 299 | 51 | 18 | 83 | 51 | 4 | 34 | 51 |

| Education | | Education | | | | | | | | | | | | | | |
|-------------------------|----|---------------|-------------|----------------|---------------|-------------|----------------|---------------|-------------|----------------|---------------|-------------|----------------|-------------|-------------|----------------|
| | | Excellent | | | Very Good | | | Good | | | Fair | | | Poor | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Less than H.S. | % | 12.6 | 7.4 | 10.4 | 26.6 | 13.7 | 19.2 | 28.0 | 32.5 | 35.4 | 24.5 | 23.7 | 23.4 | 8.3 | 22.5 | 10.5 |
| | CI | (11.7 - 13.5) | (4.3-10.5) | | (25.8 - 27.5) | (8.7-18.7) | | (27.2 - 28.8) | (26.1-38.9) | | (23.6 - 25.3) | (19.1-28.2) | | (7.4 - 9.2) | (18.3-26.7) | |
| | n | 18 | 38 | 50 | 47 | 94 | 50 | 56 | 194 | 50 | 42 | 197 | 51 | 20 | 190 | 51 |
| H.S. or G.E.D. | % | 15.5 | 12.2 | 15.4 | 30.9 | 28.1 | 30.6 | 32.8 | 35.5 | 35.1 | 15.7 | 15.5 | 14.1 | 5.1 | 8.5 | 4.7 |
| | CI | (15.0 - 16.0) | (9.6-14.9) | | (30.4 - 31.3) | (24.5-31.7) | | (32.4 - 33.3) | (31.5-39.4) | | (15.2 - 16.2) | (12.6-18.4) | | (4.6 - 5.6) | (6.7-10.2) | |
| | n | 58 | 174 | 51 | 107 | 469 | 51 | 149 | 627 | 51 | 86 | 325 | 51 | 29 | 216 | 51 |
| Some post- H.S. | % | 19.1 | 17.0 | 19.0 | 28.0 | 37.3 | 36.2 | 35.3 | 29.8 | 30.9 | 12.9 | 9.8 | 10.2 | 4.8 | 5.9 | 3.6 |
| | CI | (18.6 - 19.7) | (14.0-19.9) | | (27.4 - 28.5) | (33.3-41.2) | | (34.8 - 35.7) | (26.3-33.4) | | (12.3 - 13.5) | (7.7-11.9) | | (4.2 - 5.4) | (4.2-7.6) | |
| | n | 53 | 197 | 51 | 83 | 466 | 51 | 111 | 447 | 51 | 50 | 172 | 51 | 17 | 98 | 51 |
| College graduate | % | 35.2 | 26.8 | 27.8 | 34.8 | 40.7 | 40.6 | 24.7 | 24.1 | 23.7 | 3.8 | 6.3 | 5.3 | 1.5 | 2.0 | 1.6 |
| | CI | (34.8 - 35.6) | (23.0-30.6) | | (34.4 - 35.2) | (36.3-45.1) | | (24.3 - 25.2) | (20.3-27.8) | | (3.3 - 4.3) | (4.6-7.9) | | (1.0 - 2.0) | (0.9-3.0) | |
| | n | 120 | 278 | 51 | 153 | 419 | 51 | 116 | 275 | 51 | 25 | 89 | 51 | 9 | 25 | 51 |

Note: Figures for State and US (States and DC) are from the CDC (Behavioral Risk Factor Surveillance System) website as of July 06, 2009.

N/A=Value not available or not applicable or not computed

^ = 2001 MPHDS BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Health Status
Health Status
2008 Data Unless Otherwise Indicated

| ALL | | | | | | | |
|-------------------|-----------|-----------------------|--------------|----------------|---------------------|-------------|----------------|
| SOURCE | | Good or Better | | | Fair or Poor | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| ALL 2008 | % | 84.4 | 79.4 | 85.5 | 15.6 | 20.5 | 14.4 |
| | CI | (84.3 - 84.5) | (77.8-81.0) | | (15.3 - 15.9) | (18.9-22.1) | |
| | n | 1091 | 3689 | 51 | 281 | 1324 | 51 |
| ALL 2005 | % | 84.2 | 80.5 | 85.2 | 15.8 | 19.5 | 14.8 |
| | CI | (84.1 - 84.3) | (79.0-82.0) | | (15.7 - 15.9) | (18.0-21.0) | |
| | n | 700 | 3614 | 51 | 159 | 1128 | 51 |
| SMART 2005 | % | 84.3 | 80.5 | 85.2 | 15.5 | 19.5 | 14.8 |
| | CI | (81.6-87.1) | (79.0-82.0) | | (12.8-18.3) | (18.0-21.0) | |
| | n | 700 | 3614 | 51 | 159 | 1128 | 51 |
| SMART 2002 | % | 84.3 | 79.3 | 85.3 | 15.7 | 20.7 | 14.7 |
| | CI | (79.3-89.3) | (77.7-80.9) | | (10.7-20.8) | (19.1-22.3) | |
| | n | 217 | 2497 | 51 | 40 | 705 | 51 |
| ALL 2001^ | % | N/A | 80.1 | 86.0 | N/A | 19.9 | 14.0 |
| | CI | | (78.4-81.8) | | | (18.2-21.6) | |
| | n | | 2318 | 51 | | 602 | 51 |
| Gender | | | | | | | |
| Gender | | Good or Better | | | Fair or Poor | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Male | % | 84.6 | 80.7 | 86.0 | 15.4 | 19.2 | 13.9 |
| | CI | (84.4 - 84.8) | (78.0-83.4) | | (15.0 - 15.8) | (16.5-21.9) | |
| | n | 324 | 1254 | 51 | 75 | 432 | 51 |
| Female | % | 84.2 | 78.2 | 84.3 | 15.8 | 21.7 | 15.6 |
| | CI | (84.1 - 84.4) | (76.3-80.0) | | (15.4 - 16.1) | (19.9-23.6) | |
| | n | 765 | 2435 | 51 | 206 | 892 | 51 |
| Age | | | | | | | |
| Age Group | | Good or Better | | | Fair or Poor | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| 18-24 | % | 96.3 | 95.5 | 92.4 | 3.7 | 4.4 | 7.5 |
| | CI | (96.2 - 96.5) | (89.1-100.0) | | (2.9 - 4.5) | (0.0-10.8) | |
| | n | 74 | 116 | 51 | 2 | 5 | 51 |
| 25-34 | % | 89.9 | 91.5 | 91.1 | 10.1 | 8.4 | 8.8 |
| | CI | (89.7 - 90.1) | (86.4-96.7) | | (9.4 - 10.8) | (3.2-13.5) | |
| | n | 133 | 362 | 51 | 11 | 29 | 51 |
| 35-44 | % | 90.6 | 84.1 | 90.0 | 9.4 | 15.8 | 9.9 |
| | CI | (90.4 - 90.8) | (80.7-87.5) | | (8.8 - 10.0) | (12.4-19.2) | |
| | n | 189 | 555 | 51 | 21 | 128 | 51 |
| 45-54 | % | 81.2 | 76.6 | 84.8 | 18.8 | 23.3 | 15.1 |
| | CI | (80.9 - 81.5) | (73.3-79.9) | | (18.2 - 19.4) | (20.0-26.6) | |
| | n | 203 | 797 | 51 | 47 | 257 | 51 |
| 55-64 | % | 79.7 | 71.2 | 81.1 | 20.3 | 28.8 | 18.8 |
| | CI | (79.4 - 80.1) | (67.8-74.5) | | (19.7 - 21.0) | (25.4-32.1) | |
| | n | 179 | 804 | 51 | 52 | 352 | 51 |
| 65+ | % | 68.1 | 65.5 | 74.5 | 31.9 | 34.4 | 25.4 |
| | CI | (67.7 68.5) | (62.6-68.4) | | (31.3 - 32.5) | (31.5-37.3) | |
| | n | 310 | 1055 | 51 | 147 | 553 | 51 |

Note: Figures for State and US (States and DC) are from the CDC (Behavioral Risk Factor Surveillance System) website as of July 06, 2009.

N/A=Value not available or not applicable or not computed

^ = 2001 MPH's BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Health Status
Health Status
2008 Data Unless Otherwise Indicated

| Race | | | | | | | |
|--------------------|----|----------------|--------------------|----------------|---------------|-------------------|----------------|
| Race | | Good or Better | | | Fair or Poor | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| White | % | 84.6 | 78.5 | 87.1 | 15.4 | 21.4 | 12.8 |
| | CI | (84.5 - 84.7) | (76.7-80.2) | | (15.1 - 15.7) | (19.7-23.2) | |
| | n | 646 | 3161 | 51 | 167 | 1122 | 51 |
| Black | % | 81.5 | 81.6 | 79.6 | 18.5 | 18.3 | 20.3 |
| | CI | (81.3 - 81.8) | (77.4-85.7) | | (18.0 - 19.0) | (14.2-22.5) | |
| | n | 272 | 375 | 35 | 90 | 161 | 35 |
| Hispanic | % | 90.2 | 91.8 | 80.7 | 9.8 | 8.1 | 19.2 |
| | CI | (89.8 - 90.6) | (85.7-97.9) | | (8.7 -11.0) | (2.0-14.2) | |
| | n | 139 | 48 | 43 | 19 | 17 | 43 |
| Other | % | 89.4 | N/A | 86.4 | 10.6 | N/A | 13.5 |
| | CI | (88.9 - 89.9) | | | (9.0 - 12.2) | | |
| | n | 19 | | 44 | 2 | | 44 |
| MultiRacial | % | 93.3 | N/A | 82.9 | 6.7 | N/A | 17.0 |
| | CI | (92.7 - 94.0) | | | (4.2 - 9.2) | | |
| | n | 11 | | 18 | 2 | | 18 |

| Income | | | | | | | |
|----------------------------|----|----------------|-------------|----------------|---------------|-------------|----------------|
| Income Category | | Good or Better | | | Fair or Poor | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| < \$15,000 | % | 41.3 | 48.2 | 61.4 | 58.7 | 51.7 | 38.5 |
| | CI | (39.5 - 43.1) | (41.4-54.9) | | (57.2 - 60.2) | (45.0-58.5) | |
| | n | 14 | 237 | 50 | 15 | 333 | 50 |
| \$15,000 - \$24,999 | % | 59.5 | 67.6 | 72.5 | 40.5 | 32.3 | 27.4 |
| | CI | (59.0 - 60.1) | (62.2-73.0) | | (39.8 - 41.2) | (26.9-37.7) | |
| | n | 110 | 558 | 50 | 71 | 312 | 50 |
| \$25,000 - \$34,999 | % | 79.2 | 82.0 | 81.9 | 20.8 | 17.9 | 18.0 |
| | CI | (78.8 - 79.6) | (77.8-86.1) | | (20.0 - 21.6) | (13.8-22.1) | |
| | n | 140 | 433 | 51 | 50 | 114 | 51 |
| \$35,000 - \$49,999 | % | 87.6 | 86.3 | 86.7 | 12.4 | 13.7 | 13.2 |
| | CI | (87.3 - 87.8) | (82.0-90.5) | | (11.7 - 13.2) | (9.4-17.9) | |
| | n | 161 | 462 | 51 | 31 | 89 | 51 |
| \$50,000 Plus | % | 95.8 | 92.2 | 93.7 | 4.2 | 7.7 | 6.2 |
| | CI | (95.7 - 96.0) | (90.1-94.3) | | (3.7 - 4.7) | (5.6-9.8) | |
| | n | 343 | 1051 | 51 | 22 | 117 | 51 |

| Education | | | | | | | |
|-------------------------|----|----------------|-------------|----------------|---------------|-------------|----------------|
| Education | | Good or Better | | | Fair or Poor | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Less than H.S. | % | 67.2 | 53.7 | 65.6 | 32.8 | 46.2 | 34.3 |
| | CI | (66.7 - 67.8) | (47.8-59.6) | | (32.0 - 33.6) | (40.3-52.2) | |
| | n | 121 | 326 | 51 | 62 | 387 | 51 |
| H.S. or G.E.D. | % | 79.2 | 75.9 | 80.8 | 20.8 | 24.0 | 19.1 |
| | CI | (79.0 - 79.4) | (72.7-79.1) | | (20.3 - 21.3) | (20.8-27.2) | |
| | n | 314 | 1270 | 51 | 115 | 541 | 51 |
| Some post- H.S. | % | 82.3 | 84.1 | 86.0 | 17.7 | 15.8 | 14.0 |
| | CI | (82.1 - 82.6) | (81.5-86.8) | | (17.1 - 18.2) | (13.2-18.4) | |
| | n | 247 | 1110 | 51 | 67 | 270 | 51 |
| College graduate | % | 94.7 | 91.6 | 92.9 | 5.3 | 8.3 | 7.0 |
| | CI | (94.6 - 94.8) | (89.7-93.6) | | (4.8 - 5.8) | (6.3-10.2) | |
| | n | 389 | 972 | 51 | 34 | 114 | 51 |

Note: Figures for State and US (States and DC) are from the CDC (Behavioral Risk Factor Surveillance System) website as of July 06, 2009.

N/A=Value not available or not applicable or not computed

^ = 2001 MPHDS BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Immunization

Adults aged 65+ who have had a flu shot within the past year
2008 Data Unless Otherwise Indicated

| ALL | | | | | | | |
|-----------------------------|----|---------------|-------------|----------------|---------------|-------------|----------------|
| SOURCE | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| ALL 2008 | % | 27.1 | 29.2 | 28.9 | 72.9 | 70.7 | 71.0 |
| | CI | (26.4 - 27.7) | (26.4-31.9) | | (72.5 - 73.3) | (68.0-73.5) | |
| | n | 108 | 480 | 51 | 315 | 1101 | 51 |
| ALL 2005 | % | 38.8 | 38.4 | 34.3 | 60.1 | 61.6 | 65.7 |
| | CI | (38.4 - 39.2) | (34.9-41.9) | | (59.7 - 60.5) | (58.1-65.1) | |
| | n | 76 | 478 | 51 | 109 | 691 | 51 |
| SMART 2005 | % | 39.3 | 38.4 | 34.3 | 60.5 | 61.6 | 65.7 |
| | CI | (29.7-49.0) | (34.9-41.9) | | (50.9-70.2) | (58.1-65.1) | |
| | n | 76 | 478 | 51 | 109 | 691 | 51 |
| SMART 2002 | % | N/A | 28.4 | 31.4 | N/A | 71.6 | 68.6 |
| | CI | N/A | (24.7-32.1) | | N/A | (67.9-75.3) | |
| | n | N/A | 187 | 51 | N/A | 482 | 51 |
| ALL 2001[^] | % | 68.6 | 34.4 | 32.7 | 31.4 | 65.6 | 67.3 |
| | CI | N/A | (29.8-39.0) | | N/A | (61.0-70.2) | |
| | n | N/A | 180 | 51 | N/A | 338 | 51 |
| Gender | | | | | | | |
| Gender | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Male | % | 28.1 | 29.0 | 29.2 | 71.9 | 70.9 | 70.8 |
| | CI | (27.0 - 29.1) | (24.3-33.8) | | (71.3 - 72.6) | (66.1-75.6) | |
| | n | 26 | 161 | 51 | 86 | 359 | 51 |
| Female | % | 26.4 | 29.3 | 28.9 | 73.6 | 70.7 | 71.0 |
| | CI | (25.5 - 27.2) | (25.9-32.6) | | (73.1 - 74.1) | (67.3-74.0) | |
| | n | 82 | 319 | 51 | 228 | 742 | 51 |
| Age | | | | | | | |
| Age Group | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| 65-74 | % | 29.0 | 33.5 | 33.5 | 71.0 | 66.4 | 66.4 |
| | CI | (28.1 - 29.9) | (29.7-37.2) | | (70.5 - 71.6) | (62.7-70.2) | |
| | n | 63 | 334 | 51 | 144 | 620 | 51 |
| 75+ | % | 24.5 | 23.9 | 24.0 | 74.4 | 76.0 | 75.9 |
| | CI | (23.5 - 25.5) | (19.8-27.9) | | (73.8 - 75.0) | (72.0-80.1) | |
| | n | 45 | 146 | 51 | 171 | 481 | 51 |

Note: Figures for State and US (States and DC) are from the CDC (Behavioral Risk Factor Surveillance System) website as of July 06, 2009.

N/A=Value not available or not applicable or not computed

[^] = 2001 MPH's BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Immunization

Adults aged 65+ who have had a flu shot within the past year
2008 Data Unless Otherwise Indicated

| Race | | | | | | | |
|----------------------------|----|---------------|-------------|----------------|---------------|-------------|----------------|
| Race | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| White | % | 22.1 | 26.7 | 27.5 | 77.9 | 73.2 | 72.4 |
| | CI | (21.4 - 22.9) | (24.0-29.4) | | (77.4 - 78.3) | (70.5-75.9) | |
| | n | 64 | 406 | 51 | 242 | 1014 | 51 |
| Black | % | 47.6 | N/A | 44.6 | 52.4 | N/A | 55.3 |
| | CI | (46.3 - 48.9) | | | (51.1 - 53.7) | | |
| | n | 39 | | 15 | 59 | | 15 |
| Hispanic | % | 25.5 | N/A | 33.1 | 74.5 | N/A | 66.8 |
| | CI | (18.1 - 32.8) | | | (70.2 - 78.8) | | |
| | n | 2 | | 7 | 9 | | 3 |
| Other | % | 47.6 | N/A | 21.3 | 52.4 | N/A | 78.6 |
| | CI | (43.2 - 52.0) | | | (48.3 - 56.6) | | |
| | n | 2 | | 3 | 2 | | 3 |
| MultiRacial | % | 14.9 | N/A | 28.1 | 85.1 | N/A | 71.9 |
| | CI | (7.5 - 22.4) | | | (81.9 - 88.2) | | |
| | n | 1 | | 2 | 3 | | 2 |
| Income | | | | | | | |
| Income Category | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| < \$15,000 | % | 27.0 | 27.6 | 34.8 | 73.0 | 72.3 | 65.2 |
| | CI | (22.7 - 31.4) | (19.8-35.4) | | (70.3 - 75.6) | (64.6-80.1) | |
| | n | 4 | 56 | 44 | 7 | 138 | 44 |
| \$15,000 - \$24,999 | % | 28.9 | 33.9 | 30.6 | 71.1 | 66.0 | 69.3 |
| | CI | (27.4 - 30.5) | (27.5-40.3) | | (70.1 - 72.1) | (59.6-72.4) | |
| | n | 25 | 117 | 50 | 58 | 227 | 50 |
| \$25,000 - \$34,999 | % | 26.9 | 35.4 | 25.6 | 73.1 | 64.5 | 74.3 |
| | CI | (25.2 - 28.5) | (26.7-44.1) | | (72.1 - 74.2) | (55.8-73.2) | |
| | n | 17 | 59 | 47 | 51 | 102 | 47 |
| \$35,000 - \$49,999 | % | 23.7 | 32.8 | 26.1 | 76.3 | 67.1 | 73.8 |
| | CI | (21.8 - 25.6) | (22.9-42.6) | | (75.3 - 77.4) | (57.3-77.0) | |
| | n | 12 | 42 | 48 | 40 | 101 | 48 |
| \$50,000 Plus | % | 14.7 | 21.6 | 25.8 | 85.3 | 78.3 | 74.1 |
| | CI | (12.9 - 16.4) | (14.6-28.7) | | (84.6 -86.1) | (71.3-85.3) | |
| | n | 10 | 45 | 50 | 50 | 158 | 50 |
| Education | | | | | | | |
| Education | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Less than H.S. | % | 25.7 | 32.0 | 34.2 | 74.3 | 67.9 | 65.8 |
| | CI | (23.8 - 27.6) | (26.2-37.9) | | (73.2 - 75.4) | (62.0-73.7) | |
| | n | 20 | 122 | 45 | 41 | 237 | 45 |
| H.S. or G.E.D. | % | 23.8 | 30.1 | 29.8 | 76.2 | 69.8 | 70.1 |
| | CI | (22.7 - 25.0) | (25.4-34.7) | | (75.5 - 76.8) | (65.2-74.5) | |
| | n | 36 | 188 | 50 | 120 | 401 | 50 |
| Some post- H.S. | % | 40.7 | 26.1 | 26.5 | 59.3 | 73.8 | 73.4 |
| | CI | (39.5 - 41.9) | (20.6-31.6) | | (58.3 - 60.3) | (68.3-79.4) | |
| | n | 31 | 97 | 50 | 66 | 263 | 50 |
| College graduate | % | 18.7 | 27.4 | 25.1 | 81.3 | 72.5 | 74.8 |
| | CI | (17.3 - 20.0) | (20.9-33.9) | | (80.7 - 82.0) | (66.0-79.0) | |
| | n | 19 | 71 | 51 | 85 | 196 | 51 |

Note: Figures for State and US (States and DC) are from the CDC (Behavioral Risk Factor Surveillance System) website as of July 06, 2009.

N/A=Value not available or not applicable or not computed

^ = 2001 MPHDS BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Immunization

Adults aged 65+ who have ever had a pneumonia vaccination

2008 Data Unless Otherwise Indicated

| ALL | | | | | | | |
|-------------------|----|---------------|-------------|----------------|---------------|-------------|----------------|
| SOURCE | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| ALL 2008 | % | 33.8 | 35.6 | 33.0 | 66.2 | 64.3 | 66.9 |
| | CI | (33.2 - 34.5) | (32.7-38.5) | | (65.7 - 66.6) | (61.4-67.2) | |
| | n | 132 | 568 | 51 | 289 | 983 | 51 |
| ALL 2005 | % | 33.7 | 36.2 | 34.1 | 63.6 | 63.8 | 65.9 |
| | CI | (33.4 - 34.1) | (32.6-39.8) | | (63.2 - 63.9) | (60.2-67.4) | |
| | n | 64 | 421 | 51 | 118 | 730 | 51 |
| SMART 2005 | % | 36.3 | 36.2 | 34.1 | 63.5 | 63.8 | 65.9 |
| | CI | (26.7-46.0) | (32.6-39.8) | | (53.9-73.2) | (60.2-67.4) | |
| | n | 64 | 421 | 51 | 118 | 730 | 51 |
| SMART 2002 | % | N/A | 38.6 | 37.0 | N/A | 61.4 | 63.0 |
| | CI | | (34.6-42.6) | | | (57.4-65.4) | |
| | n | | 254 | 51 | | 406 | 51 |
| ALL 2001^ | % | 78.7 | 44.6 | 37.7 | 21.3 | 55.4 | 62.3 |
| | CI | | (39.8-49.4) | 51.0 | | (50.6-60.2) | 51.0 |
| | n | | 229 | | | 285 | |
| Gender | | | | | | | |
| Gender | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Male | % | 39.5 | 39.0 | 34.6 | 60.5 | 60.9 | 65.3 |
| | CI | (38.6 - 40.5) | (33.7-44.2) | | (59.7 - 61.2) | (55.7-66.2) | |
| | n | 38 | 196 | 51 | 72 | 306 | 51 |
| Female | % | 30.0 | 33.3 | 30.8 | 70.0 | 66.6 | 69.1 |
| | CI | (29.1 - 30.8) | (29.9-36.7) | | (69.5 - 70.6) | (63.2-70.0) | |
| | n | 93 | 372 | 51 | 217 | 677 | 51 |
| Age | | | | | | | |
| Age Group | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| 65-74 | % | 37.4 | 40.9 | 39.8 | 60.8 | 59.0 | 60.2 |
| | CI | (36.5 - 38.2) | (36.9-44.8) | | (60.2 - 61.5) | (55.1-63.0) | |
| | n | 78 | 389 | 51 | 126 | 545 | 51 |
| 75+ | % | 28.5 | 29.2 | 24.9 | 70.5 | 70.7 | 75.0 |
| | CI | (27.5 - 29.5) | (24.9-33.5) | | (69.9 - 71.2) | (66.4-75.1) | |
| | n | 54 | 179 | 50 | 163 | 438 | 50 |

Note: Figures for State and US (States and DC) are from the CDC (Behavioral Risk Factor Surveillance System) website as of July 06, 2009.

N/A=Value not available or not applicable or not computed

^ = 2001 MPH's BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Immunization

Adults aged 65+ who have ever had a pneumonia vaccination

2008 Data Unless Otherwise Indicated

| Race | | | | | | | |
|----------------------------|--------------|------------------------------------|-----------------------------------|-------------------|-------------------------------------|-----------------------------------|-------------------|
| Race | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| White | % CI n | 30.6 (29.8 - 31.3) 85 | 34.6 (31.6-37.5) 498 | 30.5 51 | 69.4 (69.0 - 69.9) 218 | 65.3 (62.4-68.3) 894 | 69.5 51 |
| Black | % CI n | 48.6 (47.3 - 50.0) 40 | N/A | 46.3 15 | 51.4 (50.1 - 52.7) 59 | N/A | 53.6 15 |
| Hispanic | % CI n | 37.3 (30.5 - 44.0) 5 | N/A | 50.2 5 | 62.7 (57.6 - 67.9) 6 | N/A | 49.7 5 |
| Other | % CI n | 34.7 (29.8 - 39.6) 1 | N/A | 29.4 3 | 65.3 (61.7 - 68.9) 3 | N/A | 70.5 3 |
| MultiRacial | % CI n | 14.9 (7.5 - 22.4) 1 | N/A | 37.7 2 | 85.1 (81.9 - 88.2) 3 | N/A | 62.2 2 |
| Income | | | | | | | |
| Income Category | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| < \$15,000 | % CI n | 30.0 (25.8 - 34.3) 4 | 32.9 (24.4-41.3) 64 | 33.7 43 | 70.0 (67.2 - 72.8) 7 | 67.0 (58.6-75.5) 128 | 66.2 43 |
| \$15,000 - \$24,999 | % CI n | 29.7 (28.1 - 31.2) 26 | 39.0 (32.6-45.4) 135 | 32.3 49 | 70.3 (69.3 - 71.3) 58 | 60.9 (54.5-67.3) 204 | 67.6 49 |
| \$25,000 - \$34,999 | % CI n | 29.3 (27.7 - 30.0) 17 | 43.8 (34.6-53.0) 68 | 29.3 47 | 70.7 (69.6 - 71.8) 50 | 56.1 (46.9-65.3) 90 | 70.6 47 |
| \$35,000 - \$49,999 | % CI n | 29.9 (28.1 - 31.7) 16 | 33.0 (23.5-42.6) 48 | 31.2 49 | 70.1 68.9 - 71.3 35 | 66.9 (57.3-76.4) 94 | 68.8 49 |
| \$50,000 Plus | % CI n | 32.2 (30.6 - 33.8) 20 | 37.5 (29.3-45.8) 74 | 34.4 50 | 67.8 (66.7 - 68.9) 39 | 62.4 (54.1-70.6) 124 | 65.5 50 |
| Education | | | | | | | |
| Education | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Less than H.S. | % CI n | 26.6 (24.7 - 28.4) 19 | 29.0 (23.5-34.6) 116 | 37.5 45 | 73.4 (72.3 - 74.6) 43 | 70.9 (65.3-76.5) 237 | 62.4 45 |
| H.S. or G.E.D. | % CI n | 27.7 (26.5 - 28.8) 41 | 36.8 (31.9-41.7) 218 | 32.1 50 | 72.3 (71.6 - 73.1) 116 | 63.1 (58.2-68.0) 359 | 67.8 50 |
| Some post- H.S. | % CI n | 45.0 (43.8 - 46.1) 36 | 36.0 (29.9-42.1) 130 | 29.6 50 | 55.0 (54.0 - 56.1) 59 | 63.9 (57.8-70.0) 226 | 70.3 50 |
| College graduate | % CI n | 34.7 (33.5 - 35.9) 34 | 39.0 (31.9-46.1) 99 | 32.5 51 | 65.3 (64.4 - 66.2) 68 | 60.9 (53.8-68.0) 159 | 67.4 51 |

N/A=Value not available or not applicable or not computed

^ = 2001 MPHD's BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Immunization

Adults aged 65+ who have ever had a pneumonia vaccination
2008 Data Unless Otherwise Indicated

Note: Figures for State and US (States and DC) are from the CDC (Behavioral Risk Factor Surveillance System) website as of July 06, 2009.

N/A=Value not available or not applicable or not computed

^ = 2001 MPHD's BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Oral Health

Adults aged 65+ who have had all their natural teeth extracted

2008 Data Unless Otherwise Indicated

| ALL | | | | | | |
|-------------------|-------------------------------------|------------------------------------|-------------------|------------------------------------|-----------------------------------|-------------------|
| SOURCE | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| ALL 2008 | 79.5 (79.1 - 79.8) 352 | 68.4 (65.6-71.3) 1071 | 81.5 51 | 20.5 (19.8 - 21.2) 95 | 31.5 (28.6-34.3) 494 | 18.5 51 |
| SMART 2006 | NA | 65.1 (61.3-68.9) 701 | 80.7 51 | NA | 34.9 (31.1-38.7) 393 | 19.3 51 |
| SMART 2002 | N/A | 64.4 (60.4-68.4) 413 | 77.6 51 | N/A | 35.6 (31.6-39.6) 235 | 22.4 51 |
| ALL 2001^ | | | | | | |

| Gender | | | | | | |
|---------------|-------------------------------------|-----------------------------------|-------------------|------------------------------------|-----------------------------------|-------------------|
| Gender | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Male | 79.3 (78.8 - 79.9) 90 | 67.2 (62.2-72.3) 352 | 82.4 51 | 20.7 (19.6 - 21.8) 24 | 32.7 (27.6-37.8) 164 | 17.5 51 |
| Female | 79.6 (79.1 - 80.0) 261 | 69.3 (66.0-72.7) 719 | 80.3 51 | 20.4 (19.6 - 21.3) 71 | 30.6 (27.2-33.9) 330 | 19.6 51 |

| Age | | | | | | |
|--------------|-------------------------------------|-----------------------------------|-------------------|------------------------------------|-----------------------------------|-------------------|
| Age Group | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| 65-74 | 77.8 (77.3 - 78.3) 160 | 71.3 (67.5-75.0) 676 | 84.3 51 | 21.0 (20.1 - 21.9) 44 | 28.6 (24.9-32.4) 267 | 15.6 51 |
| 75+ | 78.1 (77.6 - 78.6) 192 | 65.0 (60.5-69.5) 395 | 78.9 50 | 19.2 (18.2 - 20.2) 51 | 34.9 (30.4-39.4) 227 | 21.0 50 |

Note: Figures for State and US (States and DC) are from the CDC (Behavioral Risk Factor Surveillance System) website as of July 06, 2009.

N/A=Value not available or not applicable or not computed

^ = 2001 MPH's BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Oral Health

Adults aged 65+ who have had all their natural teeth extracted

2008 Data Unless Otherwise Indicated

| Race | | | | | | |
|--------------------|----------------------|--------------------|----------------|---------------------|--------------------|----------------|
| Race | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| White | 79.8 | 70.7 | 82.4 | 20.2 | 29.2 | 17.5 |
| % CI n | (79.4 - 80.2) 253 | (67.8-73.5) 981 | 51 | (19.4 - 21.0) 62 | (26.4-32.1) 423 | 51 |
| Black | 81.9 | N/A | 72.7 | 18.1 | N/A | 27.2 |
| % CI n | (81.1 - 82.7) 80 | N/A | 19 | (16.5 - 19.7) 25 | N/A | 19 |
| Hispanic | 74.1 | N/A | 83.6 | 25.9 | N/A | 16.3 |
| % CI n | (70.2 - 78.0) 12 | N/A | 10 | (19.4 - 32.5) 3 | N/A | 10 |
| Other | 34.7 | N/A | 86.6 | 65.3 | N/A | 13.3 |
| % CI n | (29.8 - 39.6) 1 | N/A | 5 | (61.7 - 68.9) 3 | N/A | 5 |
| MultiRacial | 85.1 | N/A | 85.2 | 14.9 | N/A | 14.7 |
| % CI n | (81.9 - 88.2) 3 | N/A | 4 | (7.5 - 22.4) 1 | N/A | 4 |

| Income | | | | | | |
|----------------------------|---------------------|--------------------|----------------|---------------------|--------------------|----------------|
| Income Category | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| < \$15,000 | 48.4 | 45.5 | 62.5 | 51.6 | 54.4 | 37.4 |
| % CI n | (44.7 - 52.0) 6 | (36.7-54.4) 101 | 46 | (48.1 - 55.2) 5 | (45.5-63.2) 98 | 46 |
| \$15,000 - \$24,999 | 68.9 | 57.8 | 73.1 | 31.1 | 42.1 | 26.8 |
| % CI n | (67.9 - 70.0) 63 | (51.1-64.4) 198 | 50 | (29.5 - 32.6) 24 | (35.5-48.8) 142 | 50 |
| \$25,000 - \$34,999 | 83.2 | 71.6 | 81.7 | 16.8 | 28.3 | 18.2 |
| % CI n | (82.4 - 84.0) 54 | (63.4-79.8) 116 | 47 | (15.1 - 18.6) 14 | (20.1-36.5) 42 | 47 |
| \$35,000 - \$49,999 | 79.1 | N/A | 86.8 | 20.9 | N/A | 13.1 |
| % CI n | (78.1 - 80.1) 44 | N/A | 49 | (19.0 - 22.8) 11 | N/A | 49 |
| \$50,000 Plus | 88.6 | 89.2 | 93.4 | 11.4 | 10.7 | 6.5 |
| % CI n | (88.0 - 89.3) 54 | (84.0-94.3) 179 | 51 | (9.6 - 13.2) 7 | (5.6-15.9) 21 | 51 |

| Education | | | | | | |
|-------------------------|----------------------|--------------------|----------------|---------------------|--------------------|----------------|
| Education | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Less than H.S. | 55.8 | 47.1 | 59.2 | 44.2 | 52.8 | 40.7 |
| % CI n | (54.4 - 57.2) 36 | (40.7-53.5) 165 | 45 | (42.6 - 45.8) 27 | (46.4-59.2) 195 | 45 |
| H.S. or G.E.D. | 76.2 | 65.1 | 77.3 | 23.8 | 34.8 | 22.6 |
| % CI n | (75.6 - 76.9) 123 | (60.2-70.1) 385 | 50 | (22.6 - 24.9) 38 | (29.8-39.7) 203 | 50 |
| Some post- H.S. | 83.2 | 78.6 | 85.3 | 16.8 | 21.3 | 14.7 |
| % CI n | (82.6 - 83.9) 82 | (72.9-84.4) 286 | 50 | (15.4 - 18.2) 17 | (15.6-27.0) 64 | 50 |
| College graduate | 90.6 | 87.4 | 93.8 | 9.4 | 12.5 | 6.1 |
| % CI n | (90.2 - 91.0) 105 | (82.2-92.6) 231 | 51 | (8.0 - 10.8) 11 | (7.3-17.7) 27 | 51 |

N/A=Value not available or not applicable or not computed

^ = 2001 MPH's BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Oral Health

Adults aged 65+ who have had all their natural teeth extracted
2008 Data Unless Otherwise Indicated

Note: Figures for State and US (States and DC) are from the CDC (Behavioral Risk Factor Surveillance System) website as of July 06, 2009.

N/A=Value not available or not applicable or not computed

^ = 2001 MPHD's BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Oral Health

Adults that have had any permanent teeth extracted
2008 Data Unless Otherwise Indicated

| ALL | | | | | | |
|-----------------------------|----------------------|---------------------|----------------|----------------------|---------------------|----------------|
| SOURCE | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| ALL 2008 | 58.3 | 45.1 | 56.0 | 41.7 | 54.8 | 43.9 |
| % CI n | (58.1 - 58.5) 641 | (42.9-47.4) 1753 | 51 | (41.5 - 42.0) 714 | (52.6-57.1) 3166 | 51 |
| SMART 2006 | 46.7 | 47.8 | 56.1 | 53.3 | 52.2 | 43.9 |
| % CI n | (39.4-53.9) 152 | (45.6-50.0) 1657 | 51 | (46.0-60.5) 124 | (50.0-54.4) 2680 | 51 |
| SMART 2002 | N/A | N/A | N/A | N/A | N/A | N/A |
| % CI n | | | | | | |
| ALL 2001[^] | | | | | | |
| % CI n | | | | | | |
| Gender | | | | | | |
| Gender | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Male | 59.2 | 45.1 | 57.0 | 40.8 | 54.8 | 42.9 |
| % CI n | (59.0 - 59.5) 198 | (41.2-48.9) 574 | 51 | (40.4 - 41.1) 198 | (51.0-58.7) 1086 | 51 |
| Female | 57.4 | 45.1 | 55.7 | 42.6 | 54.8 | 44.2 |
| % CI n | (57.1 - 57.7) 443 | (42.7-47.6) 1179 | 51 | (41.8 - 42.4) 514 | (52.3-57.3) 2080 | 51 |
| Age | | | | | | |
| Age Group | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| 18-24 | 84.1 | 88.1 | 86.2 | 15.9 | 11.9 | 13.7 |
| % CI n | (83.7 - 84.4) 65 | (81.5-94.6) 106 | 49 | (15.2 - 16.7) 11 | (5.3-18.4) 15 | 49 |
| 25-34 | 79.3 | 64.2 | 73.9 | 20.7 | 35.7 | 26.0 |
| % CI n | (79.0 - 79.6) 112 | (57.5-71.0) 264 | 51 | (20.1 - 21.4) 31 | (28.9-42.4) 126 | 51 |
| 35-44 | 68.1 | 53.9 | 66.3 | 31.9 | 46.0 | 33.6 |
| % CI n | (67.7 - 68.5) 143 | (48.3-59.4) 379 | 51 | (31.4 - 32.4) 67 | (40.5-51.6) 297 | 51 |
| 45-54 | 50.6 | 38.4 | 51.0 | 49.4 | 61.5 | 49.0 |
| % CI n | (50.1 - 51.0) 132 | (34.7-42.2) 399 | 51 | (49.0 - 49.9) 116 | (57.7-65.3) 636 | 51 |
| 55-64 | 36.5 | 29.2 | 37.4 | 63.5 | 70.7 | 62.5 |
| % CI n | (35.9 - 37.1) 74 | (25.8-32.7) 333 | 51 | (63.0 - 64.0) 153 | (67.2-74.1) 799 | 51 |
| 65+ | 28.0 | 18.7 | 23.1 | 72.0 | 81.2 | 76.8 |
| % CI n | (27.4 - 28.7) 113 | (16.3-21.1) 272 | 51 | (71.6 - 72.4) 334 | (78.8-83.6) 1293 | 51 |

Note: Figures for State and US (States and DC) are from the CDC (Behavioral Risk Factor Surveillance System) website as of July 06, 2009.

N/A=Value not available or not applicable or not computed

[^] = 2001 MPH's BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Oral Health

Adults that have had any permanent teeth extracted

2008 Data Unless Otherwise Indicated

| Race | | | | | | |
|--------------------|---------------|-------------|----------------|---------------|-------------|----------------|
| Race | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| White | 59.2 | 45.9 | 57.6 | 40.8 | 54.0 | 42.3 |
| % | | | | | | |
| CI | (58.9 - 59.4) | (43.7-48.2) | | (40.5 - 41.1) | (51.7-56.2) | |
| n | 387 | 1533 | 51 | 414 | 2670 | 51 |
| Black | 54.9 | 40.4 | 42.4 | 45.1 | 59.5 | 57.5 |
| % | | | | | | |
| CI | (54.5 - 55.3) | (33.2-47.6) | | (44.7 - 45.6) | (52.3-66.7) | |
| n | 129 | 147 | 30 | 228 | 379 | 30 |
| Hispanic | 75.5 | N/A | 58.6 | 24.5 | N/A | 41.3 |
| % | | | | | | |
| CI | (74.8 - 76.1) | | | (23.5 - 25.6) | | |
| n | 112 | | 28 | 46 | | 28 |
| Other | 34.0 | N/A | 54.8 | 66.0 | N/A | 45.1 |
| % | | | | | | |
| CI | (32.6 - 35.3) | | | (65.1 - 67.0) | | |
| n | 5 | | 21 | 16 | | 21 |
| MultiRacial | 63.4 | N/A | 59.5 | 36.6 | N/A | 40.4 |
| % | | | | | | |
| CI | (61.9 - 65.0) | | | (34.5 - 38.6) | | |
| n | 6 | | 4 | 7 | | 4 |

| Income | | | | | | |
|----------------------------|---------------|-------------|----------------|---------------|-------------|----------------|
| Income Category | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| < \$15,000 | 37.1 | 22.3 | 36.7 | 62.9 | 77.6 | 63.2 |
| % | | | | | | |
| CI | (35.3 - 39.0) | (17.3-27.4) | | (61.5 - 64.3) | (72.5-82.6) | |
| n | 9 | 106 | 47 | 20 | 457 | 47 |
| \$15,000 - \$24,999 | 47.6 | 31.4 | 41.1 | 52.4 | 68.5 | 58.8 |
| % | | | | | | |
| CI | (47.0 - 48.3) | (25.2-37.5) | | (51.7 - 53.0) | (62.4-74.7) | |
| n | 57 | 182 | 50 | 124 | 673 | 50 |
| \$25,000 - \$34,999 | 53.7 | 35.9 | 45.5 | 46.3 | 64.0 | 54.4 |
| % | | | | | | |
| CI | (53.1 - 54.3) | (29.5-42.3) | | (45.6 - 46.9) | (57.6-70.5) | |
| n | 71 | 162 | 50 | 116 | 378 | 50 |
| \$35,000 - \$49,999 | 42.3 | 48.3 | 51.5 | 57.7 | 51.6 | 48.4 |
| % | | | | | | |
| CI | (41.7 - 42.8) | (40.7-55.9) | | (57.2 - 58.2) | (44.0-59.3) | |
| n | 75 | 235 | 50 | 116 | 306 | 50 |
| \$50,000 Plus | 66.6 | 60.6 | 66.2 | 33.4 | 39.3 | 33.7 |
| % | | | | | | |
| CI | (66.4 - 66.9) | (56.7-64.6) | | (33.0 - 33.8) | (35.3-43.3) | |
| n | 217 | 650 | 51 | 145 | 510 | 51 |

| Education | | | | | | |
|-------------------------|---------------|-------------|----------------|---------------|-------------|----------------|
| Education | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Less than H.S. | 43.2 | 17.2 | 35.4 | 56.8 | 82.7 | 64.5 |
| % | | | | | | |
| CI | (42.5 - 43.9) | (12.7-21.7) | | (56.2 - 57.5) | (78.2-87.2) | |
| n | 61 | 83 | 47 | 120 | 621 | 47 |
| H.S. or G.E.D. | 50.6 | 36.9 | 45.7 | 49.4 | 63.0 | 54.2 |
| % | | | | | | |
| CI | (50.2 - 51.0) | (32.9-41.0) | | (49.0 49.8) | (58.9-67.0) | |
| n | 171 | 494 | 51 | 252 | 1284 | 51 |
| Some post- H.S. | 52.9 | 50.2 | 56.3 | 47.1 | 49.7 | 43.6 |
| % | | | | | | |
| CI | (52.5 - 53.3) | (46.2-54.2) | | (46.7 - 47.6) | (45.7-53.7) | |
| n | 130 | 571 | 51 | 180 | 786 | 51 |
| College graduate | 72.1 | 64.6 | 69.0 | 27.9 | 35.3 | 30.9 |
| % | | | | | | |
| CI | (71.8 - 72.3) | (60.5-68.7) | | (27.5 - 28.4) | (31.2-39.4) | |
| n | 269 | 600 | 51 | 151 | 461 | 51 |

N/A=Value not available or not applicable or not computed

^ = 2001 MPH's BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Oral Health

Adults that have had any permanent teeth extracted
2008 Data Unless Otherwise Indicated

Note: Figures for State and US (States and DC) are from the CDC (Behavioral Risk Factor Surveillance System) website as of July 06, 2009.

N/A=Value not available or not applicable or not computed

^ = 2001 MPHD's BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Oral Health

Visited the dentist or dental clinic within the past year for any reason

2008 Data Unless Otherwise Indicated

| ALL | | | | | | |
|-----------------------------|---------------|-------------|----------------|---------------|-------------|----------------|
| SOURCE | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| ALL 2008 | 23.5 | 33.1 | 28.6 | 76.5 | 66.8 | 71.3 |
| CI | (23.3 - 23.8) | (31.1-35.1) | | (76.3 - 76.6) | (64.8-68.8) | |
| n | 366 | 1769 | 51 | 999 | 3223 | 51 |
| SMART 2006 | 24.7 | 35.2 | 29.7 | 75.3 | 64.8 | 70.3 |
| CI | (18.4-30.9) | (33.1-37.3) | | (69.0-81.5) | (62.7-66.9) | |
| n | 73 | 1577 | 51 | 203 | 2810 | 51 |
| SMART 2002 | 31.7 | 27.9 | 29.1 | 68.3 | 72.1 | 70.9 |
| CI | (24.7-38.7) | (26.0-29.8) | | (61.3-75.3) | (70.2-74.0) | |
| n | 81 | 887 | 51 | 173 | 2292 | 51 |
| ALL 2001[^] | | | | | | |
| CI | | | | | | |
| n | | | | | | |
| Gender | | | | | | |
| Gender | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Male | 25.3 | 34.1 | 31.1 | 74.7 | 65.8 | 68.8 |
| CI | (24.9 - 25.7) | (30.6-37.6) | | (74.5 - 74.9) | (62.3-69.3) | |
| n | 110 | 619 | 51 | 287 | 1059 | 51 |
| Female | 21.9 | 32.2 | 27.1 | 78.1 | 67.7 | 72.9 |
| CI | (21.5 - 22.3) | (30.0-34.4) | | (77.9 - 78.3) | (65.5-69.9) | |
| n | 256 | 1150 | 51 | 710 | 2164 | 51 |
| Age | | | | | | |
| Age Group | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| 18-24 | 16.4 | N/A | 29.7 | 83.6 | N/A | 70.2 |
| CI | (15.6 - 17.2) | | | (83.3 - 84.9) | | |
| n | 15 | | 46 | 61 | | 46 |
| 25-34 | 27.0 | 31.2 | 32.6 | 73.0 | 68.7 | 67.3 |
| CI | (26.4 - 27.6) | (25.1-37.3) | | (72.7 - 73.4) | (62.7-74.8) | |
| n | 45 | 129 | 51 | 99 | 262 | 51 |
| 35-44 | 20.6 | 28.2 | 27.4 | 79.4 | 71.7 | 72.5 |
| CI | (20.0 - 21.2) | (23.5-32.9) | | (79.1 - 79.7) | (67.0-76.4) | |
| n | 53 | 206 | 51 | 157 | 475 | 51 |
| 45-54 | 18.9 | 34.6 | 26.8 | 81.1 | 65.3 | 73.1 |
| CI | (18.3 - 19.5) | (30.9-38.3) | | (80.8 - 81.4) | (61.7-69.0) | |
| n | 50 | 380 | 51 | 200 | 671 | 51 |
| 55-64 | 26.6 | 33.8 | 25.3 | 73.4 | 66.2 | 74.6 |
| CI | (25.9 - 27.3) | (30.1-37.4) | | (73.0 - 73.8) | (62.5-69.8) | |
| n | 63 | 386 | 51 | 168 | 766 | 51 |
| 65+ | 32.2 | 38.1 | 32.2 | 67.8 | 61.9 | 67.7 |
| CI | (31.5 - 32.8) | (35.1-41.0) | | (67.4 - 68.3) | (58.9-64.8) | |
| n | 138 | 625 | 51 | 313 | 971 | 51 |

Note: Figures for State and US (States and DC) are from the CDC (Behavioral Risk Factor Surveillance System) website as of July 06, 2009.

N/A=Value not available or not applicable or not computed

[^] = 2001 MPH's BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Oral Health

Visited the dentist or dental clinic within the past year for any reason

2008 Data Unless Otherwise Indicated

| Race | | | | | | |
|--------------------|---------------|-------------|----------------|---------------|-------------|----------------|
| Race | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| White | 20.9 | 33.6 | 26.4 | 79.1 | 66.3 | 73.5 |
| % | | | | | | |
| CI | (20.6 - 21.3) | (31.5-35.7) | | (78.9 - 79.3) | (64.2-68.4) | |
| n | 183 | 1484 | 51 | 628 | 2778 | 51 |
| Black | 27.9 | 34.2 | 37.8 | 72.1 | 65.7 | 62.1 |
| % | | | | | | |
| CI | (27.4 - 28.4) | (27.8-40.6) | | (71.8 - 72.4) | (59.3-72.1) | |
| n | 113 | 223 | 31 | 245 | 314 | 31 |
| Hispanic | 41.6 | N/A | 38.9 | 58.4 | N/A | 61.0 |
| % | | | | | | |
| CI | (40.3 - 42.2) | | | (57.6 - 59.2) | | |
| n | 61 | | 27 | 96 | | 27 |
| Other | 15.4 | N/A | 29.5 | 84.6 | N/A | 70.4 |
| % | | | | | | |
| CI | (13.9 - 16.9) | | | (83.9 - 85.2) | | |
| n | 7 | | 25 | 14 | | 25 |
| MultiRacial | 6.7 | N/A | 31.1 | 93.3 | N/A | 68.8 |
| % | | | | | | |
| CI | (4.2 - 9.2) | | | (92.7 - 94.0) | | |
| n | 2 | | 7 | 11 | | 7 |

| Income | | | | | | |
|----------------------------|---------------|-------------|----------------|---------------|-------------|----------------|
| Income Category | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| < \$15,000 | 60.3 | 61.6 | 52.2 | 39.7 | 38.3 | 47.7 |
| % | | | | | | |
| CI | (58.9 - 61.8) | (54.9-68.3) | | (37.9 - 41.5) | (31.6-45.0) | |
| n | 16 | 350 | 48 | 13 | 213 | 48 |
| \$15,000 - \$24,999 | 39.2 | 45.8 | 46.1 | 60.8 | 54.2 | 53.8 |
| % | | | | | | |
| CI | (38.5 - 39.9) | (40.3-51.2) | | (60.3 - 61.4) | (48.7-59.6) | |
| n | 75 | 436 | 50 | 103 | 434 | 50 |
| \$25,000 - \$34,999 | 29.5 | 41.0 | 38.4 | 70.5 | 58.9 | 61.5 |
| % | | | | | | |
| CI | (28.8 - 30.3) | (34.5-47.5) | | (70.0 - 71.0) | (52.4-65.4) | |
| n | 63 | 203 | 51 | 126 | 342 | 51 |
| \$35,000 - \$49,999 | 22.2 | 28.1 | 30.0 | 77.8 | 71.9 | 70.0 |
| % | | | | | | |
| CI | (21.5 - 22.9) | (21.6-34.5) | | (77.4 - 78.2) | (65.4-78.3) | |
| n | 43 | 143 | 51 | 148 | 408 | 51 |
| \$50,000 Plus | 10.6 | 16.2 | 17.6 | 89.4 | 83.7 | 82.3 |
| % | | | | | | |
| CI | (10.1 - 11.1) | (13.1-19.3) | | (89.2 - 89.6) | (80.6-86.8) | |
| n | 42 | 179 | 51 | 323 | 987 | 51 |

| Education | | | | | | |
|-------------------------|---------------|-------------|----------------|---------------|-------------|----------------|
| Education | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Less than H.S. | 46.9 | 62.1 | 50.7 | 53.1 | 37.8 | 49.2 |
| % | | | | | | |
| CI | (46.2 - 47.6) | (55.8-68.5) | | (52.4 - 53.8) | (31.4-44.1) | |
| n | 88 | 468 | 50 | 92 | 241 | 50 |
| H.S. or G.E.D. | 27.3 | 36.9 | 35.6 | 72.7 | 63.0 | 64.3 |
| % | | | | | | |
| CI | (26.9 - 27.8) | (33.2-40.6) | | (72.4 - 73.0) | (59.3-66.7) | |
| n | 132 | 738 | 51 | 295 | 1064 | 51 |
| Some post- H.S. | 23.0 | 30.4 | 29.2 | 77.0 | 69.5 | 70.7 |
| % | | | | | | |
| CI | (22.5 - 23.6) | (26.6-34.2) | | (76.7 - 77.2) | (65.7-73.3) | |
| n | 68 | 379 | 51 | 245 | 996 | 51 |
| College graduate | 14.4 | 16.6 | 17.9 | 85.6 | 83.3 | 82.0 |
| % | | | | | | |
| CI | (13.9 - 14.8) | (13.3-20.0) | | (85.5 - 85.8) | (79.9-86.6) | |
| n | 72 | 176 | 51 | 350 | 909 | 51 |

N/A=Value not available or not applicable or not computed

^ = 2001 MPH's BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Oral Health

Visited the dentist or dental clinic within the past year for any reason
2008 Data Unless Otherwise Indicated

Note: Figures for State and US (States and DC) are from the CDC (Behavioral Risk Factor Surveillance System) website as of July 06, 2009.

N/A=Value not available or not applicable or not computed

^ = 2001 MPHD's BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Weight Classification by Body Mass Index
2008 Data Unless Otherwise Indicated

| ALL | | | | | | | | | | |
|-----------------------------|-----------|---|-------------|----------------|-------------------------------------|-------------|----------------|--------------------------------|-------------|----------------|
| SOURCE | | Neither overweight nor obese (bmi le 24.9) | | | Overweight (bmi 25.0 - 29.9) | | | Obese (bmi 30.0 - 99.8) | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| ALL 2008 | % | 39.5 | 32.0 | 36.6 | 34.2 | 36.7 | 36.4 | 26.3 | 31.2 | 26.6 |
| | CI | (39.3 - 39.7) | (29.9-34.0) | | (34.0 - 34.5) | (34.5-38.9) | | (26.0 - 26.6) | (29.0-33.4) | |
| | n | 531 | 1591 | 51 | 429 | 1719 | 51 | 358 | 1453 | 51 |
| ALL 2005 | % | 35.8 | 37.7 | 38.6 | 33.1 | 34.9 | 36.7 | 25.8 | 27.4 | 24.4 |
| | CI | (35.7 - 36.0) | (35.5-39.9) | | (32.9 - 33.2) | (32.9-36.9) | | (25.7 - 26.0) | (25.4-29.4) | |
| | n | 296 | 1626 | 51 | 283 | 1619 | 51 | 228 | 1245 | 51 |
| SMART 2005 | % | 37.6 | 37.7 | 38.6 | 35.3 | 34.9 | 36.7 | 26.8 | 27.4 | 24.4 |
| | CI | (33.5-41.8) | (35.5-39.9) | N/A | (31.2-39.5) | (32.9-36.9) | N/A | (23.3-30.4) | (25.4-29.4) | N/A |
| | n | 296 | 1626 | | 283 | 1619 | | 228 | 1245 | |
| SMART 2002 | % | 45.4 | 38.7 | 41.2 | 30.6 | 36.8 | 37.0 | 24.0 | 24.5 | 21.9 |
| | CI | (38.1-52.8) | (36.7-40.7) | | (24.0-37.1) | (34.8-38.8) | | (17.8-30.2) | (22.7-26.3) | |
| | n | 113 | 1215 | 51 | 76 | 1118 | 51 | 60 | 740 | 51 |
| ALL 2001[^] | % | 40.9 | 41.1 | 41.1 | 35.8 | 35.4 | 37.2 | 19.1 | 23.4 | 20.9 |
| | CI | | (38.9-43.3) | | | (33.3-37.5) | | | (21.6-25.2) | |
| | n | | 1158 | 51 | | 924 | 51 | | 653 | 51 |
| Gender | | | | | | | | | | |
| Gender | | Neither overweight nor obese (bmi le 24.9) | | | Overweight (bmi 25.0 - 29.9) | | | Obese (bmi 30.0 - 99.8) | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Male | % | 32.8 | 26.0 | 29.2 | 40.4 | 41.7 | 43.0 | 26.8 | 32.2 | 27.3 |
| | CI | (32.4 - 33.1) | (22.7-29.3) | | (40.1 - 40.8) | (37.9-45.5) | | (26.4 - 27.2) | (28.4-36.0) | |
| | n | 123 | 409 | 51 | 159 | 722 | 51 | 116 | 506 | 51 |
| Female | % | 46.0 | 37.7 | 44.3 | 28.2 | 32.0 | 29.7 | 25.8 | 30.2 | 25.5 |
| | CI | (45.7 - 46.3) | (35.3-40.1) | | (27.9 - 28.6) | (29.7-34.3) | | (25.4 - 26.2) | (27.9-32.5) | |
| | n | 408 | 1182 | 51 | 269 | 997 | 51 | 241 | 947 | 51 |

Note: Figures for State and US (States and DC) are from the CDC (Behavioral Risk Factor Surveillance System) website as of July 06, 2009.

N/A=Value not available or not applicable or not computed

[^] = 2001 MPH's BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Weight Classification by Body Mass Index
2008 Data Unless Otherwise Indicated

| Age | | | | | | | | | | |
|--------------|--|---------------|----------------|------------------------------|---------------|----------------|-------------------------|---------------|----------------|-------------|
| Age Group | Neither overweight nor obese (bmi le 24.9) | | | Overweight (bmi 25.0 - 29.9) | | | Obese (bmi 30.0 - 99.8) | | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | |
| 18-24 | % | 55.2 | | 56.8 | 27.8 | 27.5 | 25.6 | 17.0 | | 16.7 |
| | CI | (54.6 - 55.8) | N/A | | (27.1 - 28.6) | (17.5-37.4) | | (16.2 - 17.7) | N/A | |
| | n | 42 | | 45 | 21 | 33 | 48 | 12 | | 49 |
| 25-34 | % | 42.4 | 38.1 | 39.2 | 34.2 | 36.1 | 34.3 | 23.4 | 25.6 | 26.0 |
| | CI | (41.9 - 42.9) | (31.5-44.7) | | (33.6 - 34.7) | (29.0-43.3) | | (22.8 - 24.1) | (19.8-31.4) | |
| | n | 72 | 160 | 51 | 35 | 118 | 51 | 30 | 100 | 51 |
| 35-44 | % | 40.5 | 29.0 | 33.9 | 34.9 | 35.7 | 36.7 | 24.6 | 35.1 | 28.2 |
| | CI | (40.0 - 41.0) | (24.2-33.8) | | (34.3 - 35.4) | (30.4-41.0) | | (24.0 - 25.2) | (29.4-40.9) | |
| | n | 93 | 195 | 51 | 62 | 219 | 51 | 51 | 233 | 51 |
| 45-54 | % | 33.7 | 28.8 | 31.2 | 34.3 | 36.2 | 37.9 | 32.0 | 34.8 | 31.0 |
| | CI | (33.2 - 34.3) | (25.2-32.4) | | (33.7 - 34.9) | (32.3-40.1) | | (31.4 - 32.5) | (31.1-38.6) | |
| | n | 86 | 302 | 51 | 76 | 344 | 51 | 74 | 356 | 51 |
| 55-64 | % | 28.1 | 28.6 | 27.9 | 36.2 | 37.1 | 39.6 | 35.6 | 34.1 | 32.1 |
| | CI | (27.4 - 28.8) | (25.0-32.3) | | (35.6 - 36.9) | (33.4-40.9) | | (35.0 - 36.3) | (30.4-37.8) | |
| | n | 61 | 314 | 51 | 75 | 389 | 51 | 84 | 372 | 51 |
| 65+ | % | 39.2 | 34.0 | 36.3 | 36.7 | 42.6 | 40.2 | 24.1 | 23.2 | 22.9 |
| | CI | (38.6 - 39.8) | (31.2-36.9) | | (36.1 - 37.3) | (39.5-45.7) | | (23.4 - 24.7) | (20.6-25.9) | |
| | n | 176 | 562 | 51 | 159 | 616 | 51 | 105 | 366 | 51 |

| Race | | | | | | | | | | |
|--------------------|--|---------------|----------------|------------------------------|---------------|----------------|-------------------------|---------------|----------------|-------------|
| Race | Neither overweight nor obese (bmi le 24.9) | | | Overweight (bmi 25.0 - 29.9) | | | Obese (bmi 30.0 - 99.8) | | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | |
| White | % | 40.5 | 33.6 | 37.6 | 34.1 | 37.2 | 36.3 | 25.4 | 29.1 | 25.4 |
| | CI | (40.2 - 40.8) | (31.4-35.7) | | (33.8 - 34.4) | (35.0-39.4) | | (25.1 - 25.7) | (27.1-31.1) | |
| | n | 324 | 1423 | 51 | 271 | 1465 | 51 | 187 | 1183 | 51 |
| Black | % | 31.2 | 23.4 | 26.5 | 37.2 | 38.5 | 35.2 | 31.7 | 38.0 | 37.4 |
| | CI | (30.7 - 31.7) | (17.0-29.7) | | (36.7 - 37.6) | (31.3-45.8) | | (31.2 - 32.2) | (31.1-44.9) | |
| | n | 89 | 105 | 29 | 117 | 190 | 31 | 138 | 215 | 32 |
| Hispanic | % | 56.5 | | 32.1 | 24.2 | | 39.6 | 19.3 | | 28.1 |
| | CI | (55.6 - 57.3) | N/A | | (23.1 - 25.3) | N/A | | (18.2 - 20.5) | N/A | |
| | n | 98 | | 26 | 33 | | 27 | 26 | | 30 |
| Other | % | 44.5 | | 47.6 | 41.7 | | 32.5 | 13.8 | | 16.6 |
| | CI | (43.3 - 45.8) | N/A | | (40.5 - 43.0) | N/A | | (12.2 - 15.3) | N/A | |
| | n | 9 | | 19 | 7 | | 23 | 3 | | 37 |
| MultiRacial | % | 63.4 | | 32.9 | 8.7 | | 31.9 | 27.9 | | 34.7 |
| | CI | (61.7 - 65.2) | N/A | | (6.0 - 11.4) | N/A | | (25.4 - 30.3) | N/A | |
| | n | 6 | | 6 | 1 | | 6 | 4 | | 6 |

Note: Figures for State and US (States and DC) are from the CDC (Behavioral Risk Factor Surveillance System) website as of July 06, 2009.

N/A=Value not available or not applicable or not computed

^ = 2001 MPH's BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Weight Classification by Body Mass Index
2008 Data Unless Otherwise Indicated

| Income | | | | | | | | | | |
|----------------------------|-----------|--|-------------|----------------|------------------------------|-------------|----------------|-------------------------|-------------|----------------|
| Income Category | | Neither overweight nor obese (bmi le 24.9) | | | Overweight (bmi 25.0 - 29.9) | | | Obese (bmi 30.0 - 99.8) | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| < \$15,000 | % | 31.7 | 30.0 | 35.3 | 29.4 | 36.5 | 31.4 | 38.9 | 33.5 | 33.6 |
| | CI | (29.7 - 33.6) | (23.9-36.0) | | (27.5 - 31.4) | (29.4-43.5) | | (37.1 - 40.7) | (27.7-39.3) | |
| | n | 11 | 158 | 48 | 8 | 189 | 48 | 9 | 207 | 49 |
| \$15,000 - \$24,999 | % | 38.2 | 30.3 | 35.1 | 31.1 | 36.4 | 33.6 | 30.6 | 33.2 | 30.2 |
| | CI | (37.5 - 39.0) | (25.2-35.5) | | (30.4 - 31.9) | (30.5-42.2) | | (29.9 - 31.4) | (28.0-38.4) | |
| | n | 66 | 276 | 51 | 55 | 293 | 51 | 53 | 273 | 50 |
| \$25,000 - \$34,999 | % | 43.7 | 34.2 | 34.6 | 26.6 | 36.4 | 36.4 | 29.7 | 29.3 | 29.3 |
| | CI | (43.0 - 44.4) | (27.6-40.8) | | (25.9 - 27.4) | (30.0-42.8) | | (28.9 - 30.7) | (23.2-35.3) | |
| | n | 76 | 167 | 51 | 50 | 207 | 51 | 56 | 152 | 50 |
| \$35,000 - \$49,999 | % | 30.1 | 22.7 | 34.5 | 38.3 | 41.7 | 36.6 | 31.6 | 35.4 | 28.3 |
| | CI | (29.4 - 30.7) | (17.6-27.8) | | (37.7 - 38.9) | (34.4-49.0) | | (31.0 - 32.3) | (26.9-44.0) | |
| | n | 61 | 153 | 50 | 68 | 215 | 51 | 60 | 168 | 51 |
| \$50,000 Plus | % | 37.2 | 34.2 | 36.6 | 38.5 | 37.7 | 38.4 | 24.3 | 28.0 | 25.2 |
| | CI | (36.8 - 37.6) | (30.2-38.2) | | (38.1 - 38.9) | (33.6-41.8) | | (23.9 - 24.8) | (24.1-31.8) | |
| | n | 126 | 389 | 51 | 129 | 421 | 51 | 93 | 320 | 51 |

| Education | | | | | | | | | | |
|-------------------------|-----------|--|-------------|----------------|------------------------------|-------------|----------------|-------------------------|-------------|----------------|
| Education | | Neither overweight nor obese (bmi le 24.9) | | | Overweight (bmi 25.0 - 29.9) | | | Obese (bmi 30.0 - 99.8) | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Less than H.S. | % | 44.6 | 28.6 | 35.4 | 26.8 | 37.7 | 34.0 | 28.6 | 33.5 | 29.6 |
| | CI | (43.9 - 45.3) | (22.8-34.5) | | (26.0 - 27.7) | (31.3-44.1) | | (27.8 - 29.4) | (27.8-39.2) | |
| | n | 83 | 214 | 47 | 47 | 242 | 47 | 49 | 225 | 50 |
| H.S. or G.E.D. | % | 40.6 | 31.3 | 34.0 | 29.9 | 33.5 | 35.9 | 29.5 | 35.1 | 29.6 |
| | CI | (40.1 - 41.0) | (27.8-34.8) | | (29.4 - 30.4) | (29.7-37.3) | | (29.1 - 30.0) | (30.8-39.4) | |
| | n | 167 | 564 | 51 | 125 | 610 | 51 | 121 | 550 | 51 |
| Some post- H.S. | % | 32.7 | 33.0 | 34.9 | 39.8 | 34.7 | 35.8 | 27.5 | 32.2 | 28.9 |
| | CI | (32.2 - 33.2) | (29.2-36.8) | | (39.3 - 40.2) | (30.9-38.5) | | (27.0 - 28.1) | (28.4-36.0) | |
| | n | 90 | 450 | 51 | 115 | 464 | 51 | 89 | 402 | 51 |
| College graduate | % | 40.6 | 33.4 | 39.7 | 36.5 | 43.3 | 37.8 | 22.9 | 23.1 | 21.7 |
| | CI | (40.3 - 41.0) | (29.2-37.7) | | (36.1 - 36.9) | (38.8-47.9) | | (22.5 - 23.4) | (19.6-26.6) | |
| | n | 174 | 359 | 51 | 138 | 399 | 51 | 97 | 272 | 51 |

Note: Figures for State and US (States and DC) are from the CDC (Behavioral Risk Factor Surveillance System) website as of July 06, 2009.

N/A=Value not available or not applicable or not computed

^ = 2001 MPHDP's BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Prostate Cancer Screening

Men aged 40+ who have had a PSA test within the past two years
2008 Data Unless Otherwise Indicated

| ALL | | | | | | |
|-----------------------------|-------------------------------------|-----------------------------------|-------------------|-------------------------------------|-----------------------------------|-------------------|
| SOURCE | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| ALL 2008 | 48.7 (48.3 - 49.2) 118 | 51.9 (47.8-56.0) 569 | 45.2 51 | 51.3 (50.9 - 51.7) 155 | 48.0 (43.9-52.1) 748 | 54.7 51 |
| SMART 2006 | NA | 45.7 (41.9-49.5) 454 | 46.5 51 | NA | 54.3 (50.5-58.1) 638 | 53.5 51 |
| SMART 2002 | N/A | 45.3 (41.3-49.3) 345 | 46.2 51 | N/A | 54.7 (50.7-58.7) 455 | 53.8 51 |
| ALL 2001[^] | N/A | N/A | N/A | N/A | N/A | N/A |

| Gender | | | | | | |
|---------------|-------------------------------------|-----------------------------------|-------------------|-------------------------------------|-----------------------------------|-------------------|
| Gender | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Male | 48.7 (48.3 - 49.2) 118 | 51.9 (47.8-56.0) 569 | 45.2 51 | 51.3 (50.9 - 51.7) 155 | 48.0 (43.9-52.1) 748 | 54.7 51 |
| Female | *** | N/A | 0.0 0 | *** | N/A | 0.0 0 |

| Age | | | | | | |
|------------------------|------------------------------------|-----------------------------------|-------------------|------------------------------------|-----------------------------------|-------------------|
| Age Group ¹ | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| 40-49 | 69.9 (69.4 - 70.4) 57 | 73.7 (66.8-80.6) 212 | 73.9 50 | 30.1 (29.4 - 30.9) 22 | 26.2 (19.3-33.1) 94 | 26.0 50 |
| 50-59 | 46.4 (45.6 - 47.3) 30 | 44.2 (37.7-50.6) 163 | 41.9 51 | 53.6 (52.8 - 54.4) 33 | 55.7 (49.3-62.2) 197 | 58.0 51 |
| 60-64 | 18.4 (16.9 - 19.9) 7 | 37.4 (28.4-46.5) 59 | 24.6 50 | 81.6 (80.9 - 82.3) 26 | 62.5 (53.4-71.5) 114 | 75.3 50 |
| 65+ | 23.4 (22.2 - 24.5) 24 | 29.5 (24.3-34.8) 135 | 21.5 51 | 76.6 (76.0 - 77.3) 74 | 70.4 (65.2-75.7) 343 | 78.4 51 |

Note: Figures for State and US (States and DC) are from the CDC (Behavioral Risk Factor Surveillance System) website as of July 06, 2009.

N/A=Value not available or not applicable or not computed

[^] = 2001 MPHD's BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Prostate Cancer Screening

Men aged 40+ who have had a PSA test within the past two years

2008 Data Unless Otherwise Indicated

| Race | | | | | | |
|----------------------------|---------------------|--------------------|----------------|----------------------|--------------------|----------------|
| Race | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| White | 50.1 | 52.3 | 43.0 | 49.9 | 47.6 | 56.9 |
| % CI n | (49.6 - 50.6) 78 | (48.5-56.2) 509 | 51 | (49.4 - 50.4) 114 | (43.7-51.4) 661 | 51 |
| Black | 47.4 | N/A | 41.1 | 52.6 | N/A | 58.8 |
| % CI n | (46.5 - 48.3) 23 | N/A | 13 | (51.7 - 53.5) 30 | N/A | 13 |
| Hispanic | 68.9 | N/A | 58.9 | 31.1 | N/A | 41.0 |
| % CI n | (67.1 - 70.6) 15 | N/A | 7 | (28.5 - 33.7) 6 | N/A | 7 |
| Other | 0.0 | N/A | 60.3 | 100.0 | N/A | 39.6 |
| % CI n | *** 0 | N/A | 5 | *** 4 | N/A | 5 |
| MultiRacial | 59.5 | N/A | 52.2 | 40.5 | N/A | 47.7 |
| % CI n | (55.6 - 63.5) 2 | N/A | 2 | (35.7 - 45.2) 1 | N/A | 2 |
| Income | | | | | | |
| Income Category | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| < \$15,000 | 71.1 | N/A | 59.8 | 28.9 | N/A | 40.1 |
| % CI n | (67.7 - 74.4) 2 | N/A | 22 | (23.7 - 34.2) 1 | N/A | 22 |
| \$15,000 - \$24,999 | 50.5 | 52.4 | 49.1 | 49.5 | 47.5 | 50.9 |
| % CI n | (49.1 - 51.8) 15 | (43.9-60.9) 101 | 43 | (48.1 - 50.9) 15 | (39.0-56.0) 122 | 43 |
| \$25,000 - \$34,999 | 46.2 | N/A | 44.7 | 53.8 | N/A | 55.2 |
| % CI n | (44.8 - 47.6) 12 | N/A | 39 | (52.5 - 55.1) 17 | N/A | 39 |
| \$35,000 - \$49,999 | 52.6 | N/A | 44.8 | 47.4 | N/A | 55.1 |
| % CI n | (51.7 - 53.5) 24 | N/A | 46 | (46.5 - 48.4) 27 | N/A | 46 |
| \$50,000 Plus | 46.3 | 43.8 | 42.2 | 53.7 | 56.1 | 57.7 |
| % CI n | (45.7 - 47.0) 39 | (36.9-50.7) 144 | 51 | (53.1 - 54.3) 62 | (49.2-63.0) 255 | 51 |
| Education | | | | | | |
| Education | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Less than H.S. | 36.6 | 55.3 | 56.9 | 63.4 | 44.6 | 43.0 |
| % CI n | (34.9 - 38.4) 13 | (46.4-64.2) 87 | 27 | (62.1 - 64.7) 14 | (35.7-53.5) 93 | 27 |
| H.S. or G.E.D. | 50.5 | 56.9 | 50.3 | 49.5 | 43.0 | 49.6 |
| % CI n | (49.8 - 51.2) 40 | (49.1-64.7) 223 | 49 | (48.8 - 50.3) 36 | (35.3-50.8) 245 | 49 |
| Some post- H.S. | 59.2 | 49.6 | 45.1 | 40.8 | 50.3 | 54.8 |
| % CI n | (58.3 - 60.0) 26 | (42.5-56.7) 148 | 51 | (39.8 - 41.9) 31 | (43.2-57.4) 192 | 51 |
| College graduate | 42.8 | 45.7 | 38.8 | 57.2 | 54.2 | 61.1 |
| % CI n | (42.1 - 43.5) 40 | (37.6-53.8) 109 | 51 | (56.6 - 57.8) 69 | (46.2-62.3) 218 | 51 |

Note: Figures for State and US (States and DC) are from the CDC (Behavioral Risk Factor Surveillance System) website as of July 06, 2009.

N/A=Value not available or not applicable or not computed

^= 2001 MPH's BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Tobacco Use
Four Level Smoking Status
2008 Data Unless Otherwise Indicated

| ALL | | | | | | | | | | | | | |
|------------|----|----------------|-------------|---------------|-----------------|------------|----------------|---------------|-------------|---------------|---------------|-------------|----------------|
| SOURCE | | Smoke everyday | | | Smoke some days | | | Former smoker | | | Never smoked | | |
| | | Davidson | Tennessee | United States | Davidson | Tennessee | United States* | Davidson | Tennessee | United States | Davidson | Tennessee | United States* |
| ALL 2008 | % | 16.4 | 18.0 | 13.4 | 6.0 | 5.1 | 4.8 | 22.4 | 21.8 | 25.2 | 55.2 | 55.0 | 55.3 |
| | CI | (16.2 - 16.7) | (16.2-19.7) | | (5.7 - 6.3) | (3.7-6.4) | | (22.1 - 22.7) | (20.1-23.5) | | (55.0 - 55.4) | (52.8-57.2) | |
| | n | 197 | 786 | 51 | 60 | 224 | 51 | 360 | 1286 | 51 | 749 | 2708 | 51 |
| ALL 2005 | % | 16.1 | 20.4 | 15.3 | 5.1 | 6.3 | 5.3 | 19.4 | 22.0 | 24.8 | 59.3 | 51.3 | 54.0 |
| | CI | (16.0 - 16.2) | (18.5-22.3) | | (5.0 - 5.2) | (4.9-7.7) | | (19.3 - 19.5) | (20.4-23.6) | | (59.1 - 59.4) | (49.2-53.4) | |
| | n | 137 | 886 | 51 | 41 | 237 | 51 | 193 | 1131 | 51 | 487 | 2479 | 51 |
| SMART 2005 | % | 16.5 | 20.4 | 15.3 | 6.2 | 6.3 | 5.3 | 20.3 | 22.0 | 24.8 | 56.7 | 51.3 | 54.0 |
| | CI | (13.5-19.4) | (18.5-22.3) | | (3.9-8.6) | (4.9-7.7) | | (17.2-23.5) | (20.4-23.6) | | (52.6-60.9) | (49.2-53.4) | |
| | n | 137.0 | 886.0 | 51.0 | 41.0 | 237.0 | 51.0 | 193.0 | 1131.0 | 51.0 | 487.0 | 2479.0 | 51.0 |
| SMART 2002 | % | 18.6 | 22.9 | 17.8 | 3.1 | 4.9 | 5.0 | 19.1 | 18.7 | 24.7 | 59.2 | 53.6 | 52.0 |
| | CI | (12.7-24.4) | (21.1-24.7) | | (0.9-5.2) | (3.9-5.9) | | (13.7-24.6) | (17.2-20.2) | | (52.2-66.2) | (51.6-55.6) | |
| | n | 47 | 660 | 51 | 8 | 145 | 51 | 49 | 641 | 51 | 151 | 1746 | 51 |
| ALL 2001^ | % | N/A | 19.7 | 17.4 | N/A | 4.7 | 5.7 | N/A | 19.1 | 24.7 | N/A | 56.6 | 51.3 |
| | CI | | (18.0-21.4) | | | (3.8-5.6) | | | (17.4-20.8) | | | (54.5-58.7) | |
| | n | | 567 | 51 | | 142 | 51 | | 540 | 51 | | 1667 | 51 |

| Gender | | | | | | | | | | | | | |
|--------|----|----------------|-------------|---------------|-----------------|------------|----------------|---------------|-------------|---------------|---------------|-------------|----------------|
| Gender | | Smoke everyday | | | Smoke some days | | | Former smoker | | | Never smoked | | |
| | | Davidson | Tennessee | United States | Davidson | Tennessee | United States* | Davidson | Tennessee | United States | Davidson | Tennessee | United States* |
| Male | % | 19.6 | 21.3 | 14.8 | 7.0 | 5.2 | 5.2 | 22.6 | 25.1 | 28.6 | 50.8 | 48.2 | 50.5 |
| | CI | (19.2 - 20.0) | (18.2-24.4) | | (6.6 - 7.4) | (2.6-7.8) | | (22.3 - 23.0) | (22.1-28.0) | | (50.5 - 51.1) | (44.4-52.1) | |
| | n | 74 | 313 | 51 | 20 | 73 | 51 | 120 | 574 | 51 | 183 | 722 | 51 |
| Female | % | 13.5 | 14.9 | 12.1 | 5.0 | 4.9 | 4.3 | 22.2 | 18.7 | 21.8 | 59.3 | 61.3 | 61.3 |
| | CI | (13.1 - 13.9) | (13.2-16.6) | | (4.6 - 5.4) | (3.9-6.0) | | (21.8 - 22.6) | (17.0-20.5) | | (59.0 - 59.5) | (59.0-63.6) | |
| | n | 123 | 473 | 51 | 40 | 151 | 51 | 240 | 712 | 51 | 564 | 1986 | 51 |

Note: Figures for State and US (States and DC) are from the CDC (Behavioral Risk Factor Surveillance System) website as of July 06, 2009.

N/A=Value not available or not applicable or not computed

^ = 2001 MPHDS BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Tobacco Use
Four Level Smoking Status
2008 Data Unless Otherwise Indicated

| Age | | | | | | | | | | | | |
|--------------|----------------|-------------|---------------|-----------------|------------|----------------|---------------|-------------|---------------|---------------|-------------|----------------|
| Age Group | Smoke everyday | | | Smoke some days | | | Former smoker | | | Never smoked | | |
| | Davidson | Tennessee | United States | Davidson | Tennessee | United States* | Davidson | Tennessee | United States | Davidson | Tennessee | United States* |
| 18-24 | 17.1 | 15.6 | 15.8 | 8.9 | 2.1 | 7.2 | 1.5 | 6.2 | 7.2 | 72.4 | 75.9 | 70.0 |
| % | (16.4 - 17.9) | (7.8-23.4) | | (8.1 - 9.7) | (0.0-4.3) | | (0.7 - 2.4) | (1.5-11.0) | | (72.0 - 72.9) | (66.9-84.9) | |
| CI | 10 | 19 | 50 | 7 | 5 | 51 | 1 | 8 | 51 | 58 | 89 | 48 |
| n | | | | | | | | | | | | |
| 25-34 | 14.2 | 24.5 | 16.8 | 7.3 | 5.3 | 6.7 | 16.8 | 16.7 | 17.6 | 61.8 | 53.4 | 58.4 |
| % | (13.6 - 14.8) | (18.3-30.8) | | (6.6 - 7.9) | (2.8-7.7) | | (16.1 - 17.4) | (10.9-22.5) | | (61.3 - 62.2) | (46.4-60.3) | |
| CI | 17 | 81 | 51 | 7 | 23 | 51 | 18 | 60 | 51 | 101 | 226 | 51 |
| n | | | | | | | | | | | | |
| 35-44 | 13.4 | 17.6 | 14.9 | 6.4 | 7.2 | 5.1 | 17.4 | 13.8 | 18.7 | 62.8 | 61.2 | 60.6 |
| % | (12.8 - 14.0) | (13.6-21.6) | | (5.7 - 7.0) | (2.7-11.8) | | (16.8 - 18.0) | (10.5-17.1) | | (62.4 - 63.2) | (55.7-66.7) | |
| CI | 27 | 128 | 51 | 12 | 35 | 51 | 36 | 99 | 51 | 135 | 420 | 51 |
| n | | | | | | | | | | | | |
| 45-54 | 24.7 | 23.3 | 16.0 | 5.4 | 5.8 | 4.5 | 18.4 | 21.1 | 25.2 | 51.5 | 49.6 | 52.4 |
| % | (24.2 - 25.3) | (19.9-26.7) | | (4.7 - 6.0) | (4.1-7.6) | | (17.8 - 19.0) | (18.0-24.2) | | (51.0 - 51.9) | (45.7-53.5) | |
| CI | 53 | 235 | 51 | 13 | 60 | 51 | 48 | 99 | 51 | 137 | 526 | 51 |
| n | | | | | | | | | | | | |
| 55-64 | 18.4 | 16.7 | 12.4 | 3.4 | 4.5 | 4.0 | 43.1 | 32.0 | 35.0 | 35.1 | 46.7 | 46.6 |
| % | (17.7 - 19.1) | (13.9-19.5) | | (2.6 - 4.2) | (3.1-5.9) | | (42.5 - 43.7) | (28.3-35.6) | | (34.5 - 35.7) | (42.9-50.5) | |
| CI | 41 | 191 | 51 | 11 | 58 | 51 | 87 | 325 | 51 | 90 | 575 | 51 |
| n | | | | | | | | | | | | |
| 65+ | 10.3 | 8.6 | 6.0 | 4.6 | 2.4 | 2.0 | 38.7 | 36.3 | 42.9 | 46.4 | 52.5 | 48.8 |
| % | (9.6 - 11.0) | (6.7-10.5) | | (3.9 - 5.4) | (1.4-3.4) | | (38.1 - 39.3) | (33.4-39.2) | | (45.9 - 47.0) | (49.5-55.5) | |
| CI | 48 | 132 | 51 | 10 | 43 | 51 | 169 | 565 | 51 | 226 | 872 | 51 |
| n | | | | | | | | | | | | |

| Race | | | | | | | | | | | | |
|--------------------|----------------|-------------|---------------|-----------------|------------|----------------|---------------|-------------|---------------|---------------|-------------|----------------|
| Race | Smoke everyday | | | Smoke some days | | | Former smoker | | | Never smoked | | |
| | Davidson | Tennessee | United States | Davidson | Tennessee | United States* | Davidson | Tennessee | United States | Davidson | Tennessee | United States* |
| White | 16.2 | 18.9 | 13.6 | 5.5 | 4.6 | 4.2 | 25.9 | 24.0 | 26.9 | 52.4 | 52.3 | 53.5 |
| % | (15.9 - 16.5) | (17.1-20.8) | | (5.2 - 5.9) | (3.7-5.6) | | (25.6 - 26.2) | (22.1-25.8) | | (52.1 - 52.6) | (50.1-54.5) | |
| CI | 111 | 687 | 51 | 32 | 185 | 51 | 253 | 1140 | 51 | 413 | 2262 | 51 |
| n | | | | | | | | | | | | |
| Black | 19.5 | 17.4 | 14.2 | 8.5 | 3.7 | 6.5 | 15.2 | 12.9 | 17.1 | 56.8 | 65.8 | 61.5 |
| % | (18.9 - 20.0) | (11.3-23.6) | | (8.0 - 9.1) | (1.6-5.8) | | (14.7 - 15.8) | (9.1-16.6) | | (56.4 - 57.2) | (59.1-72.5) | |
| CI | 69 | 76 | 35 | 22 | 28 | 36 | 81 | 109 | 38 | 189 | 325 | 32 |
| n | | | | | | | | | | | | |
| Hispanic | 9.1 | 6.1 | 9.8 | 4.1 | N/A | 7.4 | 11.5 | 6.2 | 17.0 | 75.3 | N/A | 66.1 |
| % | (7.9 - 10.7) | (0.0-12.4) | | (2.9 - 5.3) | | | (10.3 - 12.6) | (0.9-11.6) | | (74.7 - 75.9) | | |
| CI | 11 | 7 | 43 | 6 | | 44 | 18 | 10 | 37 | 123 | | 28 |
| n | | | | | | | | | | | | |
| Other | 12.1 | 6.8 | 12.6 | 0.0 | N/A | 5.1 | 18.1 | N/A | 18.1 | 69.8 | N/A | 66.1 |
| % | (10.5 - 13.6) | (0.0-14.3) | | *** | | | (16.6 - 19.6) | | | (68.9 - 70.7) | | |
| CI | 3 | 4 | 41 | 0 | | 46 | 4 | | 38 | 14 | | 24 |
| n | | | | | | | | | | | | |
| MultiRacial | 12.4 | N/A | 15.0 | 0.0 | 0.7 | 6.4 | 49.0 | 8.9 | 19.1 | 38.7 | N/A | 51.9 |
| % | (10.0 - 14.8) | | | ** | (0.0-2.2) | | (47.1 - 50.8) | (1.0-16.8) | | (36.7 - 40.7) | | |
| CI | 3 | | 16 | 0 | 1 | 33 | 3 | 9 | 15 | 7 | | 4 |
| n | | | | | | | | | | | | |

Note: Figures for State and US (States and DC) are from the CDC (Behavioral Risk Factor Surveillance System) website as of July 06, 2009.

N/A=Value not available or not applicable or not computed

^ = 2001 MPH's BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Tobacco Use

Four Level Smoking Status

2008 Data Unless Otherwise Indicated

| Income | | | | | | | | | | | | | |
|----------------------------|-----------|----------------|-------------|---------------|-----------------|------------|----------------|---------------|-------------|---------------|---------------|-------------|----------------|
| Income Category | | Smoke everyday | | | Smoke some days | | | Former smoker | | | Never smoked | | |
| | | Davidson | Tennessee | United States | Davidson | Tennessee | United States* | Davidson | Tennessee | United States | Davidson | Tennessee | United States* |
| < \$15,000 | % | 32.7 | 36.5 | 23.0 | 1.6 | 7.7 | 8.1 | 33.1 | 19.6 | 20.8 | 32.7 | 36.0 | 47.0 |
| | CI | (30.8 - 34.6) | (29.4-43.7) | | *** | (4.3-11.2) | | (31.2 - 35.0) | (15.4-23.7) | | (30.8 - 34.6) | (30.0-42.0) | |
| | n | 5 | 153 | 49 | 1 | 39 | 51 | 10 | 144 | 50 | 13 | 233 | 49 |
| \$15,000 - \$24,999 | % | 23.7 | 26.8 | 21.3 | 4.3 | 6.4 | 6.4 | 25.4 | 24.5 | 23.5 | 46.6 | 42.2 | 49.0 |
| | CI | (22.9 - 24.5) | (21.5-32.0) | | (3.4 - 5.2) | (4.1-8.7) | | (24.7 - 26.2) | (19.1-29.8) | | (45.9 - 47.3) | (36.9-47.6) | |
| | n | 35 | 178 | 51 | 6 | 56 | 51 | 49 | 234 | 51 | 91 | 404 | 50 |
| \$25,000 - \$34,999 | % | 25.4 | 21.2 | 16.9 | 6.9 | 3.5 | 5.5 | 16.6 | 20.6 | 26.1 | 51.2 | 54.5 | 50.4 |
| | CI | (24.6 - 26.1) | (15.4-27.1) | | (6.0 - 7.7) | (1.6-5.3) | | (15.8 - 17.4) | (15.8-25.4) | | (50.6 - 51.8) | (48.0-61.0) | |
| | n | 42 | 96 | 51 | 13 | 19 | 51 | 39 | 139 | 51 | 97 | 293 | 50 |
| \$35,000 - \$49,999 | % | 20.1 | 16.3 | 15.9 | 7.2 | 7.6 | 4.9 | 26.4 | 21.7 | 26.6 | 46.4 | 54.2 | 51.9 |
| | CI | (19.4 - 20.7) | (11.5-21.1) | | (6.4 - 7.9) | (0.0-16.6) | | (25.7 - 27.1) | (16.7-26.6) | | (45.8 - 47.0) | (46.5-62.0) | |
| | n | 33 | 82 | 51 | 9 | 23 | 51 | 51 | 140 | 51 | 98 | 306 | 50 |
| \$50,000 Plus | % | 10.3 | 8.4 | 9.4 | 3.7 | 3.6 | 3.7 | 22.8 | 23.3 | 26.0 | 63.2 | 64.5 | 60.2 |
| | CI | (9.9 - 10.8) | (6.4-10.5) | | (3.2 - 4.2) | (2.1-5.1) | | (22.3 - 23.2) | (20.0-26.5) | | (62.9 - 63.5) | (60.7-68.3) | |
| | n | 35 | 105 | 51 | 12 | 35 | 51 | 102 | 315 | 51 | 214 | 712 | 51 |

| Education | | | | | | | | | | | | | |
|-------------------------|-----------|----------------|-------------|----------------|-----------------|------------|----------------|---------------|-------------|----------------|---------------|-------------|----------------|
| Education | | Smoke everyday | | | Smoke some days | | | Former smoker | | | Never smoked | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Less than H.S. | % | 32.1 | 36.6 | 24.5 | 5.6 | 6.3 | 6.6 | 22.2 | 23.9 | 24.1 | 40.1 | 33.0 | 44.3 |
| | CI | (31.3 - 32.9) | (30.0-43.2) | | (4.7 - 6.6) | (3.8-8.7) | | (21.4 - 23.0) | (19.3-28.5) | | (39.3 - 40.8) | (27.7-38.2) | |
| | n | 39 | 176 | 48 | 11 | 43 | 51 | 42 | 200 | 50 | 90 | 294 | 50 |
| H.S. or G.E.D. | % | 22.9 | 21.3 | 19.1 | 6.2 | 7.0 | 5.8 | 17.9 | 20.3 | 25.8 | 53.0 | 51.2 | 49.2 |
| | CI | (22.4 - 23.3) | (18.4-24.3) | | (5.6 - 6.7) | (3.6-10.3) | | (17.5 - 18.4) | (17.3-23.4) | | (52.7 - 53.4) | (47.2-55.2) | |
| | n | 78 | 354 | 51 | 18 | 85 | 51 | 103 | 427 | 51 | 228 | 946 | 51 |
| Some post- H.S. | % | 10.9 | 14.4 | 14.2 | 9.0 | 3.7 | 5.5 | 28.6 | 23.0 | 25.9 | 51.6 | 58.7 | 53.2 |
| | CI | (10.3 - 11.4) | (11.4-17.4) | | (8.4 - 9.6) | (2.4-5.0) | | (28.1 - 29.1) | (20.1-26.0) | | (51.1 - 52.0) | (54.9-62.5) | |
| | n | 36 | 169 | 51 | 20 | 63 | 51 | 99 | 383 | 51 | 159 | 760 | 51 |
| College graduate | % | 10.6 | 8.1 | 5.4 | 4.1 | 3.3 | 3.1 | 22.1 | 21.7 | 24.1 | 63.2 | 66.7 | 66.7 |
| | CI | (10.1 - 11.1) | (5.4-10.8) | | (3.6 - 4.6) | (1.7-4.9) | | (21.7 - 22.6) | (18.3-25.1) | | (62.9 - 63.5) | (62.6-70.9) | |
| | n | 42 | 85 | 51 | 10 | 32 | 51 | 110 | 276 | 51 | 258 | 690 | 51 |

Note: Figures for State and US (States and DC) are from the CDC (Behavioral Risk Factor Surveillance System) website as of July 06, 2009.

N/A=Value not available or not applicable or not computed

^ = 2001 MPHDS BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Tobacco Use

Adults who are current smokers
2008 Data Unless Otherwise Indicated

| ALL | | | | | | | |
|-------------------|--------------|--------------------------------------|------------------------------------|-----------------------|-------------------------------------|------------------------------------|-----------------------|
| SOURCE | No | | | Yes | | | |
| | Davidson | Tennessee | United States | Davidson | Tennessee | United States* | |
| ALL 2008 | % CI n | 77.6 (77.5 - 77.8) 1109 | 76.8 (74.8-78.9) 3994 | 81.6 51 | 22.4 (22.1 - 22.7) 257 | 23.1 (21.0-25.1) 1010 | 18.3 51 |
| ALL 2005 | % CI n | 78.7 (78.6 - 78.8) 680 | 73.3 (71.2-75.4) 3610 | 79.4 51 | 21.2 (21.1 - 21.3) 178 | 26.7 (24.6-28.8) 1123 | 20.6 51 |
| SMART 2005 | % CI n | 77.1 (73.6-80.7) 680 | N/A | N/A | 22.7 (19.2-26.3) 178 | N/A | N/A |
| SMART 2002 | % CI n | 78.3 (72.3-84.4) 200 | 72.3 (70.4-74.2) 2387 | 76.8 51 | 21.7 (15.6-27.7) 55 | 27.7 (25.8-29.6) 805 | 23.2 51 |
| ALL 2001^ | % CI n | N/A | 75.6 (73.7-77.5) 2207 | 76.8 51 | N/A | 24.4 (22.5-26.3) 709 | 23.2 51 |
| Gender | | | | | | | |
| Gender | No | | | Yes | | | |
| | Davidson | Tennessee | United States | Davidson | Tennessee | United States* | |
| Male | % CI n | 73.4 (73.2 - 73.6) 303 | 73.3 (69.7-77.0) 1296 | 79.6 51 | 26.6 (26.2 - 27.0) 94 | 26.6 (22.9-30.2) 386 | 20.3 51 |
| Female | % CI n | 81.5 (81.3 - 81.6) 804 | 80.1 (78.2-82.0) 2698 | 83.2 51 | 18.5 (18.2 - 18.9) 163 | 19.8 (17.9-21.7) 624 | 16.7 51 |
| Age | | | | | | | |
| Age Group | No | | | Yes | | | |
| | Davidson | Tennessee | United States | Davidson | Tennessee | United States* | |
| 18-24 | % CI n | 73.9 (73.5 - 74.4) 59 | 82.2 (74.1-90.2) 97 | 77.6 49 | 26.1 (25.3 - 26.8) 17 | 17.7 (9.7-25.8) 24 | 22.3 49 |
| 25-34 | % CI n | 78.5 (78.2 - 78.9) 119 | 70.1 (63.6-76.5) 286 | 76.3 51 | 21.5 (20.9 - 22.1) 24 | 29.8 (23.4-36.3) 104 | 23.7 51 |
| 35-44 | % CI n | 80.2 (80.0 - 80.5) 171 | 75.0 (69.7-80.4) 519 | 79.9 51 | 19.8 (19.2 - 20.3) 39 | 24.9 (19.5-30.2) 163 | 20.0 51 |
| 45-54 | % CI n | 69.9 (69.5 - 70.3) 185 | 70.7 (67.1-74.3) 755 | 79.0 51 | 30.1 (29.5 - 30.7) 66 | 29.2 (25.6-32.8) 295 | 20.9 51 |
| 55-64 | % CI n | 78.2 (77.8 - 78.6) 177 | 78.7 (75.6-81.8) 900 | 83.2 51 | 21.8 (21.1 - 22.5) 52 | 21.2 (18.1-24.3) 249 | 16.7 51 |
| 65+ | % CI n | 85.1 (84.8 - 85.4) 395 | 88.9 (86.8-91.0) 1437 | 91.8 51 | 14.9 (14.2 - 15.6) 58 | 11.0 (9.0-13.1) 175 | 8.1 51 |

Note: Figures for State and US (States and DC) are from the CDC (Behavioral Risk Factor Surveillance System) website as of July 06, 2009.

N/A=Value not available or not applicable or not computed

^ = 2001 MPH's BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Tobacco Use

Adults who are current smokers
2008 Data Unless Otherwise Indicated

| Race | | | | | | | |
|--------------------|----|---------------|-------------|---------------|---------------|-------------|----------------|
| Race | | No | | | Yes | | |
| | | Davidson | Tennessee | United States | Davidson | Tennessee | United States* |
| White | % | 78.3 | 76.3 | 82.0 | 21.7 | 23.6 | 17.9 |
| | CI | (78.1 - 78.4) | (74.3-78.3) | | (21.4 - 22.1) | (21.6-25.6) | |
| | n | 666 | 3402 | 51 | 143 | 872 | 51 |
| Black | % | 72.0 | 78.7 | 78.8 | 28.0 | 21.2 | 21.1 |
| | CI | (71.7 - 72.3) | (72.5-85.0) | | (27.5 - 28.5) | (14.9-27.5) | |
| | n | 270 | 434 | 32 | 91 | 104 | 32 |
| Hispanic | % | 86.8 | N/A | 84.3 | 13.2 | N/A | 15.6 |
| | CI | (86.3 - 87.2) | | | (12.1 - 14.4) | | |
| | n | 141 | | 34 | 17 | | 34 |
| Other | % | 87.9 | N/A | 83.9 | 12.1 | N/A | 16.0 |
| | CI | (87.4 - 88.5) | | | (10.5 - 13.6) | | |
| | n | 18 | | 33 | 3 | | 33 |
| MultiRacial | % | 87.6 | N/A | 77.1 | 12.4 | N/A | 22.8 |
| | CI | (86.7 - 88.5) | | | (10.0 - 14.8) | | |
| | n | 10 | | 10 | 3 | | 10 |

| Income | | | | | | | |
|----------------------------|----|---------------|-------------|---------------|---------------|-------------|----------------|
| Income Category | | No | | | Yes | | |
| | | Davidson | Tennessee | United States | Davidson | Tennessee | United States* |
| < \$15,000 | % | 65.7 | 55.6 | 68.9 | 34.3 | 44.3 | 31.0 |
| | CI | (64.4 - 67.1) | (48.7-62.5) | | (32.4 - 36.2) | (37.4-51.2) | |
| | n | 23 | 377 | 49 | 6 | 192 | 49 |
| \$15,000 - \$24,999 | % | 72.0 | 66.7 | 72.2 | 28.0 | 33.2 | 27.7 |
| | CI | (71.6 - 72.5) | (61.3-72.1) | | (27.2 - 28.7) | (27.8-38.6) | |
| | n | 140 | 638 | 51 | 41 | 234 | 51 |
| \$25,000 - \$34,999 | % | 67.8 | 75.2 | 77.3 | 32.2 | 24.8 | 22.6 |
| | CI | (67.3 - 68.3) | (69.2-81.1) | | (31.5 - 33.0) | (18.8-30.7) | |
| | n | 136 | 432 | 51 | 55 | 115 | 51 |
| \$35,000 - \$49,999 | % | 72.8 | 75.9 | 79.1 | 27.2 | 24.0 | 20.8 |
| | CI | (72.4 - 73.2) | (67.3-84.5) | | (26.6 - 27.9) | (15.4-32.6) | |
| | n | 149 | 446 | 51 | 42 | 105 | 51 |
| \$50,000 Plus | % | 85.9 | 87.9 | 87.0 | 14.1 | 12.1 | 12.9 |
| | CI | (85.8 - 86.1) | (85.4-90.3) | | (13.6 - 14.5) | (9.6-14.5) | |
| | n | 316 | 1027 | 51 | 47 | 140 | 51 |

| Education | | | | | | | |
|-------------------------|----|---------------|-------------|---------------|---------------|-------------|----------------|
| Education | | No | | | Yes | | |
| | | Davidson | Tennessee | United States | Davidson | Tennessee | United States* |
| Less than H.S. | % | 62.3 | 57.0 | 69.8 | 37.7 | 42.9 | 30.1 |
| | CI | (61.7 - 62.9) | (50.6-63.4) | | (37.0 - 38.5) | (36.5-49.4) | |
| | n | 132 | 494 | 48 | 50 | 219 | 48 |
| H.S. or G.E.D. | % | 71.0 | 71.6 | 75.0 | 29.0 | 28.3 | 24.9 |
| | CI | (70.7 - 71.3) | (67.7-75.5) | | (28.6 - 29.5) | (24.5-32.2) | |
| | n | 331 | 1373 | 51 | 96 | 439 | 51 |
| Some post- H.S. | % | 80.2 | 81.8 | 80.0 | 19.8 | 18.1 | 19.9 |
| | CI | (79.9 - 80.4) | (78.6-84.9) | | (19.3 - 20.4) | (15.0-21.3) | |
| | n | 258 | 1143 | 51 | 56 | 232 | 51 |
| College graduate | % | 85.3 | 88.5 | 91.1 | 14.7 | 11.4 | 8.8 |
| | CI | (85.1 - 85.5) | (85.4-91.6) | | (14.2 - 15.2) | (8.4-14.5) | |
| | n | 368 | 966 | 51 | 52 | 117 | 51 |

N/A=Value not available or not applicable or not computed

^ = 2001 MPH's BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Tobacco Use

Adults who are current smokers
2008 Data Unless Otherwise Indicated

Note: Figures for State and US (States and DC) are from the CDC (Behavioral Risk Factor Surveillance System) website as of July 06, 2009.

N/A=Value not available or not applicable or not computed

^ = 2001 MPHD's BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Women's Health

Women aged 40+ who have had a mammogram within the past two years

2008 Data Unless Otherwise Indicated

| ALL | | | | | | |
|-------------------|----------------------|--------------------|----------------|----------------------|---------------------|----------------|
| SOURCE | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| ALL 2008 | 18.7 | 25.6 | 23.9 | 81.3 | 74.3 | 76.0 |
| % CI n | (18.3 - 19.2) 135 | (23.3-28.0) 636 | 51 | (81.1 - 81.5) 599 | (71.9-76.6) 1991 | 51 |
| SMART 2006 | 19.3 | 20.6 | 23.5 | 80.7 | 79.4 | 76.5 |
| % CI n | (12.0-26.5) 30 | (18.4-22.8) 462 | 51 | (73.4-87.9) 109 | (77.2-81.6) 1696 | 51 |
| SMART 2002 | N/A | 24.7 | 23.9 | N/A | 75.3 | 76.1 |
| % CI n | N/A | (22.0-27.4) 288 | 51 | N/A | (72.6-78.0) 939 | 51 |
| ALL 2001^ | | | | | | |
| % CI n | | | | | | |
| Gender | | | | | | |
| Gender | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Male | N/A | N/A | N/A | N/A | N/A | N/A |
| % CI n | N/A | N/A | N/A | N/A | N/A | N/A |
| Female | 18.7 | N/A | N/A | 81.3 | N/A | N/A |
| % CI n | (18.3 - 19.2) 135 | N/A | N/A | (81.1 - 81.5) 599 | N/A | N/A |
| Age | | | | | | |
| Age Group | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| 40-49 | 20.0 | 33.6 | 31.2 | 80.0 | 66.4 | 68.8 |
| % CI n | (19.2 - 20.9) 28 | (28.0-39.1) 165 | 51 | (79.6 - 80.4) 117 | (60.8-71.9) 356 | 51 |
| 50-59 | 20.0 | 21.6 | 20.0 | 80.0 | 78.3 | 79.9 |
| % CI n | (19.1 - 20.8) 36 | (18.0-25.3) 170 | 51 | (79.6 - 80.5) 138 | (74.6-81.9) 555 | 51 |
| 60-64 | 16.6 | 24.6 | 19.0 | 83.4 | 75.3 | 81.0 |
| % CI n | (15.2 - 18.0) 14 | (19.2-30.0) 93 | 50 | (82.8 - 84.0) 72 | (69.9-80.7) 255 | 50 |
| 65+ | 17.0 | 20.8 | 21.4 | 83.0 | 79.1 | 78.6 |
| % CI n | (16.1 - 17.9) 57 | (17.8-23.8) 208 | 51 | (82.6 - 83.4) 272 | (76.1-82.1) 825 | 51 |

Note: Figures for State and US (States and DC) are from the CDC (Behavioral Risk Factor Surveillance System) website as of July 06, 2009.

N/A=Value not available or not applicable or not computed

^ = 2001 MPH's BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Women's Health

Women aged 40+ who have had a mammogram within the past two years

2008 Data Unless Otherwise Indicated

| Race | | | | | | |
|--------------------|---------------------|--------------------|----------------|----------------------|---------------------|----------------|
| Race | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| White | 19.0 | 26.1 | 23.9 | 81.0 | 73.8 | 76.0 |
| % CI n | (18.5 - 19.6) 87 | (23.5-28.7) 548 | 51 | (80.7 - 81.3) 375 | (71.2-76.4) 1706 | 51 |
| Black | 18.8 | 21.4 | 20.6 | 81.2 | 78.5 | 79.4 |
| % CI n | (17.8 - 19.8) 37 | (14.9-27.9) 62 | 30 | (80.7 - 81.7) 186 | (72.0-85.0) 218 | 30 |
| Hispanic | 24.3 | N/A | 26.4 | 75.7 | N/A | 73.5 |
| % CI n | (21.4 - 27.2) 9 | N/A | 18 | (74.1 - 77.4) 29 | N/A | 18 |
| Other | *** | N/A | 25.2 | 100.0 | N/A | 74.8 |
| % CI n | *** | N/A | 15 | *** | N/A | 15 |
| MultiRacial | 5.5 | N/A | 34.9 | 94.5 | N/A | 65.0 |
| % CI n | (0.8 - 10.3) 1 | N/A | 3 | (93.3 - 95.6) 4 | N/A | 3 |

| Income | | | | | | |
|----------------------------|---------------------|--------------------|----------------|----------------------|--------------------|----------------|
| Income Category | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| < \$15,000 | 34.3 | 36.4 | 36.7 | 65.7 | 63.5 | 63.3 |
| % CI n | (31.4 - 37.2) 4 | (28.6-44.3) 113 | 48 | (63.6 - 67.8) 12 | (55.6-71.4) 232 | 48 |
| \$15,000 - \$24,999 | 27.3 | 30.4 | 30.6 | 72.9 | 69.5 | 69.3 |
| % CI n | (26.0 - 28.6) 28 | (24.7-36.1) 131 | 50 | (71.8 - 73.5) 87 | (63.9-75.2) 363 | 50 |
| \$25,000 - \$34,999 | 12.7 | 28.2 | 26.1 | 87.3 | 71.8 | 73.8 |
| % CI n | (11.5 - 14.0) 15 | (21.4-34.9) 78 | 49 | (86.8 - 87.7) 104 | (65.0-78.5) 204 | 49 |
| \$35,000 - \$49,999 | 16.6 | 19.6 | 22.6 | 83.4 | 80.3 | 77.3 |
| % CI n | (15.4 - 17.9) 17 | (12.6-26.6) 45 | 51 | (82.8 - 83.9) 81 | (73.3-87.3) 221 | 51 |
| \$50,000 Plus | 18.0 | 21.7 | 18.8 | 82.0 | 78.3 | 81.1 |
| % CI n | (17.1 - 18.9) 30 | (16.3-27.0) 92 | 51 | (81.6 - 82.4) 142 | (72.9-83.6) 413 | 51 |

| Education | | | | | | |
|-------------------------|---------------------|--------------------|----------------|----------------------|--------------------|----------------|
| Education | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Less than H.S. | 29.5 | 32.6 | 34.4 | 70.5 | 67.3 | 65.5 |
| % CI n | (28.1 - 30.8) 28 | (26.5-38.8) 133 | 46 | (69.6 - 71.4) 70 | (61.2-73.4) 284 | 46 |
| H.S. or G.E.D. | 18.8 | 25.3 | 25.7 | 81.2 | 74.7 | 74.2 |
| % CI n | (17.9 - 19.7) 41 | (21.5-29.0) 249 | 51 | (80.7 - 81.6) 192 | (70.9-78.4) 749 | 51 |
| Some post- H.S. | 16.7 | 26.1 | 24.1 | 83.3 | 73.8 | 75.8 |
| % CI n | (15.8 - 17.6) 29 | (21.6-30.7) 158 | 51 | (82.9 - 83.7) 157 | (69.2-78.4) 557 | 51 |
| College graduate | 16.7 | 21.0 | 19.4 | 83.1 | 78.9 | 80.5 |
| % CI n | (15.9 - 17.6) 34 | (15.4-26.6) 94 | 51 | (82.7 - 83.5) 171 | (73.3-84.5) 394 | 51 |

Note: Figures for State and US (States and DC) are from the CDC (Behavioral Risk Factor Surveillance System) website as of July 06, 2009.

N/A=Value not available or not applicable or not computed

^ = 2001 MPH's BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Women's Health

Women aged 50+ who have had a mammogram within the past two years

2008 Data Unless Otherwise Indicated

| ALL | | | | | | | |
|-------------------|--------------|-------------------------------------|-----------------------------------|-----------------------|-------------------------------------|------------------------------------|-----------------------|
| SOURCE | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| ALL 2008 | % Cl n | 18.2 (17.6 - 18.7) 107 | 21.7 (19.6-23.9) 471 | 20.3 51 | 81.8 (81.6 - 82.1) 482 | 78.2 (76.0-80.3) 1635 | 79.7 51 |
| SMART 2006 | % Cl n | 19.6 (11.3-27.8) 24 | 18.1 (15.9-20.3) 323 | 20.0 51 | 80.4 (72.1-88.6) 87 | 81.9 (79.7-84.1) 1304 | 80.0 51 |
| SMART 2002 | % Cl n | N/A | 23.3 (20.2-26.4) 201 | 20.3 51 | N/A | 76.7 (73.6-79.8) 685 | 79.7 51 |
| ALL 2001^ | % Cl n | N/A | N/A | N/A | N/A | N/A | N/A |
| Gender | | | | | | | |
| Gender | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Male | % Cl n | N/A | N/A | N/A | N/A | N/A | N/A |
| Female | % Cl n | 18.2 (17.6 - 18.7) 107 | N/A | N/A | 81.8 (81.6 - 82.1) 482 | N/A | N/A |
| Age | | | | | | | |
| Age Group | | No | | | Yes | | |
| | | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| 50-59 | % Cl n | 20.0 (19.1 - 20.8) 36 | 21.6 (18.0-25.3) 170 | 20.0 51 | 80.0 (79.6 - 80.5) 138 | 78.3 (74.6-81.9) 555 | 79.9 51 |
| 60-64 | % Cl n | 16.6 (15.2 - 18.0) 14 | 24.6 (19.2-30.0) 93 | 19.0 50 | 83.4 (82.8 - 84.0) 72 | 75.3 (69.9-80.7) 255 | 81.0 50 |
| 65+ | % Cl n | 17.0 (16.1 - 17.9) 57 | 20.8 (17.8-23.8) 208 | 21.4 51 | 83.0 (82.6 - 83.4) 272 | 79.1 (76.1-82.1) 825 | 78.6 51 |

Note: Figures for State and US (States and DC) are from the CDC (Behavioral Risk Factor Surveillance System) website as of July 06, 2009.

N/A=Value not available or not applicable or not computed

^ = 2001 MPH's BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Women's Health

Women aged 50+ who have had a mammogram within the past two years

2008 Data Unless Otherwise Indicated

| Race | | | | | | |
|----------------------------|------------------------------------|-----------------------------------|-----------------------|-------------------------------------|------------------------------------|-----------------------|
| Race | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| White | 18.4 (17.8 - 19.1) 71 | 21.9 (19.6-24.2) 409 | 20.6 51 | 81.6 (81.3 - 81.9) 314 | 78.0 (75.7-80.3) 1413 | 79.3 51 |
| Black | 17.3 (17.1 - 18.6) 27 | 19.0 (12.6-25.5) 43 | 17.7 28 | 82.7 (82.1 - 83.3) 147 | 80.9 (74.5-87.4) 167 | 82.2 28 |
| Hispanic | 36.0 (32.0 - 40.1) 7 | N/A | 15.8 17 | 64.0 (60.9 - 67.0) 14 | N/A | 84.1 17 |
| Other | *** 0 | N/A | 19.4 9 | 100.0 2 | N/A | 80.5 9 |
| MultiRacial | 5.5 (0.8 - 10.3) 1 | N/A | 24.3 4 | 94.5 (93.3 - 95.6) 4 | N/A | 75.6 4 |
| Income | | | | | | |
| Income Category | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| < \$15,000 | 18.1 (13.2 - 23.0) 2 | 30.1 (23.0-37.2) 79 | 33.6 46 | 81.9 (79.6 - 84.2) 9 | 69.8 (62.7-76.9) 191 | 66.3 46 |
| \$15,000 - \$24,999 | 28.0 (26.6 - 29.5) 24 | 24.8 (19.6-30.0) 102 | 27.1 50 | 72.0 (71.1 - 72.9) 75 | 75.1 (69.9-80.3) 314 | 72.8 50 |
| \$25,000 - \$34,999 | 12.0 (10.5 - 13.4) 12 | 23.2 (16.8-29.6) 58 | 22.6 49 | 88.0 (87.5 - 88.6) 89 | 76.7 (70.4-83.1) 163 | 77.3 49 |
| \$35,000 - \$49,999 | 12.5 (11.0 - 14.0) 12 | 12.5 (7.2-17.7) 27 | 18.7 51 | 87.5 (86.9 - 88.0) 66 | 87.4 (82.2-92.7) 174 | 81.2 51 |
| \$50,000 Plus | 20.9 (19.8 - 22.1) 22 | 20.1 (14.9-25.2) 62 | 13.9 51 | 79.1 (78.5 - 79.6) 90 | 79.8 (74.7-85.0) 295 | 86.0 51 |
| Education | | | | | | |
| Education | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Less than H.S. | 28.4 (26.9 - 29.9) 25 | 27.4 (22.0-32.8) 108 | 30.6 44 | 70.6 (70.7 - 72.6) 61 | 72.5 (67.1-77.9) 258 | 69.3 44 |
| H.S. or G.E.D. | 17.2 (16.2 - 18.3) 34 | 22.7 (19.1-26.3) 192 | 21.8 51 | 82.8 (82.3 - 83.2) 168 | 77.2 (73.6-80.8) 613 | 78.1 51 |
| Some post- H.S. | 11.2 (10.1 - 12.4) 17 | 18.0 (14.2-21.8) 104 | 20.5 51 | 88.8 (88.4 - 89.2) 126 | 81.9 (78.1-85.7) 461 | 79.4 51 |
| College graduate | 20.9 (19.9 - 22.0) 28 | 20.1 (14.9-25.3) 65 | 15.7 51 | 79.1 (78.5 - 79.6) 120 | 79.8 (74.7-85.0) 296 | 84.2 51 |

Note: Figures for State and US (States and DC) are from the CDC (Behavioral Risk Factor Surveillance System) website as of July 06, 2009.

N/A=Value not available or not applicable or not computed

^ = 2001 MPH's BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Women's Health

Women aged 18+ who have had a pap test within the past three years

2008 Data Unless Otherwise Indicated

| ALL | | | | | | |
|-----------------------------|---|---|--|---|--|--|
| SOURCE | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| ALL 2008 | % 17.3 CI (16.8 - 17.7) n 126 | % 16.1 CI (13.7-18.4) n 386 | % 17.1 CI (16.8 - 17.7) n 51 | % 82.7 CI (82.5 - 82.9) n 519 | % 83.9 CI (81.5-86.2) n 1572 | % 82.8 CI (82.5 - 82.9) n 51 |
| SMART 2006 | % 15.7 CI (6.4-24.9) n 19 | % 14.1 CI (11.7-16.5) n 282 | % 16.0 CI (16.8 - 17.7) n 51 | % 84.3 CI (75.0-93.5) n 104 | % 85.9 CI (83.5-88.3) n 1520 | % 84.0 CI (82.5 - 82.9) n 51 |
| SMART 2002 | % 8.6 CI (3.0-14.2) n 10 | % 11.1 CI (9.1-13.1) n 144 | % 12.8 CI (16.8 - 17.7) n 51 | % 91.4 CI (85.8-97.0) n 104 | % 88.9 CI (86.9-90.9) n 1143 | % 87.2 CI (82.5 - 82.9) n 51 |
| ALL 2001[^] | % CI n | % CI n | % CI n | % CI n | % CI n | % CI n |
| Gender | | | | | | |
| Gender | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Male | % *** CI N/A n N/A | % CI N/A n N/A | % CI N/A n N/A | % *** CI N/A n N/A | % CI N/A n N/A | % CI N/A n N/A |
| Female | % 17.3 CI (16.8 - 17.7) n 126 | % CI N/A n N/A | % CI N/A n N/A | % 82.7 CI (82.5 - 82.9) n 519 | % CI N/A n N/A | % CI N/A n N/A |
| Age | | | | | | |
| Age Group | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| 18-24 | % 32.1 CI (31.1 - 33.1) n 20 | % CI N/A n N/A | % 26.2 CI (31.1 - 33.1) n 29 | % 67.9 CI (67.2 - 68.6) n 29 | % CI N/A n N/A | % 73.8 CI (67.2 - 68.6) n 29 |
| 25-34 | % 15.2 CI (14.2 - 16.1) n 17 | % 13.2 CI (7.1-19.3) n 30 | % 8.6 CI (14.2 - 16.1) n 51 | % 84.8 CI (84.4 - 85.2) n 78 | % 86.7 CI (80.6-92.8) n 239 | % 91.3 CI (84.4 - 85.2) n 51 |
| 35-44 | % 9.8 CI (8.9 - 10.8) n 14 | % 11.0 CI (6.9-15.1) n 44 | % 10.5 CI (14.2 - 16.1) n 51 | % 90.2 CI (89.9 - 90.5) n 111 | % 88.9 CI (84.8-93.0) n 318 | % 89.5 CI (89.9 - 90.5) n 51 |
| 45-54 | % 9.0 CI (7.89- 10.1) n 11 | % 14.7 CI (10.2-19.1) n 63 | % 13.8 CI (14.2 - 16.1) n 51 | % 91.0 CI (90.7 - 91.3) n 111 | % 85.3 CI (80.8-89.7) n 330 | % 86.1 CI (90.7 - 91.3) n 51 |
| 55-64 | % 20.7 CI (19.5 - 22.0) n 18 | % 17.7 CI (13.4-22.0) n 84 | % 15.6 CI (14.2 - 16.1) n 51 | % 79.3 CI (78.6 - 79.9) n 74 | % 82.2 CI (77.9-86.5) n 300 | % 84.3 CI (78.6 - 79.9) n 51 |
| 65+ | % 27.5 CI (26.3 - 28.7) n 46 | % 29.7 CI (24.9-34.6) n 152 | % 34.2 CI (26.3 - 28.7) n 50 | % 72.5 CI (71.7 - 73.2) n 116 | % 70.2 CI (65.3-75.0) n 330 | % 65.8 CI (26.3 - 28.7) n 50 |

Note: Figures for State and US (States and DC) are from the CDC (Behavioral Risk Factor Surveillance System) website as of July 06, 2009.

N/A=Value not available or not applicable or not computed

[^] = 2001 MPH's BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.

Women's Health

Women aged 18+ who have had a pap test within the past three years

2008 Data Unless Otherwise Indicated

| Race | | | | | | |
|----------------------------|------------------------------------|-----------------------------------|-----------------------|-------------------------------------|------------------------------------|-----------------------|
| Race | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| White | 16.5 (15.9 - 17.0) 65 | 16.8 (14.2-19.5) 339 | 16.9 51 | 83.5 (83.3 - 83.8) 299 | 83.1 (80.5-85.7) 1312 | 83.0 51 |
| Black | 14.3 (13.5 - 15.2) 28 | 13.7 (7.0-20.5) 35 | 13.4 26 | 85.7 (85.3 - 86.0) 140 | 86.2 (79.5-92.9) 192 | 86.5 26 |
| Hispanic | 26.9 (25.3 - 28.6) 26 | N/A | 14.5 29 | 73.1 (72.0 - 74.1) 70 | N/A | 85.4 29 |
| Other | 49.6 (47.5 - 51.7) 5 | N/A | 17.0 16 | 50.4 (48.3 - 52.5) 5 | N/A | 83.0 16 |
| MultiRacial | 11.1 (7.4 - 14.7) 1 | N/A | 18.9 5 | 88.9 (87.7 - 90.2) 4 | N/A | 81.0 5 |
| Income | | | | | | |
| Income Category | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| < \$15,000 | 33.4 (30.7 - 36.0) 4 | 17.3 (11.5-23.0) 55 | 28.4 41 | 66.6 (64.8 - 68.5) 12 | 82.6 (76.9-88.4) 151 | 71.5 41 |
| \$15,000 - \$24,999 | 24.2 (22.9 - 25.4) 24 | 22.2 (16.1-28.4) 80 | 23.8 49 | 75.8 (75.1 - 76.5) 57 | 77.7 (71.5-83.9) 245 | 76.1 49 |
| \$25,000 - \$34,999 | 18.0 (16.7 - 19.3) 16 | 17.7 (10.6-24.8) 44 | 18.7 48 | 82.0 (81.4 - 82.7) 68 | 82.2 (75.1-89.3) 193 | 81.3 48 |
| \$35,000 - \$49,999 | 11.1 (9.9 - 12.3) 11 | 13.9 (6.5-21.3) 34 | 15.5 50 | 88.9 (88.4 - 89.3) 69 | 86.0 (78.6-93.4) 198 | 84.4 50 |
| \$50,000 Plus | 9.6 (8.8 - 10.4) 17 | 7.5 (4.3-10.7) 39 | 9.3 51 | 90.4 (90.2 - 90.7) 155 | 92.4 (89.2-95.7) 429 | 90.7 51 |
| Education | | | | | | |
| Education | No | | | Yes | | |
| | Davidson | Tennessee | United States* | Davidson | Tennessee | United States* |
| Less than H.S. | 21.7 (20.3 - 23.0) 23 | N/A | 26.2 27 | 78.3 (77.6 - 79.1) 67 | N/A | 73.7 27 |
| H.S. or G.E.D. | 32.3 (31.5 - 33.0) 57 | 16.3 (13.0-19.6) 152 | 23.0 51 | 67.7 (67.2 - 68.3) 133 | 83.6 (80.3-86.9) 529 | 77.0 51 |
| Some post- H.S. | 14.0 (13.1 - 14.9) 22 | 18.8 (13.8-23.8) 103 | 16.8 51 | 86.0 (85.7 - 86.4) 126 | 81.1 (76.2-86.1) 478 | 83.2 51 |
| College graduate | 8.6 (7.9 - 9.4) 23 | 7.0 (4.5-9.6) 50 | 9.5 51 | 91.4 (91.2 - 91.6) 183 | 92.9 (90.4-95.5) 433 | 90.4 51 |

Note: Figures for State and US (States and DC) are from the CDC (Behavioral Risk Factor Surveillance System) website as of July 06, 2009.

N/A=Value not available or not applicable or not computed

^ = 2001 MPH's BRFSS percentages

* = US values are median percents of all states among the 50 States plus DC for which the value is available

*** = Value equals 0 or not computed.