

Index

A

Accidental deaths, 76, 165
Accidents
 and years of potential life lost, 161, 163, 165
 as leading cause of death, 52, 154, 155, 156–158, 159, 162
 motor vehicle, 76
ACIP. *See* Advisory Committee for Immunization Practices
Acquired immunodeficiency syndrome. *See* HIV/AIDS
Activity limitation days, 101
 calculation of, 98
Addiction treatment, 73, 75
Adult vaccination, 200–205
 estimates, 200
 recommendations, 200
Advisory Committee for Immunization Practices, 200
Advisory Council for the Elimination of Tuberculosis, 182
Age
 and hepatitis B, 187
 and leading causes of death, 159
 and population, 10–12
Age pyramid. *See* population pyramid
Agriculture, 42
AIDS. *See* HIV/AIDS
Air pollution, 44
Air quality, 44–46
Air Quality Index, 45
Alcohol
 and unemployment, 18
Alzheimer's disease. *See also* dementia
 as leading cause of death, 154, 156, 159
Amblyomma americanum, 198. *See also* tick-borne disease; ticks
American College of Sports Medicine, 53
American Hospital Association, 91
AMR. *See* mortality: age-adjusted rates
Anthrax, 169, 199. *See also* bioterrorism
Antibiotic-resistant organisms, 184
Antibiotics, 166, 199, 208
 misuse, 184
Antimicrobial resistance, 184–193
 and antibiotic misuse, 184
 and bioterrorist threats, 199
 cost of, 184
Appropriate Antibiotic Use Campaign, 186
AQL. *See* Air Quality Index
Aquifers, 47
Arboviral encephalitis. *See* encephalitis: arboviral

Arkansas Tennessee Mississippi Ozone Study, 46
Arrests. *See also* crime
 and syphilis, 218
 drug-related, 73–75
Arsenic, 43
Arthritis, 11
 and Lyme disease, 166, 197
 and physical activity, 53
Arthropods, 197
Asian flu, 171
Assessment, 1
Asthma
 and environmental tobacco smoke, 64
ATMOS. *See* Arkansas Tennessee Mississippi Ozone Study
AZT, 224

B

Baby boomers, 10
Baby Shower. *See* Incredible Baby Shower
Back to Sleep Campaign, 141
Bacteria, 184
 and foodborne illness, 50
 and water treatment, 42
Bacterial sepsis, 140
 and enterococci, 185
 as leading cause of death, 140
Behavior
 and change, 67–72
Behavior problems
 and lead, 49
Behavioral Risk Factor Surveillance System, 52
 and bicycle helmet use, 81
 and cancer screening, 87
 and environmental tobacco smoke, 64–65
 and health status, 98, 102
 and influenza vaccination, 200
 and insurance coverage, 35, 37
 and overweight/obesity, 57
 and physical activity, 53
 and pneumococcal vaccination, 200
 and safety belt use, 76–79
 and smoking, 61–63
Bicycle helmet use, 81–82
Bicycle rodeo, 82
Bill Purcell, 15
Bioterrorism, 91, 166, 199
 and salmonella, salmonellosis, 199
Birth control. *See* condom use; contraception, contraceptives
Birth defects. *See also* congenital malformations
 and syphilis, 216

Index

- Birth outcomes, 121
- Birth rate, 115, 116, 119
 - teenage, 104
- Blood-borne infection, 187. *See also* hepatitis B; hepatitis C; HIV/AIDS
- BMI. *See* body mass index
- Body mass index, 57-59
 - calculated, 57
- Borrelia burgdorferi*, 198. *See also* Lyme disease
- Botulism, 169, 174, 199
- Bovine spongiform encephalopathy. *See* Creutzfeldt-Jakob disease, new variant, 166
- Breast and Cervical Cancer Early Detection Program, 88
- Breast self-exam, 88
- BRFSS. *See* Behavioral Risk Factor Surveillance System
- Bridges to Care, 38
- Brucellosis, 169, 174, 199
- BSE. *See* Creutzfeldt-Jakob disease, new variant, 166
- BTC. *See* Bridges to Care, 38
- Building code, 47
- Bull's-eye rash. *See* erythema migrans, 198
- Bureau of Labor Statistics, 18
- Business Survey, 18
- C**
- California encephalitis 169, 197
- Campylobacter jejuni*, 50,
- Campylobacteriosis, 169, 170, 172, 173, 174, 175. *See also* foodborne illness
- Cancer, 10, 225-235
 - and early detection, 84
 - and lack of health insurance, 35
 - and obesity, 57
 - and physical activity, 53
 - and sexually transmitted diseases, 207
 - and smoking, 61
 - and tobacco, 187
 - and years of potential life lost, 84, 161-165
 - as leading cause of death, 52, 57, 59, 84, 154-160
 - bladder, 233
 - breast, 84, 226-229, 231
 - cost of, 237
 - by site, 229
 - cervical, 84
 - cost of, 237
 - classified, 225
 - colon or colorectal, 84, 88, 226-229, 233
 - cost of, 237
 - cost of, 237
 - endometrial
 - cost of, 237
 - leading sites, 226
 - liver
 - and hepatitis B, 187
 - and hepatitis virus, 166
 - lung, 226-229, 232
 - and environmental tobacco smoke, 64
 - and smoking, 61
 - cost of, 237
 - prostate, 226-229, 231
 - screening, 84-88
- Cancer deaths. *See* mortality: cancer
- Cancer Progress Report 2001, 234
- Car accidents. *See* accidents: motor vehicle
- Car seats. *See* safety seats
- Cardiovascular disease. *See* heart disease
- CDC. *See* Centers for Disease Control and Prevention
- CDR. *See* crude death rate
- Census
 - 1990, 10, 16, 151
 - 2000, 10, 16, 39, 151
- Census 2000 Supplementary Survey, 16
- Census Bureau, 24, 35
- Center for Medicare and Medicaid Services, 202
- Centers for Disease Control and Prevention (CDC), 53, 61, 88, 148, 166, 172, 182, 187, 191, 193, 208, 212, 216, 220, 223
- Cerebrovascular disease. *See* stroke
- Chattanooga, 175, 181, 185, 190, 195, 197, 198. *See also* Hamilton County
- Chemicals, 42
- Chicken pox, 169. *See also* varicella
- Child abuse, 141
- Child care facilities, 51
- Children
 - and air pollution, 44
 - and bicycle helmet use, 81
 - and death. *See* mortality: infant; mortality: perinatal
 - and drug abuse, 73
 - and environmental tobacco smoke, 64, 66
 - and HIV/AIDS, 221-222
 - and injury, 81
 - and lead, 49
 - and penicillin resistant *Streptococcus pneumoniae*, 184
 - and pertussis, 194
 - and poverty, 21, 23
 - and primary care, 23
 - and safety restraints, 76, 78
 - and single-parent families, 26
- Children's Health Insurance Program, 38
- CHIP. *See* Children's Health Insurance Program
- Chlamydia, 166, 167, 168, 170, 208-211
 - screening, 211
 - testing, 211

Index

- Chlamydia pneumoniae*, 166
and heart disease, 166
Chlamydia trachomatis, 208. *See also* chlamydia
- Chlorine, 42
resistance, 172
- Cholera, 169, 174
- Cholesterol
and unemployment, 18
- Chorioamnionitis, 140
as leading cause of death, 140
definition of, 140
- Chronic disease, 91, 166. *See also* heart disease;
diabetes mellitus; stroke; chronic lower
respiratory disease; Alzheimer's disease;
nephritis; liver disease;
hypertension
- Chronic Disease Intervention Program, 60, 160
- Chronic lower respiratory disease. *See also*
respiratory diseases, conditions
and years of potential life lost, 161-163
as leading cause of death, 154-159, 162
- Chronic obstructive pulmonary disease. *See* chronic
lower respiratory disease
- Cigarette tax 63
- Cirrhosis. *See also* liver disease
and hepatitis B, 187
and years of potential life lost, 163
as leading cause of death, 158-159
- CJC. *See* Criminal Justice Center
- CJD. *See* Creutzfeldt-Jakob disease, new variant
- Clap. *See* gonorrhea
- Clean Air Act, 44
- Click It or Ticket, 80
- Clostridium botulinum*, 50
- CMS. *See* Center for Medicare and Medicaid Services
- Coagulants, 42
- Community Health and Wellness Team, 56, 60
- Condom use, 67-68, 70-71
- Congenital malformations, 140
and years of potential life lost, 161-163
as leading cause of death, 140, 155, 159, 162
heart, 140
as leading cause of death, 140
nervous system, 140
as leading cause of death, 140
- Congenital rubella syndrome, 169, 195. *See also*
rubella
- Congestive heart failure. *See* heart disease
and hospitalization, 91
- Constant dollar, 24
- Consumption. *See* tuberculosis
- Contaminants
and the water supply, 42
- Contraception, contraceptives, 115
- COPD. *See* chronic lower respiratory disease
- Correctional facilities, 51
and syphilis, 218
and tuberculosis, 177
- Cost benefit analysis, 237
- Cotinine, serum cotinine, 64
- Council district, 2, 7, 30, 32-33
and leading cause of death, 158
and years of potential life lost, 163
- Council of State and Territorial Epidemiologists, 166
- Creutzfeldt-Jakob disease, new variant, 166
- Crime. *See also* arrests
and substance abuse, 73
and syphilis, 218
- Criminal Justice Center, 218
- Crude death rate, 151
- Cryptosporidiosis, 169, 174
- CSTE. *See* Council of State and Territorial
Epidemiologists
- Cultural competency, 15
- Cultural diversity, 39
- Culture, 13
and tuberculosis treatment, 182
- Cumberland River, 42, 47
- Current dollar, 24
- Current Population Survey, 18
- Cyanide, 43
- Cyclospora, 169, 174. *See also* foodborne illness
- ## D
- Daycare centers. *See* child care facilities
- Death. *See* mortality
leading cause of, 52, 154-160
- Dementia, 11
- Demographics, 6, 171
- Department of Health and Human Services. *See*
Health and Human Services,
Department of
- Department of Transportation. *See* Transportation,
Department of
- Department of Water Services. *See* Water Services,
Department of
- Depression
cost of, 237
- Determinants of health. *See* health: determinants of
- Diabetes mellitus
and obesity, 57
and physical activity, 53
and years of potential life lost, 161-164
as leading cause of death, 59, 154, 156-160
cost of, 237

Index

Diarrheal illness. *See also* foodborne illness
as leading cause of death, 155

Diesel fuel
and air quality, 46

Digital rectal exams, 84, 87–88

Diphtheria, 169, 194–195

Directly observed therapy, 182

Disability, 98
and physical activity, 53
long-term, 236
short-term, 236

Disease prevention, 16

Disease transmission
and antimicrobial resistance, 184

Diversity, 15

Division of Environmental Sanitation. *See*
Environmental Sanitation, Division of

Division of Epidemiology. *See* Epidemiology, Division of

Division of Food Protection. *See* Food Protection,
Division of

Division of Health Promotion. *See* Health Promotion,
Division of

Division of Notifiable Disease Control/Immunization
Promotion. *See* Notifiable Disease Control/
Immunization Promotion, Division of

Division of Public Facilities. *See* Public Facilities,
Division of

Division of Tuberculosis Elimination. *See*
Tuberculosis Elimination, Division of

Doctor. *See* doctor of osteopathy; medical
doctor; physicians

Doctor of osteopathy, 95–96

DOT. *See* directly observed therapy

DRE. *See* digital rectal exams

DRSP. *See* *Streptococcus pneumoniae*, penicillin resistant

Drug abuse. *See* substance use and abuse

Drug overdose. *See* substance use and abuse:
overdose

Drug use. *See* substance use and abuse

Drug-related arrests. *See* arrests: drug-related

E

E coli. *See* *Escherichia coli*

Ear infections, 184

and antimicrobial resistance, 184

and *Streptococcus pneumoniae*, 185

Eastern equine encephalitis, 169

Ebola, 166

Education level

and activity limitation days, 101

and bicycle helmet use, 82

and child survival, 16

and child welfare, 16

and condom use, 71

and health insurance, 36

and health status, 98, 100

and mammography, 84–85

and overweight/obesity, 57–59

and physical activity, 53–54

and safety belt use, 77–79

and sexual behavior, 67–69

and smoking, 62–63

and teenage birth, 104

as socioeconomic indicator, 16

and unhealthy days, 101

Ehrlichiosis, 169, 197. *See also* tick-borne disease

Emergency preparedness, 91

Emergency room. *See* hospital: emergency room

Emphysema, 140. *See also* chronic lower respiratory
disease

as leading cause of death, 140

Employment

and health, 25

and teenage birth, 104

Encephalitis

arboviral, 169, 197

California, 169, 198

Eastern Equine, 169

LaCrosse, 169

St. Louis, 169

West Nile, 169, 197

Western Equine, 169

Endocarditis

and enterococci, 185

Enterococci

definition of, 185

Environment, 5

physical, 5, 41

social, 6

Environmental health and safety inspections. *See*
inspections: environmental health and safety

Environmental Protection Agency, 42, 43

Environmental Sanitation, Division of, 49

Environmental tobacco smoke, 64–66

and nonsmokers, 64

exposure locations 65

EPA. *See* Environmental Protection Agency

Epidemic

HIV, 177

syphilis, 218

Epidemiology

and notifiable disease, 166

Epidemiology, Division of, 3

ER. *See* hospital: emergency room

Eradication, 166

Index

Erythema migrans, 198. *See also* Lyme disease
Escherichia coli 50, 169, 172, 174, 175
Ethiopia, 178
Ethnicity, 13
ETS. *See* environmental tobacco smoke
Exercise. *See* physical activity

F

Family
 and health, 26
 single-parent, 26–27
Family householder, 26
Family planning, 104, 120
Farming. *See* agriculture
FDA. *See* Food and Drug Administration
Fecal occult blood test, 84
Federal income guidelines. *See* income: federal guidelines
Federal poverty guidelines. *See* income: federal guidelines
Fertility
 definition of, 115
Fertility rate, 115, 116, 119
 calculation of, 115
Fetal death, 115, 132
 and syphilis, 216
 definition of, 132
Fetal death rate, 132
 calculation of, 132
Fetal health
 and sexually transmitted diseases, 207
Fetal mortality rate, 132–133
Flu. *See* influenza
Flu shot. *See* influenza vaccine
Fluoride, 42
Food and Drug Administration (FDA), 50
Food inspections. *See* inspections: food
Food Protection, Division of, 50, 176
Foodborne illness, 50, 172
 and antimicrobial resistance, 184
 cost of, 237
 pathogens, 50
 symptoms, 50
Foreign-born persons
 and tuberculosis, 177, 178
Fungi, 184

G

Gasoline
 and air quality, 46
Gastrointestinal tract, 172–174
Gender, 10
General Services District, 48

Genetic engineering
 and bioterrorist threats, 199
Genital warts, 207. *See also* human papillomavirus
Geographic Information Systems (GIS), 2
Gestation, 140
 as leading cause of death 140
GI tract. *See* gastrointestinal tract
Giardiasis, 169–170, 172–175
GIS. *See* Geographic Information Systems
Gonorrhea, 167–168, 170, 207, 212–215
 screening, 212
Grocery store. *See* retail food stores
Groundwater, 47
Group A strep invasive disease, 169
Group B strep invasive disease, 169

H

HAART. *See* highly active anti-retroviral therapy
Haemophilus influenzae, 169, 194, 195
Hamilton County, 91, 116, 121–124, 128, 131, 134,
 136–138, 142, 145, 146. *See also* Chattanooga
Hand-washing technique, 176
Hansen's disease. *See* leprosy
Hantavirus, 166, 169
Hazardous waste. *See* waste: hazardous
HBV. *See* hepatitis B
HCV. *See* hepatitis C
Head of family. *See* family householder
Head of household. *See* householder
Health
 and unemployment, 18
 consequences of, 1
 determinants of, 1, 2, 13
 economics, 237
 problems
 consequences of, 236
Health and Human Services, Department of, 73
Health care access
 and poverty, 21
 and sexually transmitted diseases, 207
Health care costs
 related to HIV/AIDS, 220
 related to obesity, 57
Health care providers, 95–96
Health care system, 5, 90
Health disparities, 15
Health insurance, 35–38
 and income, 24
 lack of, 35–38
 time without insurance, 37
 legislation, 38
Health Insurance Portability and Accountability
 Act, 38

Index

- Health model, 1, 2
- Health Promotion, Division of, 82
- Health Resources and Services Administration, 95
- Health services, 11, 236
- Health status, 1, 2, 97–102
 - community, 1
 - definition of, 97
 - measures, 98–102
 - objective, definition of, 97
 - subjective, definition of, 97
- Health-care costs
 - and antimicrobial resistance, 184
 - and hepatitis C, 187
 - and Lyme disease, 197
- Health-related quality of life, 11, 98–102, 234
- Healthy lifestyle, 11
- Healthy People 2000
 - and cancer screening, 87
 - and influenza vaccination, 200
 - and pneumococcal vaccination, 200
 - and safety belt use, 80
- Healthy People 2010, 2, 171
 - and bicycle helmet use, 81
 - and cancer, 234
 - and cancer screening, 84
 - and chlamydia, 208
 - and congenital rubella syndrome, 195
 - and diphtheria, 195
 - and early prenatal care, 129, 131
 - and environmental tobacco smoke, 64, 66
 - and fetal mortality, 132
 - and gonorrhoea, 212, 214
 - and *Haemophilus influenzae*, 195
 - and hepatitis A, 174–175
 - and hepatitis B, 190
 - and hepatitis C, 191, 192
 - and HIV/AIDS, 67, 220, 224
 - and illicit drug use, 73
 - and infant mortality, 135, 140
 - and influenza vaccination, 200
 - and low birth weight, 143, 144
 - and Lyme disease, 197
 - and maternal death, 148–149
 - and measles, 195
 - and mumps, 195
 - and neonatal mortality, 137
 - and obesity, 57
 - and pertussis, 195
 - and physical activity, 53, 55
 - and pneumococcal vaccination, 200
 - and poliomyelitis, 195
 - and postneonatal mortality, 139
 - and prenatal care, 121, 125
 - and preterm birth, 146
 - and rubella, 195
 - and safety belt use, 76, 80
 - and smoking, 61
 - and syphilis, 216, 219
 - and tetanus, 195
 - and tuberculosis, 181
 - and weight, 57
- Healthy Start Home Visiting Program, 141, 147
- Heart abnormalities
 - and Lyme disease, 197
- Heart disease, 11
 - and air pollution, 44
 - and *Chlamydia pneumoniae*, 166
 - and environmental tobacco smoke, 64
 - and hospitalizations, 91
 - and obesity, 57
 - and physical activity, 53
 - and smoking, 61
 - and years of potential life lost, 161–165
 - as leading cause of death, 52, 57, 59, 154–160, 162
 - cost of, 237
- Helicobacter pylori*, 166
 - and stomach ulcers, 166
- Helmet use
 - bicycle, 81
 - cost as a barrier to, 82
- Help Us Grow, 141, 147
- Hemodialysis
 - and hepatitis B, 191
- Hemolytic uremic syndrome, 169. *See also Escherichia coli*
- Hemorrhage, neonatal, 140
 - as leading cause of death, 140
- Hepatitis
 - and substance abuse, 73
- Hepatitis A, 50, 168–170, 172–175, 194
 - acute infection, 168–169
- Hepatitis B 169–170, 187–194
 - acute infection, 169, 187
 - and intravenous drug use, 191
 - and liver cancer, 166
 - and nosocomial transmission, 191
 - and pregnancy, 187
 - chronic infection, 187, 191–192
 - vaccine, 193
- Hepatitis C, 166, 169–170, 187–193
 - acute infection, 169, 187
 - and liver cancer, 166
 - case definition, 191, 243
 - chronic infection, 187, 191–192
 - cost of, 187
 - transmission, 187

Index

- Herbicides, 42
 - Herpes, 207
 - Highly active anti-retroviral therapy, 224
 - HIPAA. *See* Health Insurance Portability and Accountability Act (HAART)
 - HIV/AIDS, 67–69, 73, 163–164, 166–170, 177, 220–224
 - and gonorrhea, 212
 - and substance abuse, 73
 - and syphilis, 216
 - and tuberculosis, 177–178, 181
 - and years of potential life lost, 161–164
 - as leading cause of death, 156–159, 161–162
 - cost of, 237–238
 - lifetime treatment cost, 220
 - mode of exposure, 223
 - surveillance, 220
 - testing, 72, 207
 - treatment, 224
 - Home renovation
 - and lead, 49
 - Homeless persons
 - and tuberculosis, 178, 180
 - Homeless shelters
 - and tuberculosis, 177
 - Homicide, 154
 - and years of potential life lost, 161–165
 - as leading cause of death, 154, 156–158, 159
 - Hong Kong flu, 171
 - Hospital
 - admissions, 91
 - and antimicrobial resistance, 184
 - beds, 91–93
 - availability, 91
 - licensed, 91
 - staffed, 91
 - emergency room, 91
 - overcrowding, 93
 - licensed, 91
 - occupancy, 91, 93
 - patients
 - and enterococci, 185
 - Hotels, 51
 - Household income, 24
 - Householder, 26
 - Housing
 - and income. *See* income: and housing
 - HPV. *See* human papillomavirus
 - HRQOL. *See* health-related quality of life
 - HRSA. *See* Health Resources and Services Administration
 - HSV. *See* herpes
 - HUG. *See* Help Us Grow
 - Human immunodeficiency virus. *See* HIV/AIDS
 - Human papillomavirus, 209
 - HUS. *See* Hemolytic Uremic Syndrome
 - Hyperactivity
 - and lead, 49
 - Hypertension
 - and physical activity, 53
 - as leading cause of death, 158
- ## I
- Immigration. *See also* foreign-born persons: and tuberculosis
 - and tuberculosis, 177
 - Immunization. *See* vaccination
 - computerized assessment, 195
 - Impairment, hearing, 11
 - and lead, 49
 - Impairment, visual, 11
 - Income, 24–25
 - and access to medical care, 25
 - and health insurance, 36
 - and health-promoting behavior, 25
 - and housing, 25
 - and neighborhood, 25
 - federal guidelines, 21
 - inequality, 25
 - trends, 25
 - Incontinence, 11
 - Incredible Baby Shower, 144, 147
 - India, 178
 - Industrialized nations, 145
 - Infant health
 - and hepatitis B, 193
 - and sexually transmitted diseases, 207
 - Infant mortality. *See* mortality: infant
 - Infant mortality rate, 132, 134–135
 - calculation of, 132
 - Infection control
 - and tuberculosis, 182
 - Infectious disease, 166
 - Infertility
 - and chlamydia, 208
 - and gonorrhea, 212
 - and sexually transmitted diseases, 207
 - prevention, 211
 - Inflation adjusted dollar. *See* constant dollar
 - Influenza, 168–170, 194
 - as leading cause of death, 154, 156–159, 200
 - Influenza pandemic, 171
 - Influenza vaccine, 171, 194, 200–205
 - delay in availability, 202
 - effectiveness, 200
 - Injection drug users. *See* intravenous drug users

Index

Injury

- cost of, 237–238
- cyclist, 81

Inspection records, 51

Inspections

- child care facility, 51
- environmental health and safety, 51
- food, 50
- hotel, 51
- swimming pool, 51

Institute of Medicine, 1, 182

Institutional Review Board, 198

Insurance, health. *See* health insurance

International travel, 171

Intravenous drug use

- and hepatitis C, 191
- and HIV/AIDS, 220, 223

IOM. *See* Institute of Medicine

IVDU. *See* intravenous drug use

Ixodes scapularis, 198. *See also* ticks

J

Joint Annual Survey of Hospitals, 91

K

Kick-Butts Day, 63

Kissing

- and HIV/AIDS, 220

Knox County, 91, 116, 121–124, 128, 131, 134, 136, 138, 142, 145, 146

Knoxville, 174, 175, 181, 185, 190, 195, 198. *See also* Knox County

L

LaCrosse encephalitis, 169

Landfill, 48

Language, 15, 39–40

Laws

- and bicycle helmet use, 81
- and safety belt use, 80
- and tobacco sales, 63

Lead, 43

Lead poisoning, 49

Leading cause of death. *See* death: leading cause of

Learning disability

- and lead, 49

Legionnaire's disease, legionellosis, 169

Lentz Public Health Center, 207

Leprosy, 169

Life expectancy, 161

- and poverty, 21

Listeriosis, 169, 174

Liver disease

- and hepatitis C, 187
- and years of potential life lost, 163–164
- as leading cause of death, 158–159
- cost of, 187

Liver transplantation

- and hepatitis C, 187

Lone star tick, 198

Low birth weight, 104, 117, 121, 140–144

- and environmental tobacco smoke, 64

and mortality, 142

as cause of death, 140, 144, 146

cost of, 237

definition of, 142

resulting from preterm delivery, 145

Low wage-earners, 21

Lower Cumberland – Sycamore watershed, 42

LPN. *See* nurses: licensed practical

LTBI. *See* tuberculosis: latent infection

Lung disease

- and air pollution, 44

Lyme disease, 166, 169, 197–198. *See also* tick-borne disease

- and arthritis, 166

and neurological problems, 166

cost of, 197

M

Mad cow disease. *See* Creutzfeldt-Jakob disease, new variant

Malaria, 169, 197

- and antimicrobial resistance, 184

Mammogram or mammography, 84–86

MAPP. *See* Mobilizing for Action through Planning and Partnerships

Marital status, 117

Maternal death. *See* mortality: maternal

Maternal mortality ratio, 148, 149

- calculation of, 148

Maximum Contaminant Level, 42

Mayor. *See* Bill Purcell

MCL. *See* Maximum Contaminant Level

Measles, 166, 169, 194–195

Media, 172

- and gastrointestinal diseases, 176

Median household income, 24–25

Medical doctor, 95–96

Medical professionals

- licensed, 95–96

Medicare, 35, 200

- billing records, 200

Medicare Part B, 205

Medication, 236

Index

- Meharry Medical College, 80
- Memphis, 174-175, 181, 184-185, 190, 195, 197-198.
See also Shelby County
- Men who have sex with men (MSM), 220, 224
- Meningitis, 169
and Lyme disease, 197
- Meningococcal disease, 169
- Mental illness
and substance abuse, 73
- Mental retardation
and low birth weight, 142
- Microbes, 184
and antimicrobial resistance, 184
- Migration, 7
- Milk, 174
- Miscarriage. *See* mortality: fetal
- Mobile sources, 44
- Mobilizing for Action through Planning and Partnerships (MAPP), 1
- Molecular cloning, 191
- Monogamy, 67-68
- Morbidity
and HIV/AIDS, 67
and low birth weight, 142
associated with notifiable diseases, 166
infant
and poverty, 21
and preterm birth, 145
influenza, 200
- Mortality, 150-165
age-adjusted rates, 151
and antimicrobial resistance, 184
and HIV/AIDS, 67
and low birth weight, 142
and unemployment, 18
cancer, 225
drug-related, 73
fetal, 132
and syphilis, 216
infant, 132, 134-135, 139
and low birth rate, 142
and poverty, 21
and preterm birth, 145
and teenage birth, 104
and unmarried mothers, 117
definition of, 132
leading causes of, 154
maternal, 148-149
definition of, 148
neonatal, 132, 136-137, 140
definition of, 132, 136
leading causes of, 140
perinatal, 161, 193
postneonatal, 132, 136, 138-139
definition of, 132, 138
leading causes of, 140
premature, 52, 75, 165
rates, 150-153
statistics, 165. *See also* mortality rates
trends, 152
- Mosquito-borne disease, 197
- Mosquitoes, 197
and arboviral infections, 197
- Motels, 51
- Motor vehicle accidents. *See* accidents: motor vehicle
- MSM. *See* men who have sex with men
- Mumps, 169, 194, 195
- MVA. *See* motor vehicle accidents
- ## N
- NAAQS. *See* National Ambient Air Quality Standards
- NAPPC. *See* Nashville Adolescent Pregnancy and Prevention Council
- National Ambient Air Quality Standards, 44, 45
- National Cancer Institute, 234
- National Health and Nutrition Examination Survey (NHANES), 57, 60, 64, 65
- National Health Interview Survey, 55
- National Highway Traffic Safety Administration, 81
- National Institutes of Health, 57
- NCI. *See* National Cancer Institute
- Needlesticks. *See* sharp instrument injuries
- Neighborhood
and income. *See* income: and neighborhood
- Neisseria gonorrhoeae*, 212. *See also* gonorrhea
- Neisseria meningitidis*. *See* meningococcal disease
- Neonatal mortality. *See* mortality: neonatal
- Neonate, 136
definition of, 136
- Nephritis
as leading cause of death, 155, 156, 158
- Neurological problems
and low birth rate, 142
and Lyme disease, 166
- NHANES. *See* National Health and Nutrition Examination Survey
- NHIS. *See* National Health Interview Survey
- NIH. *See* National Institutes of Health
- Nitrates, 43
- Nitrous oxide, nitric oxide, 46
- Non-English speaking population, 39-40. *See also* foreign-born persons
- North Nashville, 55
- Norwalk-like virus, 50
- Nosocomial infections, 191

Index

Notifiable condition. *See* notifiable diseases

Notifiable disease, 166–199

and community health assessment, 166

and epidemiology, 166

control, 167

definition of, 166

diagnosis, 167

reporting, 166

surveillance, 166

and bioterrorism preparedness, 199

Notifiable Disease Control/Immunization Promotion,

Division of, 176, 193, 199

NOx. *See* nitrous oxide, nitric oxide

Nurses, 95–96

licensed practical, 95–96

registered, 95–96

Nursing homes

and tuberculosis, 182

Nutritional counseling, 131

as component of prenatal care, 123

O

Obesity, 57–60

as leading cause of death, 57

as risk factor, 57

cost of, 237

definition of, 57

Opening Doors, 75

Organ transplant

and HIV/AIDS, 220

Origin. *See* ethnicity

Osteoporosis, 11

and physical activity, 53

Outbreak, 172, 174

and bioterrorism, 199

and salmonella, salmonellosis, 199

shigellosis, 176

Overweight, 57–60

and income, 24

definition of, 57

Ozone, 44, 45

Ozone forecast, 45

P

Paint

and lead, 49

as hazardous waste, 48

Pap tests, 84, 86–87

Particulate matter, 46

Peer-pressure

as a barrier to helmet use, 82

Pelvic inflammatory disease, 208, 212

Per capita income, 24

Perinatal conditions

and years of potential life lost, 161–164

as leading cause of death, 157, 159, 162–163

Perinatal Hepatitis B Program, 193

Pertussis, 169, 194–195

and adolescents/adults, 194

Pesticides

as hazardous waste, 48

as water contaminant, 42

Pharmacists, 199, 205

PHS. *See* Public Health Service

Physical activity, 53–56

duration of, 54–55

moderate

definition of, 53

Physician, 95–96

primary care, 95

shortage, 96

Physicians assistants, 95–96

PID. *See* pelvic inflammatory disease

Plague, 169, 199

Planning district, 2. *See also* public health planning district

and leading cause of death, 158

and years of potential life lost, 163

Plumbing, 47

Pneumococcal disease, 194

as cause of death, 200

Pneumococcal polysaccharide vaccine (PPV), 200

effectiveness, 200

Pneumonia, 184

and antimicrobial resistance, 184

and *Streptococcus pneumoniae*, 185

as leading cause of death, 141, 154–159

Pneumonia vaccine. *See* pneumococcal polysaccharide vaccine

Polio, poliomyelitis, 166, 169, 194, 195

Poor. *See* poverty

Population, 7–9, 10–12, 13–15, 29–34, 39–40

and poverty level, 21

and race/ethnicity composition, 13–15

density, 8, 29–34

growth, 115, 119

growth rate, 7–9

pyramid, 10–11

Postneonatal mortality. *See* mortality: postneonatal

Postneonate, 138

Poverty, 21–23

and children, 21

and health, 22

and life expectancy, 21

and sexually transmitted diseases, 207

Index

and the elderly, 22
definition of, 21
federal guidelines. *See* income: federal guidelines
health, 21
Poverty level, poverty threshold, 21
PPV. *See* pneumococcal polysaccharide vaccine
Pregnancy, 115, 132, 144-145, 148
and hepatitis B, 169, 187, 189, 193
and HIV/AIDS, 224
and lead, 49
and syphilis, 216
complications
and hospital admissions, 149
teenage, 104
first trimester, 121, 124, 129, 131
teenage, 104
and infant health problems, 104
and prenatal care, 104, 131
risk of repeat births, 108
testing, 120
third trimester, 128-129
Pregnancy-associated deaths. *See* maternal
death; mortality: maternal
Premature death. *See* years of potential life lost
definition of, 161
Prematurity. *See* preterm birth, preterm delivery
Prenatal care, 117, 123, 129, 131
components of, 121
early and adequate, 129, 149
indicator
definition of, 121
late or no, 126-129
Preterm birth, preterm delivery, 121, 145-147. *See*
also preterm birth
as cause of death, 145
definition of, 145
Preterm births, 146
Preterm labor, 104
Prisons
and tuberculosis, 182
Protozoan, 172
Psittacosis, 169
Public Facilities, Division of, 51
Public health planning district, 2, 7, 29-32
Public Health Service, 61
Public Works Department, 48

Q

Q Fever, 199
Quality of life. *See* health-related quality of life

R

Rabies, 169
Race, 13
public health research, 13
Radioactive materials, 42
REACH 2010, 55
Reading disability
and lead, 49
Rectal exams. *See* digital rectal exams
Recycling, 48
Religion, 13
Repeat births, 112-113
Respiratory diseases, 154-159. *See also*
asthma; chronic lower respiratory disease
and air pollution, 44
and environmental tobacco smoke, 64
and smoking, 61
as leading cause of death, 154, 158-159
Respiratory distress
as leading cause of death, 140
Restaurants
and food protection, 50, 176
Retail food stores, 50
Ricin, 199
RN. *See* nurses: registered
Rocky Mountain Spotted Fever, 169, 197-198
Rubella, 169, 194-195. *See also* congenital rubella
syndrome

S

Safe Drinking Water Hotline, 43
Safe sex. *See* sexual behavior: responsible
Safety belt use, 76-80
Safety Net Consortium, 38
Safety seats, 76
Saliva
and HIV/AIDS, 220
Salmonellosis, 168-170, 172-175, 199
SAMHSA. *See* Substance Abuse and Mental Health
Services Adminis
Schools, 51
and immunization, 195
Screen for Life Campaign, 88
Screening
cancer, 88
chlamydia, 211
syphilis, 218
Seat belt use. *See* safety belt use
Second-hand smoke. *See* environmental tobacco
smoke
Senior citizens
and poverty, 22

Index

- Septic systems, 42, 47
Septicemia, 141, 156, 158, 163. *See also* bacterial sepsis
Sewage, 47
 disposal, private. *See* septic systems
 treatment plants, 42
Sewer system
 public, 47
Sexual behavior, 67–72
 and HIV/AIDS, 220
 and sexually transmitted diseases, 207
 risky, 223
Sexually transmitted disease (STD), 67, 167, 207
 and substance abuse, 73
 clinic, 207
 partner notification, 207
 prevention education, 72
 reporting, 207
 screening, 120
 as component of prenatal care, 123
 testing, 207
 treatment, 207
 and urban center, 214
Sharp instrument injuries
 and hepatitis B, 191
 and HIV/AIDS, 220
Shelby County, 91, 116, 121–124, 126, 128–129, 131, 134, 136–138, 142–143, 145, 146. *See also* Memphis
Shigellosis, 168–170, 172–176
Sigmoidoscopy, 84, 88
Single men. *See* unmarried men
Single mothers. *See* family: single-parent
Single-parent family. *See* family: single-parent
SLE. *See* St. Louis encephalitis
Smallpox, 199. *See also* bioterrorism
SMART MOMS program, 144
Smoke-Free Nashville Coalition, 63, 66
Smoke-free places, 64, 66
Smoking, 61–63
 and preterm delivery, 145
 as cause of death, 61
 cessation, 63, 144
 as component of prenatal care, 123
 maternal, 144
Socioeconomic status, 24, 120
 low
 as risk for preterm delivery, 145
Solid waste collection, 48. *See also* waste: solid
Somalia, 178
Southern tick-associated rash illness (STARI), 198
Spanish-speaking population, 40
St. Louis encephalitis, 169
Staph enterotoxin B, 199
Staphylococcus, 166
STARI. *See* Southern tick-associated rash illness
Stationary sources, 44
STD. *See* sexually transmitted disease
STD Free!, 72, 218
 Haunted House, 72
Stillbirth, 115. *See also* fetal death
Stomach ulcers
 and *Helicobacter pylori*, 166
Strangulation, infant
 as leading cause of death, 141
Streptococcus pneumoniae, 169–170, 184–185
 penicillin resistant, 184
Stroke, 11
 and smoking, 61
 and years of potential life lost, 162–164
 as leading cause of death, 52, 59, 154–160, 162
 cost of, 237
Substance Abuse and Mental Health Services Administration (SAMHSA), 73
Substance use and abuse, 73–75
 and sexually transmitted diseases, 207
 counseling services, 73
 overdose, 73
Sudan, 178
Sudden infant death syndrome, 140, 141
 and environmental tobacco smoke, 64
 as leading cause of death, 140
 definition of, 140
Suffocation, infant
 as leading cause of death, 141
Suicide
 and years of potential life lost, 161–164
 as leading cause of death, 154, 156–159, 162
Sulfur, 46
Surgeon General, 53–54, 61, 88
Surveillance, 166–167
 and bioterrorism preparedness, 199
 notifiable disease, 166
 911 syndrome surveillance system, 368
Swimming pools, 51
Syphilis, 167–170, 207, 216–219
 and jail-based screening, 218
 and substance abuse, 73
 elimination, 216, 219
 epidemic, 218
 testing, 72, 216
 treatment, 216
- ## T
- Tattoo parlors, 51
TB. *See* tuberculosis
TDH. *See* Tennessee Department of Health

Index

Teenage
 pregnancy
 and prenatal care, 128
Teenage mothers, 123
Teenage pregnancy. *See* pregnancy: teenage
Tennessee Cancer Registry, 225
Tennessee Department of Health, 166, 186
Tennessee Health Status Report, 76
Terrorist, 166
Tetanus, 169, 194, 195
Thermal Transfer Plant, 48
Tick-borne disease, 166, 197-198
Ticks, 197-198
Tobacco Control Initiative, 160
Tobacco smoke, 64-66
Tobacco use, 61-63
 and cancer, 187
 and unemployment, 18
Tooth decay, 42
Toxic shock syndrome (TSS), 169
Transfusion
 and hepatitis B, 191
 and hepatitis C, 191
 and HIV/AIDS, 220
Transportation, Department of, 80
Trash. *See* waste: solid
Treponema pallidum, 216. *See also* syphilis
Trichinosis, 169, 174
Trichomoniasis, 207
TSS. *See* toxic shock syndrome
Tuberculosis, 154-155, 166, 168-170, 177-182
 and antimicrobial resistance, 177, 184
 and HIV/AIDS, 177, 222
 and substance abuse, 73
 as leading cause of death, 154-155
 bone/joint, 178
 diagnosis, 177
 genitourinary, 178
 latent TB infection (LTBI), 177, 182
 lymphatic/cervical, 178
 lymphatic/intrathoracic, 178
 meningeal, 178
 miliary, 178
 multi-drug resistant, 177, 182
 cost of, 177
 outreach activities, 182
 peritoneal, 178
 pleural, 178
 pulmonary, 178
 reporting, 177
 treatment, 177
Tuberculosis Elimination, Division of, 182
Tularemia, 199
Typhoid fever, 169

U

U.S. Census Bureau. *See* Census Bureau
U.S. Department of Health and Human Services. *See*
 Department of Health and Human Services
U.S. Department of Transportation. *See* Department
 of Transportation
U.S. Environmental Protection Agency. *See*
 Environmental Protection Agency
U.S. Health Resources and Services
 Administration. *See* Health Resources and
 Services Administration
U.S. Public Health Service. *See* Public Health Service
U.S. Surgeon General. *See* Surgeon General
Unemployment, 18-19
Unemployment rate, 18
Unhealthy days, 100-101
 calculation of, 98
Uninsured. *See* health insurance: lack of
Unintentional injury. *See* accidents
Unintentional Injury Prevention, 160
University of Tennessee Transportation Center, 80
Unmarried male, 71
Unmarried mothers. *See* family: single-parent
Unwed mothers. *See* family: single-parent
Urban Services District, 48
Urban
 and hospital beds, 91
 and sexually transmitted diseases, 214
Urinary tract infection (UTI)
 and enterococci, 185
UTI. *See* urinary tract infection

V

Vaccination clinic, 207
Vaccine-preventable disease, 194-195
 investigations, 195
Vaccines, 166, 171, 194-195
Vancomycin, 166
Vancomycin resistant enterococci (VRE), 168-170,
 184-185
Varicella, 169, 194
Vector-borne disease, 197-198
Vegetables, 174
Venezuelan Equine Encephalitis, 199
Vibrio, 169
Violence, 160
 and drug abuse, 73
 as leading cause of death, 155
Violence Prevention Initiative, 160
Viral Hemorrhagic Fever, 199
Viruses, 166, 171, 184
 and foodborne illness, 50

Index

VRE. *See* Vancomycin resistant enterococci

W

Walk Nashville, 56, 60, 160

Walking, 53, 55-56

Waste

hazardous, 48

solid, 48

Waste management, 48

Wastewater

discharges, 42

Water

contaminants, 42

drinking, 42-43

quality, 42, 43

supply, 42

treatment plant, 42

Water Services, Department of, 42, 47

Waterborne, 172, 174

Watershed, 42

Weapons, 199

WEE. *See* Western equine encephalitis

Weight gain during pregnancy, inadequate
and preterm delivery, 145

West Nile encephalitis, 169, 197

Western equine encephalitis, 169

WHO. *See* World Health Organization

WIC. *See* Women, Infants, and Children program

Women, Infants, and Children program (WIC), 131

Women's health, 144

World Health Organization (WHO), 1, 57, 132

World No Tobacco Day, 63

Wound infections

and enterococci, 185

Y

Years of potential life lost, 161-165

and accidents, 165

and cancer, 165

and heart disease, 165

and homicide, 165

definition of, 161

Yellow fever, 169

Yersiniosis, 169, 174

Young adults

and chlamydia, 208

YPLL. *See* years of potential life lost

Z

Zip codes, 202