

July 27, 2011

**** LABORATORY ANALYSIS REPORT ****

Radon test result report for:
BERRY HEAD START

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
4525259	CLASSROOM C	2011-07-20 @ 1:00 pm	2011-07-25 @ 2:00 pm	0.6	2011-07-27
4525260	CLASSROOM B	2011-07-20 @ 1:00 pm	2011-07-25 @ 2:00 pm	0.6	2011-07-27
4525258	CLASSROOM D	2011-07-20 @ 1:00 pm	2011-07-25 @ 2:00 pm	0.7	2011-07-27
4525265	CLASSROOM G	2011-07-20 @ 1:00 pm	2011-07-25 @ 2:00 pm	0.6	2011-07-27
4525264	CLASSROOM G	2011-07-20 @ 1:00 pm	2011-07-25 @ 2:00 pm	< 0.3	2011-07-27
4525266	CLASSROOM H	2011-07-20 @ 1:00 pm	2011-07-25 @ 2:00 pm	0.7	2011-07-27
4525263	OFFICE 2	2011-07-20 @ 1:00 pm	2011-07-25 @ 2:00 pm	0.8	2011-07-27
4525262	OFFICE I	2011-07-20 @ 1:00 pm	2011-07-25 @ 2:00 pm	0.8	2011-07-27

Air Chek, Inc. 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498

July 27, 2011

**** LABORATORY ANALYSIS REPORT ****

Radon test result report for:
DUDLEY HEAD START

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
4525164	A	2011-07-20 @ 10:00 am	2011-07-25 @ 10:00 am	2.1	2011-07-27
4525159	B	2011-07-20 @ 10:00 am	2011-07-25 @ 10:00 am	2.0	2011-07-27
4525165	C	2011-07-20 @ 10:00 am	2011-07-25 @ 10:00 am	2.2	2011-07-27
4525166	D	2011-07-20 @ 10:00 am	2011-07-25 @ 10:00 am	2.1	2011-07-27
4525167	E	2011-07-20 @ 10:00 am	2011-07-25 @ 10:00 am	2.4	2011-07-27
4525168	FSWO	2011-07-20 @ 10:00 am	2011-07-25 @ 10:00 am	2.2	2011-07-27
4525160	FSWO	2011-07-20 @ 10:00 am	2011-07-25 @ 10:00 am	2.1	2011-07-27
4525169	G	2011-07-20 @ 10:00 am	2011-07-25 @ 10:00 am	2.4	2011-07-27
4525170	H	2011-07-20 @ 10:00 am	2011-07-25 @ 10:00 am	2.4	2011-07-27
4525171	I	2011-07-20 @ 10:00 am	2011-07-25 @ 10:00 am	4.4	2011-07-27
4525173	J	2011-07-20 @ 10:00 am	2011-07-25 @ 10:00 am	3.8	2011-07-27
4525172	J	2011-07-20 @ 10:00 am	2011-07-25 @ 10:00 am	4.4	2011-07-27
4525163	MGR	2011-07-20 @ 10:00 am	2011-07-25 @ 10:00 am	2.3	2011-07-27
4525162	MGR	2011-07-20 @ 10:00 am	2011-07-25 @ 10:00 am	2.3	2011-07-27
4525161	RECEP	2011-07-20 @ 10:00 am	2011-07-25 @ 10:00 am	2.2	2011-07-27

July 27, 2011

**** LABORATORY ANALYSIS REPORT ****

Radon test result report for:
NORTH HEAD START

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
4525080	CLASSROOM A	2011-07-20 @ 11:00 am	2011-07-25 @ 10:00 am	0.9	2011-07-27
4525079	CLASSROOM B	2011-07-20 @ 11:00 am	2011-07-25 @ 10:00 am	0.6	2011-07-27
4525081	CLASSROOM C	2011-07-20 @ 11:00 am	2011-07-25 @ 10:00 am	1.0	2011-07-27
4525078	CLASSROOM D	2011-07-20 @ 11:00 am	2011-07-25 @ 10:00 am	0.8	2011-07-27
4525077	CLASSROOM E	2011-07-20 @ 11:00 am	2011-07-25 @ 10:00 am	0.5	2011-07-27
4525076	CLASSROOM F	2011-07-20 @ 11:00 am	2011-07-25 @ 10:00 am	< 0.3	2011-07-27
4525075	CLASSROOM F	2011-07-20 @ 11:00 am	2011-07-25 @ 10:00 am	< 0.3	2011-07-27

Air Chek, Inc. 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498

Radon test result report for:
RICHLAND HEAD START

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
4525146	A	2011-07-20 @ 9:00 am	2011-07-25 @ 11:00 am	0.5	2011-07-27
4525147	A. MGR	2011-07-20 @ 9:00 am	2011-07-25 @ 11:00 am	< 0.3	2011-07-27
4525145	B	2011-07-20 @ 9:00 am	2011-07-25 @ 11:00 am	0.5	2011-07-27
4525144	C	2011-07-20 @ 9:00 am	2011-07-25 @ 11:00 am	< 0.3	2011-07-27
4525143	D	2011-07-20 @ 9:00 am	2011-07-25 @ 11:00 am	0.7	2011-07-27
4525142	D	2011-07-20 @ 9:00 am	2011-07-25 @ 11:00 am	0.7	2011-07-27
4525148	E	2011-07-20 @ 9:00 am	2011-07-25 @ 11:00 am	0.6	2011-07-27
4525151	F	2011-07-20 @ 9:00 am	2011-07-25 @ 11:00 am	0.6	2011-07-27
4525150	FSWO	2011-07-20 @ 9:00 am	2011-07-25 @ 11:00 am	0.7	2011-07-27
4525153	G	2011-07-20 @ 9:00 am	2011-07-25 @ 11:00 am	1.0	2011-07-27
4525152	G	2011-07-20 @ 9:00 am	2011-07-25 @ 11:00 am	0.9	2011-07-27
4525154	H	2011-07-20 @ 9:00 am	2011-07-25 @ 11:00 am	1.3	2011-07-27
4525155	I	2011-07-20 @ 9:00 am	2011-07-25 @ 11:00 am	0.9	2011-07-27
4525157	J	2011-07-20 @ 9:00 am	2011-07-25 @ 11:00 am	1.0	2011-07-27
4525158	KIOSK	2011-07-20 @ 9:00 am	2011-07-25 @ 11:00 am	1.2	2011-07-27
4525156	KIOSK	2011-07-20 @ 9:00 am	2011-07-25 @ 11:00 am	1.8	2011-07-27
4525149	MGR	2011-07-20 @ 9:00 am	2011-07-25 @ 11:00 am	0.7	2011-07-27

July 27, 2011

**** LABORATORY ANALYSIS REPORT ****

Radon test result report for:
ROSS HEAD START

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
4525089	CLASSROOM B	2011-07-20 @ 12:00 pm	2011-07-25 @ 11:00 am	0.9	2011-07-27
4525082	CLASSROOM E	2011-07-20 @ 12:00 pm	2011-07-25 @ 11:00 am	0.9	2011-07-27
4525083	CLASSROOM F	2011-07-20 @ 12:00 pm	2011-07-25 @ 11:00 am	0.8	2011-07-27
4525084	CLASSROOM G	2011-07-20 @ 12:00 pm	2011-07-25 @ 11:00 am	0.9	2011-07-27
4525088	CLASSROOM H	2011-07-20 @ 12:00 pm	2011-07-25 @ 11:00 am	2.3	2011-07-27
4525087	CLASSROOM I	2011-07-20 @ 12:00 pm	2011-07-25 @ 11:00 am	2.4	2011-07-27
4525086	CLASSROOM J	2011-07-20 @ 12:00 pm	2011-07-25 @ 11:00 am	2.5	2011-07-27
4525085	CLASSROOM J	2011-07-20 @ 12:00 pm	2011-07-25 @ 11:00 am	2.5	2011-07-27

Air Chek, Inc. 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498

July 27, 2011

**** LABORATORY ANALYSIS REPORT ****

Radon test result report for:
SUSAN GRAY

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
4525176	A	2011-07-20 @ 11:00 am	2011-07-25 @ 10:00 am	2.0	2011-07-27
4525175	A. MGR	2011-07-20 @ 11:00 am	2011-07-25 @ 10:00 am	0.9	2011-07-27
4525177	B	2011-07-20 @ 11:00 am	2011-07-25 @ 10:00 am	1.6	2011-07-27
4525178	C	2011-07-20 @ 11:00 am	2011-07-25 @ 10:00 am	4.3	2011-07-27
4525180	D	2011-07-20 @ 11:00 am	2011-07-25 @ 10:00 am	3.7	2011-07-27
4525181	E	2011-07-20 @ 11:00 am	2011-07-25 @ 10:00 am	1.4	2011-07-27
4525185	F	2011-07-20 @ 11:00 am	2011-07-25 @ 10:00 am	0.6	2011-07-27
4525186	G	2011-07-20 @ 11:00 am	2011-07-25 @ 10:00 am	0.5	2011-07-27
4525187	H	2011-07-20 @ 11:00 am	2011-07-25 @ 10:00 am	1.1	2011-07-27
4525184	I	2011-07-20 @ 11:00 am	2011-07-25 @ 10:00 am	1.3	2011-07-27
4525183	J	2011-07-20 @ 11:00 am	2011-07-25 @ 10:00 am	1.6	2011-07-27
4525182	J	2011-07-20 @ 11:00 am	2011-07-25 @ 10:00 am	1.6	2011-07-27
4525179	K	2011-07-20 @ 11:00 am	2011-07-25 @ 10:00 am	1.2	2011-07-27
4525174	MAIN OFFICE	2011-07-20 @ 11:00 am	2011-07-25 @ 9:00 am	0.8	2011-07-27

July 27, 2011

**** LABORATORY ANALYSIS REPORT ****

Radon test result report for:
TOM JOY HEAD START

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
4525098	CLASSROOM A	2011-07-20 @ 11:00 am	2011-07-25 @ 1:00 pm	0.9	2011-07-27
4525097	CLASSROOM B	2011-07-20 @ 11:00 am	2011-07-25 @ 1:00 pm	1.1	2011-07-27
4525099	CLASSROOM C	2011-07-20 @ 11:00 am	2011-07-25 @ 1:00 pm	1.1	2011-07-27
4525096	CLASSROOM D	2011-07-20 @ 12:00 pm	2011-07-25 @ 1:00 pm	1.3	2011-07-27
4525095	CLASSROOM D	2011-07-20 @ 12:00 pm	2011-07-25 @ 1:00 pm	1.4	2011-07-27
4525100	CLASSROOM E	2011-07-20 @ 11:00 am	2011-07-25 @ 1:00 pm	1.2	2011-07-27
4525254	CLASSROOM G	2011-07-20 @ 1:00 pm	2011-07-25 @ 1:00 pm	1.5	2011-07-27
4525093	CLASSROOM H	2011-07-20 @ 12:00 pm	2011-07-25 @ 1:00 pm	2.0	2011-07-27
4525255	CLASSROOM I	2011-07-20 @ 1:00 pm	2011-07-25 @ 1:00 pm	1.5	2011-07-27
4525256	CLASSROOM L	2011-07-20 @ 1:00 pm	2011-07-25 @ 1:00 pm	1.5	2011-07-27
4525257	CLASSROOM M	2011-07-20 @ 1:00 pm	2011-07-25 @ 1:00 pm	1.4	2011-07-27
4525092	FSWJ	2011-07-20 @ 12:00 pm	2011-07-25 @ 1:00 pm	1.3	2011-07-27
4525091	FSWJ	2011-07-20 @ 12:00 pm	2011-07-25 @ 1:00 pm	1.1	2011-07-27