

STORMWATER MANAGEMENT COMMITTEE MEETING DETAILS for 03-SEPT-2020

Case # 202000001 River North – Phase 1
520 Cowan Street

Council District 05: (Sean Parker)
APN: 082060A00200CO & 08210000500

Case Description: Rehearing – Stormwater Management Committee Members request to revisit prior motion approving variance. Case was previously heard May 7, 2020 during which variance was approved to allow the following: 1) Temporary uncompensated fill in the floodplain until such time that each lot becomes developed within seven-year period. (Postpone the compensating cut that is required to offset the fill).

Case # 202000011 6970 Nolensville Pike
Address: 6970 Nolensville Pike

Council District: 31 (John Rutherford)
APN: 18600001300

Case Description: Variance request is to allow the following:

1. Stream Alteration and Realignment
 2. Zone 1 Buffer Disturbance
 3. Zone 1 Buffer Reduction
-

Case # 202000012 234 Orlando Ave
Address: 234 Orlando Avenue

Council District: 24 (Kathleen Murphy)
APN: 09114020300

Single Family Residential

Case Description: Variance request is to allow the following:

1. Disturbance of Buffer for Footprint of House
 2. Disturbance of Buffer for Driveway and Green Infrastructure Control Practice
-

Case # 202000013 1432 Ardee Ave
Address: 1432 Ardee Avenue

Council District: 07 (Emily Benedict)
APN: 07204020900

Single Family Residential

Case Description: Variance request is to allow the following:

1. Stream Buffer Disturbance
 2. Mow and Maintain Buffer
-